

Kohei Wakabayashi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9222960/kohei-wakabayashi-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

1,108

citations

18

h-index

31

g-index

67

ext. papers

1,303

ext. citations

3.6

avg, IF

3.12

L-index

#	Paper	IF	Citations
62	Multiple Micro-Neo-Vessels Detected by Optical Coherence Tomography (OCT) May Predict a Progression of Cardiac Allograft Vasculopathy in Posttransplant Recipients.. <i>Korean Circulation Journal</i> , 2022 , 52, 398-400	2.2	
61	Comparison of Clopidogrel Monotherapy After 1 to 2 Months of Dual Antiplatelet Therapy With 12 Months of Dual Antiplatelet Therapy in Patients With Acute Coronary Syndrome: The STOPDAPT-2 ACS Randomized Clinical Trial.. <i>JAMA Cardiology</i> , 2022 ,	16.2	12
60	Early Vascular Healing Following Bioresorbable-Polymer Sirolimus-Eluting Stent Placement Compared to That with Durable-Polymer Everolimus-Eluting Stent. <i>International Heart Journal</i> , 2021 , 62, 510-519	1.8	
59	Ultra-minimum contrast percutaneous coronary intervention for a patient with complex coronary artery disease and end-stage diabetic nephropathy. <i>Journal of Cardiology Cases</i> , 2021 , 23, 290-293	0.6	0
58	Onset time and prognostic value of acute kidney injury in patients with acute myocardial infarction. <i>IJC Heart and Vasculature</i> , 2021 , 35, 100826	2.4	1
57	Early Vascular Response to Ultrathin Biodegradable Polymer Sirolimus-Eluting Stents for the Treatment of ST-Elevation Myocardial Infarction After Plaque Rupture. <i>International Heart Journal</i> , 2021 , 62, 42-49	1.8	
56	Large Right Pulmonary Vein Is a Predictor of Atrial Fibrillation Recurrence after Pulmonary Vein Isolation in Patients with Persistent Atrial Fibrillation. <i>The Showa University Journal of Medical Sciences</i> , 2020 , 32, 233-245	0.1	
55	Acute myocardial infarction caused by persistent coronary spasm associated with high-grade macrophage accumulation. <i>BMJ Case Reports</i> , 2020 , 13,	0.9	1
54	Influence of sex on the incidence of potential coronary artery disease and long-term outcomes in asymptomatic patients with diabetes mellitus. <i>IJC Heart and Vasculature</i> , 2020 , 27, 100504	2.4	3
53	Worsening renal failure due to renal steal by aortoiliac bypass. <i>BMJ Case Reports</i> , 2019 , 12,	0.9	
52	Rapidly growing coronary artery aneurysm associated with pericarditis. <i>Coronary Artery Disease</i> , 2018 , 29, 168-170	1.4	1
51	Trends and predictors of non-cardiovascular death in patients hospitalized for acute heart failure. <i>International Journal of Cardiology</i> , 2018 , 250, 164-170	3.2	10
50	Incidence and predictors of in-hospital non-cardiac death in patients with acute heart failure. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 441-449	4.3	7
49	Does anticoagulation therapy prevent thrombosis in coronary stent grafts?. <i>Cardiovascular Intervention and Therapeutics</i> , 2017 , 32, 405-408	2.5	1
48	The Effect of Cilostazol on Endothelial Function as Assessed by Flow-Mediated Dilation in Patients with Coronary Artery Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016 , 23, 1168-1177	4	7
47	Efficacy of Statin Therapy in Inducing Coronary Plaque Regression in Patients with Low Baseline Cholesterol Levels. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016 , 23, 1055-66	4	9
46	Clinical impact of undersized- versus oversized-stenting approaches in ST-elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 362-8	1.6	2

45	A Case With Apical Hypertrophic Cardiomyopathy, Multiple Coronary Artery-Left Ventricular Fistulae, and a Morphological Structure Mimicking Left Ventricular Noncompaction: Statue of Cerberus or Double-Headed Eagle?. <i>Circulation</i> , 2015 , 131, 2161-3	16.7	2
44	Natural course of isolated spontaneous coronary artery dissection in Marfan syndrome. <i>International Journal of Cardiology</i> , 2014 , 177, 20-2	3.2	16
43	Acute limb ischemia due to abdominal compartment syndrome. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 83, 141-3	2.7	3
42	Effects of erythropoietin on angiogenesis after myocardial infarction in porcine. <i>Heart and Vessels</i> , 2012 , 27, 79-88	2.1	25
41	Utility of intravascular ultrasound guidance in patients undergoing percutaneous coronary intervention for type C lesions. <i>Journal of Interventional Cardiology</i> , 2012 , 25, 452-9	1.8	9
40	Association between bleeding severity and long-term mortality in patients experiencing vascular complications after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2012 , 109, 75-81	3.1	28
39	Endogenous bioactive peptides as potential biomarkers for atherosclerotic coronary heart disease. <i>Sensors</i> , 2012 , 12, 4974-85	3.8	19
38	Impact of drug-eluting stents on distal vessels. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 211-9	6	8
37	Clinical outcomes and treatment after drug-eluting stent failure: the absence of traditional risk factors for in-stent restenosis. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 12-9	6	17
36	Edge effect from drug-eluting stents as assessed with serial intravascular ultrasound: a systematic review. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 305-11	6	13
35	Cardiopulmonary arrest due to persistent coronary spasm in a young woman. Are we properly diagnosing vasospastic angina?. <i>International Journal of Cardiology</i> , 2011 , 148, e56-9	3.2	5
34	Impact of smoking on acute phase outcomes of myocardial infarction. <i>Coronary Artery Disease</i> , 2011 , 22, 217-22	1.4	18
33	Integrilin in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>Journal of Interventional Cardiology</i> , 2011 , 24, 351-6	1.8	9
32	Coronary vein infusion of multipotent stromal cells from bone marrow preserves cardiac function in swine ischemic cardiomyopathy via enhanced neovascularization. <i>Laboratory Investigation</i> , 2011 , 91, 553-64	5.9	49
31	Effect of insurance type on adverse cardiac events after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2011 , 107, 675-80	3	28
30	Clinical profile, prognostic implication, and response to treatment of pulmonary hypertension in patients with severe aortic stenosis. <i>American Journal of Cardiology</i> , 2011 , 107, 1046-51	3	89
29	Safety and efficacy of clopidogrel reloading in patients on chronic clopidogrel therapy who present with an acute coronary syndrome and undergo percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2011 , 107, 1779-82	3	7
28	Outcomes after unrestricted use of everolimus-eluting stent compared to paclitaxel- and sirolimus-eluting stents. <i>American Journal of Cardiology</i> , 2011 , 107, 1757-62	3	6

27	Outcomes of coronary arterial perforations during percutaneous coronary intervention with bivalirudin anticoagulation. <i>American Journal of Cardiology</i> , 2011 , 108, 932-5	3	13
26	Hybrid strategy of a bare metal stent combined with a drug-eluting stent versus exclusive drug-eluting stent implantation for multivessel percutaneous coronary intervention. <i>EuroIntervention</i> , 2011 , 6, 1085-90	3.1	4
25	Impact of drug-eluting stent type on periprocedural myocardial necrosis. <i>EuroIntervention</i> , 2011 , 7, 136-42	3.1	4
24	In vivo virtual histology intravascular ultrasound comparison of neointimal hyperplasia within drug-eluting- versus bare metal stents. <i>Journal of Invasive Cardiology</i> , 2011 , 23, 262-8	0.7	5
23	Safety and efficacy of bivalirudin for percutaneous coronary intervention with rotational atherectomy. <i>Journal of Interventional Cardiology</i> , 2010 , 23, 223-9	1.8	5
22	Correlates and causes of death in patients with severe symptomatic aortic stenosis who are not eligible to participate in a clinical trial of transcatheter aortic valve implantation. <i>Circulation</i> , 2010 , 122, S37-42	16.7	84
21	Synergistic increase risk of death and myocardial infarction at one year in patients with concomitant diabetes mellitus and renal failure. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2010 , 4, 190-196	8.9	
20	Incidence, correlates, and clinical impact of nuisance bleeding after antiplatelet therapy for patients with drug-eluting stents. <i>American Heart Journal</i> , 2010 , 159, 871-5	4.9	40
19	Body mass index and bleeding complications after percutaneous coronary intervention: does bivalirudin make a difference?. <i>American Heart Journal</i> , 2010 , 159, 1139-46	4.9	29
18	Intravascular ultrasound guidance for percutaneous coronary intervention in the current practice era. <i>Interventional Cardiology</i> , 2010 , 2, 719-733	3	1
17	Biodegradable polymer for drug-eluting stents □ a true advantage or only perception? □ <i>Circulation Journal</i> , 2010 , 74, 2052-3	2.9	2
16	Safety and in-hospital outcomes of bivalirudin use in dialysis patients undergoing percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2010 , 105, 297-301	3	12
15	Relation of proton pump inhibitor use after percutaneous coronary intervention with drug-eluting stents to outcomes. <i>American Journal of Cardiology</i> , 2010 , 105, 833-8	3	63
14	Long-term prognostic value of preprocedural C-reactive protein after drug-eluting stent implantation. <i>American Journal of Cardiology</i> , 2010 , 105, 826-32	3	23
13	Outcomes in diabetic versus nondiabetic patients who present with acute myocardial infarction and are treated with drug-eluting stents. <i>American Journal of Cardiology</i> , 2010 , 105, 819-25	3	11
12	Utility of radiologic review for noncardiac findings on multislice computed tomography in patients with severe aortic stenosis evaluated for transcatheter aortic valve implantation. <i>American Journal of Cardiology</i> , 2010 , 105, 1461-4	3	29
11	Prognosis of asymptomatic coronary artery disease after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2010 , 105, 1507-12	3	3
10	Impact of chronic obstructive pulmonary disease on acute-phase outcome of myocardial infarction. <i>American Journal of Cardiology</i> , 2010 , 106, 305-9	3	33

9	A novel percutaneous coronary intervention risk score to predict one-year mortality. <i>American Journal of Cardiology</i> , 2010 , 106, 641-5	3	7
8	Correlates and consequences of gastrointestinal bleeding complicating percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2010 , 106, 1069-74	3	16
7	Does on- versus off-hours presentation impact in-hospital outcomes of ST-segment elevation myocardial infarction patients transferred to a tertiary care center?. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 76, 484-90	2.7	6
6	Insurance type influences the use of drug-eluting stents. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 773-9	5	36
5	Complications and outcome of balloon aortic valvuloplasty in high-risk or inoperable patients. <i>JACC: Cardiovascular Interventions</i> , 2010 , 3, 1150-6	5	198
4	Provoked coronary spasm predicts adverse outcome in patients with acute myocardial infarction: a novel predictor of prognosis after acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 518-22	15.1	38
3	G-CSF after myocardial infarction accelerates angiogenesis and reduces fibrosis in swine. <i>International Journal of Cardiology</i> , 2008 , 127, 166-73	3.2	15
2	Eplerenone suppresses neointimal formation after coronary stent implantation in swine, a reply. <i>International Journal of Cardiology</i> , 2007 , 115, 99-100	3.2	3
1	Eplerenone suppresses neointimal formation after coronary stent implantation in swine. <i>International Journal of Cardiology</i> , 2006 , 107, 260-6	3.2	23