

# Nan Gao

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9223303/nan-gao-publications-by-citations.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42  
papers

1,956  
citations

24  
h-index

44  
g-index

51  
ext. papers

2,472  
ext. citations

9.4  
avg, IF

4.76  
L-index

#	Paper	IF	Citations
42	Establishment of intestinal identity and epithelial-mesenchymal signaling by Cdx2. <i>Developmental Cell</i> , <b>2009</b> , 16, 588-99	10.2	275
41	Dynamic regulation of Pdx1 enhancers by Foxa1 and Foxa2 is essential for pancreas development. <i>Genes and Development</i> , <b>2008</b> , 22, 3435-48	12.6	213
40	Foxl1-expressing mesenchymal cells constitute the intestinal stem cell niche. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , <b>2016</b> , 2, 175-188	7.9	147
39	Microbiota-Derived Lactate Accelerates Intestinal Stem-Cell-Mediated Epithelial Development. <i>Cell Host and Microbe</i> , <b>2018</b> , 24, 833-846.e6	23.4	143
38	Paneth Cell Multipotency Induced by Notch Activation following Injury. <i>Cell Stem Cell</i> , <b>2018</b> , 23, 46-59.e518		116
37	Postnatal epigenetic regulation of intestinal stem cells requires DNA methylation and is guided by the microbiome. <i>Genome Biology</i> , <b>2015</b> , 16, 211	18.3	82
36	Foxa1 and Foxa2 maintain the metabolic and secretory features of the mature beta-cell. <i>Molecular Endocrinology</i> , <b>2010</b> , 24, 1594-604		82
35	Cdc42 and Rab8a are critical for intestinal stem cell division, survival, and differentiation in mice. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 1052-65	15.9	77
34	Cdx2 regulates endo-lysosomal function and epithelial cell polarity. <i>Genes and Development</i> , <b>2010</b> , 24, 1295-305	12.6	67
33	Foxa2 controls vesicle docking and insulin secretion in mature Beta cells. <i>Cell Metabolism</i> , <b>2007</b> , 6, 267-72	14.6	66
32	Compartmentalizing intestinal epithelial cell toll-like receptors for immune surveillance. <i>Cellular and Molecular Life Sciences</i> , <b>2015</b> , 72, 3343-53	10.3	54
31	Transport, metabolism, and endosomal trafficking-dependent regulation of intestinal fructose absorption. <i>FASEB Journal</i> , <b>2015</b> , 29, 4046-58	0.9	53
30	Fructose-induced increases in expression of intestinal fructolytic and gluconeogenic genes are regulated by GLUT5 and KHK. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2015</b> , 309, R499-509	3.2	51
29	TLR sorting by Rab11 endosomes maintains intestinal epithelial-microbial homeostasis. <i>EMBO Journal</i> , <b>2014</b> , 33, 1882-95	13	47
28	Keeping Wnt signalosome in check by vesicular traffic. <i>Journal of Cellular Physiology</i> , <b>2015</b> , 230, 1170-80	7	42
27	CDC42 inhibition suppresses progression of incipient intestinal tumors. <i>Cancer Research</i> , <b>2014</b> , 74, 5480-92	21.1	39
26	Rab11a regulates syntaxin 3 localization and microvillus assembly in enterocytes. <i>Journal of Cell Science</i> , <b>2015</b> , 128, 1617-26	5.3	38

25	Rab8a vesicles regulate Wnt ligand delivery and Paneth cell maturation at the intestinal stem cell niche. <i>Development (Cambridge)</i> , <b>2015</b> , 142, 2147-62	6.6	37
24	Wntless in Wnt secretion: molecular, cellular and genetic aspects. <i>Frontiers in Biology</i> , <b>2012</b> , 7, 587-593		37
23	Paneth Cell-Derived Lysozyme Defines the Composition of Mucolytic Microbiota and the Inflammatory Tone of the Intestine. <i>Immunity</i> , <b>2020</b> , 53, 398-416.e8	32.3	29
22	The nuclear pore complex protein Elys is required for genome stability in mouse intestinal epithelial progenitor cells. <i>Gastroenterology</i> , <b>2011</b> , 140, 1547-55.e10	13.3	28
21	Insulin-like Growth Factor II: An Essential Adult Stem Cell Niche Constituent in Brain and Intestine. <i>Stem Cell Reports</i> , <b>2019</b> , 12, 816-830	8	27
20	Global ablation of the mouse Rab11a gene impairs early embryogenesis and matrix metalloproteinase secretion. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 32030-32043	5.4	27
19	Diet Diurnally Regulates Small Intestinal Microbiome-Epithelial-Immune Homeostasis and Enteritis. <i>Cell</i> , <b>2020</b> , 182, 1441-1459.e21	56.2	26
18	Indentation quantification for in-liquid nanomechanical measurement of soft material using an atomic force microscope: rate-dependent elastic modulus of live cells. <i>Physical Review E</i> , <b>2013</b> , 88, 052714	2.1	21
17	From sensing to shaping microbiota: insights into the role of NOD2 in intestinal homeostasis and progression of Crohn's disease. <i>American Journal of Physiology - Renal Physiology</i> , <b>2017</b> , 313, G7-G13	5.1	16
16	Disruption of Rab8a and Rab11a causes formation of basolateral microvilli in neonatal enteropathy. <i>Journal of Cell Science</i> , <b>2017</b> , 130, 2491-2505	5.3	16
15	A Wntless-SEC12 complex on the ER membrane regulates early Wnt secretory vesicle assembly and mature ligand export. <i>Journal of Cell Science</i> , <b>2017</b> , 130, 2159-2171	5.3	15
14	Recycling Endosomes in Mature Epithelia Restrain Tumorigenic Signaling. <i>Cancer Research</i> , <b>2019</b> , 79, 4099-4112	10.1	14
13	Paneth Cell in Adenomas of the Distal Colorectum Is Inversely Associated with Synchronous Advanced Adenoma and Carcinoma. <i>Scientific Reports</i> , <b>2016</b> , 6, 26129	4.9	13
12	RAB and RHO GTPases regulate intestinal crypt cell homeostasis and enterocyte function. <i>Small GTPases</i> , <b>2016</b> , 7, 59-64	2.7	9
11	Elevating EGFR-MAPK program by a nonconventional Cdc42 enhances intestinal epithelial survival and regeneration. <i>JCI Insight</i> , <b>2020</b> , 5,	9.9	8
10	Receptor-mediated endocytosis generates nanomechanical force reflective of ligand identity and cellular property. <i>Journal of Cellular Physiology</i> , <b>2018</b> , 233, 5908-5919	7	7
9	LIF is essential for ISC function and protects against radiation-induced gastrointestinal syndrome. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 588	9.8	7
8	Oncogenic Pathways and Loss of the Rab11 GTPase Synergize To Alter Metabolism in. <i>Genetics</i> , <b>2019</b> , 212, 1227-1239	4	6

7	Metaplastic Paneth Cells in Extra-Intestinal Mucosal Niche Indicate a Link to Microbiome and Inflammation. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 280	4.6	5
6	Colonic healing requires WNT produced by epithelium as well as Tagln+ and Acta2+ stromal cells.. <i>Development (Cambridge)</i> , <b>2021</b> ,	6.6	3
5	1,25-Dihydroxyvitamin D and dietary vitamin D reduce inflammation in mice lacking intestinal epithelial cell Rab11a. <i>Journal of Cellular Physiology</i> , <b>2021</b> , 236, 8148	7	3
4	Rab8 attenuates Wnt signaling and is required for mesenchymal differentiation into adipocytes. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 296, 100488	5.4	3
3	RAB11A-mediated YAP localization to adherens and tight junctions is essential for colonic epithelial integrity. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 297, 100848	5.4	2
2	Design, fabrication, and characterization of polymer-based cantilever probes for atomic force microscopes. <i>Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics</i> , <b>2016</b> , 34, 06K101	1.3	2
1	Rab8a vesicles regulate Wnt ligand delivery and Paneth cell maturation at the intestinal stem cell niche. <i>Journal of Cell Science</i> , <b>2015</b> , 128, e1.2-e1.2	5.3	