Kjetil Steine

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9223597/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Associations between cardiovascular risk factors, biomarkers, and left ventricular mechanical dispersion: insights from the ACE 1950 Study. European Heart Journal Open, 2022, 2, .	2.3	1
2	Cardiovascular phenotype of longâ€ŧerm anabolicâ€androgenic steroid abusers compared with strengthâ€ŧrained athletes. Scandinavian Journal of Medicine and Science in Sports, 2022, 32, 1170-1181.	2.9	8
3	Effects of sildenafil on symptoms and exercise capacity for heart failure with reduced ejection fraction and pulmonary hypertension (the <scp>SilHF</scp> study): a randomized placeboâ€controlled multicentre trial. European Journal of Heart Failure, 2022, 24, 1239-1248.	7.1	16
4	Prediction of occult atrial fibrillation in patients after cryptogenic stroke and transient ischaemic attack: PROACTIA. Europace, 2022, 24, 1881-1888.	1.7	15
5	Pulmonary and cardiac variables associated with persistent dyspnea after pulmonary embolism. Thrombosis Research, 2021, 201, 90-99.	1.7	3
6	Diagnostic Thresholds for Pre–Diabetes Mellitus and Diabetes Mellitus and Subclinical Cardiac Disease in the General Population: <i>Data From the ACE 1950 Study</i> . Journal of the American Heart Association, 2021, 10, e020447.	3.7	11
7	Prevention of Cardiac Dysfunction During Adjuvant Breast Cancer Therapy (PRADA): Extended Follow-Up of a 2×2 Factorial, Randomized, Placebo-Controlled, Double-Blind Clinical Trial of Candesartan and Metoprolol. Circulation, 2021, 143, 2431-2440.	1.6	68
8	Pulmonary rehabilitation to improve physical capacity, dyspnea, and quality of life following pulmonary embolism (the PeRehab study): study protocol for a two-center randomized controlled trial. Trials, 2021, 22, 22.	1.6	11
9	B-Type Natriuretic Peptide Is Associated with Indices of Left Ventricular Dysfunction in Healthy Subjects from the General Population: The Akershus Cardiac Examination 1950 Study. Clinical Chemistry, 2021, 67, 204-215.	3.2	5
10	Left ventricular mechanical dispersion in a general population: Data from the Akershus Cardiac Examination 1950 study. European Heart Journal Cardiovascular Imaging, 2020, 21, 183-190.	1.2	12
11	Left ventricular dysfunction in COPD without pulmonary hypertension. PLoS ONE, 2020, 15, e0235075.	2.5	3
12	Sex differences and higher upper normal limits for left atrial end-systolic volume in individuals in their mid-60s: data from the ACE 1950 Study. European Heart Journal Cardiovascular Imaging, 2020, 21, 501-507.	1.2	16
13	Cardiac Troponin I and T Are Associated with Left Ventricular Function and Structure: Data from the Akershus Cardiac Examination 1950 Study. Clinical Chemistry, 2020, 66, 567-578.	3.2	22
14	Left ventricular dysfunction in COPD without pulmonary hypertension. , 2020, 15, e0235075.		0
15	Left ventricular dysfunction in COPD without pulmonary hypertension. , 2020, 15, e0235075.		0
16	Left ventricular dysfunction in COPD without pulmonary hypertension. , 2020, 15, e0235075.		0
17	Left ventricular dysfunction in COPD without pulmonary hypertension. , 2020, 15, e0235075.		0
18	Cardiopulmonary exercise test and PaO ₂ in evaluation of pulmonary hypertension in COPD. International Journal of COPD. 2018. Volume 13, 91-100	2.3	10

KJETIL STEINE

#	Article	IF	CITATIONS
19	Effect of candesartan and metoprolol on myocardial tissue composition during anthracycline treatment: the PRADA trial. European Heart Journal Cardiovascular Imaging, 2018, 19, 544-552.	1.2	24
20	Exercise capacity in COPD patients with exercise-induced pulmonary hypertension. International Journal of COPD, 2018, Volume 13, 3599-3610.	2.3	9
21	Prevalence of atrial fibrillation and cardiovascular risk factors in a 63–65 years old general population cohort: the Akershus Cardiac Examination (ACE) 1950 Study. BMJ Open, 2018, 8, e021704.	1.9	28
22	Mechanisms of ECG signs in chronic obstructive pulmonary disease. Open Heart, 2017, 4, e000552.	2.3	13
23	Neurohormonal Blockade and Circulating Cardiovascular Biomarkers During Anthracycline Therapy in Breast Cancer Patients: Results From the PRADA (Prevention of Cardiac Dysfunction During) Tj ETQq1 1 0.784	31347gBT	/Oøerlock 10
24	Prevention of cardiac dysfunction during adjuvant breast cancer therapy (PRADA): a 2 × 2 factorial, randomized, placebo-controlled, double-blind clinical trial of candesartan and metoprolol. European Heart Journal, 2016, 37, 1671-1680.	2.2	509
25	Assessment of Right Ventricular Afterload in COPD. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2016, 13, 176-185.	1.6	5
26	Increased LV apical untwist during preload reduction in healthy humans: an echocardiographic speckle tracking study during lower body negative pressure. Physiological Reports, 2015, 3, e12330.	1.7	8
27	Prevalence of Cardiovascular Disease and Cardiac Symptoms: Left and Right Ventricular Function in Adults With Osteogenesis Imperfecta. Canadian Journal of Cardiology, 2015, 31, 1386-1392.	1.7	20
28	Heart and Brain Interactionsthe Akershus Cardiac Examination (ACE) 1950 Study Design. Scandinavian Cardiovascular Journal, 2015, 49, 308-15.	1.2	23
29	Right Ventricular Dysfunction and Remodeling in Chronic Obstructive Pulmonary Disease Without Pulmonary Hypertension. Journal of the American College of Cardiology, 2013, 62, 1103-1111.	2.8	164
30	Left Ventricular Systolic and Diastolic Function in Asymptomatic Patients With Moderate Aortic Stenosis. American Journal of Cardiology, 2008, 102, 897-901.	1.6	41
31	LV systolic impairment in patients with asymptomatic coronary heart disease and type 1 diabetes is related to coronary atherosclerosis, glycaemic control and advanced glycation endproducts. European Journal of Heart Failure, 2007, 9, 1044-1050.	7.1	20
32	Mechanisms of diastolic intraventricular regional pressure differences and flow in the inflow and outflow tracts. Journal of the American College of Cardiology, 2002, 40, 983-990.	2.8	28