

Corrado Tringali

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9224875/corrado-tringali-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

2,800
citations

29
h-index

43
g-index

128
ext. papers

3,099
ext. citations

4.2
avg, IF

4.8
L-index

#	Paper	IF	Citations
125	Polyphenol constituents and antioxidant activity of grape pomace extracts from five Sicilian red grape cultivars. <i>Food Chemistry</i> , 2007 , 100, 203-210	8.5	171
124	Hydroxytyrosol lipophilic analogues: enzymatic synthesis, radical scavenging activity and DNA oxidative damage protection. <i>Bioorganic Chemistry</i> , 2007 , 35, 137-52	5.1	111
123	Caulerpenyne, an unusual sesquiterpenoid from the green alga caulerpa prolifera. <i>Tetrahedron Letters</i> , 1978 , 19, 3593-3596	2	99
122	Constituents of grape pomace from the Sicilian cultivar 'Nerello Mascalese'. <i>Food Chemistry</i> , 2004 , 88, 599-607	8.5	78
121	Polyphenol-enriched fractions from Sicilian grape pomace: HPLC-DAD analysis and antioxidant activity. <i>Bioresource Technology</i> , 2008 , 99, 5960-6	11	64
120	Citrus limonoids and their semisynthetic derivatives as antifeedant agents against Spodoptera frugiperda larvae. A structure-activity relationship study. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 6766-74	5.7	63
119	Chemo-enzymatic synthesis and cell-growth inhibition activity of resveratrol analogues. <i>Bioorganic Chemistry</i> , 2005 , 33, 22-33	5.1	59
118	Structural determinants of resveratrol for cell proliferation inhibition potency: experimental and docking studies of new analogs. <i>European Journal of Medicinal Chemistry</i> , 2010 , 45, 2972-80	6.8	55
117	Natural-derived polyphenols as potential anticancer agents. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012 , 12, 902-18	2.2	52
116	Diterpenes based on the dolabellane skeleton from dictyota dichotoma. <i>Tetrahedron</i> , 1980 , 36, 1409-1414	14	52
115	Antiproliferative terpenoids from almond hulls (<i>Prunus dulcis</i>): identification and structure-activity relationships. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 810-4	5.7	50
114	Antiproliferative activity of methylated analogues of E- and Z-resveratrol. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007 , 62, 189-95	1.7	47
113	β-glucosidase inhibition and antioxidant activity of an oenological commercial tannin. Extraction, fractionation and analysis by HPLC/ESI-MS/MS and (1)H NMR. <i>Food Chemistry</i> , 2017 , 215, 50-60	8.5	45
112	Further perhydroazulene diterpenes from marine organisms. <i>Experientia</i> , 1977 , 33, 413-5		44
111	Effects of resveratrol analogs on steroidogenesis and mitochondrial function in rat Leydig cells in vitro. <i>Journal of Applied Toxicology</i> , 2009 , 29, 673-80	4.1	40
110	C-glucosidic ellagitannins and galloylated glucoses as potential functional food ingredients with anti-diabetic properties: a study of β-glucosidase and α-amylase inhibition. <i>Food Chemistry</i> , 2020 , 313, 126099	8.5	40
109	Methoxy stilbenes as potent, specific, untransported, and noncytotoxic inhibitors of breast cancer resistance protein. <i>ACS Chemical Biology</i> , 2012 , 7, 322-30	4.9	39

108	Chemistry of N-heterocyclic sulfur compounds. Reaction of 2,5-dimercapto-1,3,4-thiadiazoles with 1,omega-dibromoalkanes. Synthesis of tetrathia[(n + 2).(n + 2)](2,5)-1,3-4-thiadiazolophanes and dithia[(n + 1).(n + 1)](3,5)-1,3,4-thiadiazolinophanedithiones. <i>Journal of Organic Chemistry</i> , 1987 , 52, 405-412	4.2	38
107	Identification of the phytotoxin mellein in culture fluids of <i>Phoma tracheiphila</i> . <i>Phytochemistry</i> , 1993 , 32, 865-867	4	37
106	Biomimetic Synthesis of Natural and Unnatural Lignans by Oxidative Coupling of Caffeic Esters. <i>European Journal of Organic Chemistry</i> , 2009 , 2009, 6289-6300	3.2	36
105	A simple and sensitive HPLC-UV method for the quantification of piceatannol analog trans-3,5,3',4'-tetramethoxystilbene in rat plasma and its application for a pre-clinical pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 679-84	3.5	36
104	Volatile components of grape pomaces from different cultivars of Sicilian <i>Vitis vinifera</i> L. <i>Bioresource Technology</i> , 2008 , 99, 260-8	11	34
103	Interaction of resveratrol and its trimethyl and triacetyl derivatives with biomembrane models studied by differential scanning calorimetry. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3720-8 ^{5.7}	5.7	32
102	Structure and conformation of new diterpenes based on the dolabellane skeleton from a Dictyota species. <i>Tetrahedron</i> , 1984 , 40, 799-803	2.4	32
101	2,3-Dihydrobenzofuran privileged structures as new bioinspired lead compounds for the design of mPGES-1 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 820-6	3.4	30
100	Chemo-enzymatic preparation of resveratrol derivatives. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2002 , 16, 223-229		30
99	Dihydrobenzofuran Neolignanamides: Laccase-Mediated Biomimetic Synthesis and Antiproliferative Activity. <i>Journal of Natural Products</i> , 2016 , 79, 2122-34	4.9	30
98	Secondary metabolites from the leaves of <i>Feijoa sellowiana</i> Berg. <i>Phytochemistry</i> , 2004 , 65, 2947-51	4	29
97	An unusual nitrogenous terphenyl derivative from fruiting bodies of the basidiomycete <i>Sarcodon leucopus</i> . <i>Journal of Natural Products</i> , 2000 , 63, 347-51	4.9	29
96	Dictyol A and B, two novel diterpene alcohols from the brown alga <i>Dictyota dichotoma</i> . <i>Journal of the Chemical Society Chemical Communications</i> , 1976 , 575		29
95	Structural basis for the potential antitumour activity of DNA-interacting benzo[k]xanthene lignans. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 701-10	3.9	28
94	Biological effects on granulosa cells of hydroxylated and methylated resveratrol analogues. <i>Molecular Nutrition and Food Research</i> , 2010 , 54 Suppl 2, S236-43	5.9	28
93	Bioactive constituents of the bark of <i>Parkia biglobosa</i> . <i>Phytotherapy Research</i> , 2000 , 71, 118-25	3.2	28
92	Bio-inspired benzo[k,l]xanthene lignans: synthesis, DNA-interaction and antiproliferative properties. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 2686-701	3.9	27
91	Sarcodonins and Sarcoviolins, Bioactive Polyhydroxy-p-terphenyl Pyrazinediol Dioxide Conjugates from Fruiting Bodies of the Basidiomycete <i>Sarcodon leucopus</i> . <i>European Journal of Organic Chemistry</i> , 2004 , 2004, 592-599	3.2	27

90	Polyhydroxy-P-Terphenyls and Related P-Terphenylquinones From Fungi: Overview and Biological Properties. <i>Studies in Natural Products Chemistry</i> , 2003 , 29, 263-307	1.5	27
89	Oxocrinol and crinitol, novel linear terpenoids from the brown alga <i>Cystoseira crinita</i> . <i>Tetrahedron Letters</i> , 1976 , 17, 937-940	2	27
88	Antifeedant constituents from <i>Fagara macrophylla</i> . <i>Floterap</i> , 2001 , 72, 538-43	3.2	26
87	Antiangiogenic properties of an unusual benzo[k,l]xanthene lignan derived from CAPE (caffeic acid phenethyl ester). <i>Investigational New Drugs</i> , 2012 , 30, 186-90	4.3	25
86	18-Hydroxy-3,7-dolabelladiene from the brown alga, <i>Dictyota dichotoma</i> . <i>Phytochemistry</i> , 1981 , 20, 848-849	4.4	24
85	Grape stems from Sicilian <i>Vitis vinifera</i> cultivars as a source of polyphenol-enriched fractions with enhanced antioxidant activity. <i>LWT - Food Science and Technology</i> , 2013 , 54, 542-548	5.4	23
84	A quinone-hydroquinone couple from the Brown alga <i>Cystoseira stricta</i> . <i>Phytochemistry</i> , 1982 , 21, 421-424	4.4	23
83	Chemoenzymatic Synthesis and α -Glucosidase Inhibitory Activity of Dimeric Neolignans Inspired by Magnolol. <i>Journal of Natural Products</i> , 2017 , 80, 1648-1657	4.9	22
82	Resveratrol-Related Polymethoxystilbene Glycosides: Synthesis, Antiproliferative Activity, and Glucosidase Inhibition. <i>Journal of Natural Products</i> , 2015 , 78, 2675-83	4.9	22
81	Chain-breaking antioxidant activity of hydroxylated and methoxylated magnolol derivatives: the role of H-bonds. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 6177-6184	3.9	22
80	Novel acyclic diterpenes from the brown alga <i>Cystoseira crinita</i> . <i>Phytochemistry</i> , 1981 , 20, 1085-1088	4	22
79	A phloroglucinol derivative from the brown alga <i>Zonaria tournefortii</i> . <i>Phytochemistry</i> , 1981 , 20, 1451-1453	4.3	21
78	Inhibition of CYP17A1 activity by resveratrol, piceatannol, and synthetic resveratrol analogs. <i>Prostate</i> , 2014 , 74, 839-51	4.2	20
77	Resveratrol-Related Dehydrodimers: Laccase-Mediated Biomimetic Synthesis and Antiproliferative Activity. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 5217-5224	3.2	19
76	Sesquiterpenes and geranylgeranylglycerol from the brown algae <i>Taonia lacheana</i> and <i>Taonia atomaria</i> f. <i>ciliata</i> : their chemotaxonomic significance. <i>Phytochemistry</i> , 1995 , 40, 827-831	4	19
75	Crenuladial, an antimicrobial diterpenoid from the brown alga <i>Dilophus ligulatus</i> . <i>Canadian Journal of Chemistry</i> , 1988 , 66, 2799-2802	0.9	19
74	Structure and conformation of two new dolabellane-based diterpenes from <i>Dictyota</i> sp. <i>Journal of Natural Products</i> , 1984 , 47, 615-9	4.9	19
73	Levels of chlorinated hydrocarbons in marine animals from the central Mediterranean. <i>Marine Pollution Bulletin</i> , 1979 , 10, 282-284	6.7	19

72	Identification by Inverse Virtual Screening of magnolol-based scaffold as new tankyrase-2 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 3953-3957	3.4	18
71	Anti-tumor properties of cis-resveratrol methylated analogs in metastatic mouse melanoma cells. <i>Molecular and Cellular Biochemistry</i> , 2015 , 402, 83-91	4.2	18
70	Stereochemistry and Conformation of Dolabellane Diterpenes: An Nmr and Molecular Mechanics Study. <i>Journal of Natural Products</i> , 1995 , 58, 697-704	4.9	18
69	Two chrome derivatives from the brown alga. <i>Tetrahedron Letters</i> , 1982 , 23, 1509-1512	2	18
68	Dilphol, a new ten-membered-ring diterpene alcohol from the brown alga Dilophus ligulatus. <i>Journal of the Chemical Society Chemical Communications</i> , 1976 , 1024		18
67	(-)-(R)-1-O-Geranylgeranylglycerol from the brown alga Dilophus fasciola. <i>Experientia</i> , 1977 , 33, 989-90		18
66	Phomenins A and B, Bioactive Polypropionate Prones from Culture Fluids of Phoma tracheiphila. <i>Natural Product Research</i> , 1993 , 3, 101-106		17
65	Synthesis and structural aspects of (2,5)-1,3,4-thiadiazolo and (3,5)-1,3,4-thiadiazolino thia crown ethers. <i>Journal of Organic Chemistry</i> , 1987 , 52, 3409-3413	4.2	17
64	Isolation of (2,8)-germacra-1(11),5(12),6-trien-2-ol acetate from the brown alga. <i>Tetrahedron Letters</i> , 1978 , 19, 4149-4152	2	17
63	Bioactive Metabolites from the Bark of Fagara macrophylla 1997 , 8, 139-142		16
62	A geranylacetone derivative from the brown alga Cystoseira crinita. <i>Phytochemistry</i> , 1980 , 19, 2759-2760		16
61	Quantitative analysis of protein and non-protein amino acids by gas-liquid chromatography. <i>Journal of Chromatography A</i> , 1977 , 131, 233-8	4.5	16
60	Synthesis of Rosmarinic Acid Amides as Antioxidative and Hypoglycemic Agents. <i>Journal of Natural Products</i> , 2019 , 82, 573-582	4.9	16
59	A mass spectrometry and H NMR study of hypoglycemic and antioxidant principles from a Castanea sativa tannin employed in oenology. <i>Food Chemistry</i> , 2018 , 268, 585-593	8.5	16
58	Effect of resveratrol-related stilbenoids on biomembrane models. <i>Journal of Natural Products</i> , 2013 , 76, 1424-31	4.9	15
57	Bioactive Diterpenoids Isolated from Dilophus ligulatus. <i>Planta Medica</i> , 1993 , 59, 256-8	3.1	15
56	Concentrations of PCBs, BHCs and DDTs residues in seaweeds of the east coast of Sicily. <i>Marine Pollution Bulletin</i> , 1979 , 10, 177-179	6.7	15
55	Quantitative gas-liquid chromatography of non-protein amino acids. <i>Journal of Chromatography A</i> , 1976 , 116, 439-441	4.5	15

54	Bioassay-guided isolation of antiproliferative compounds from grape (<i>Vitis vinifera</i>) stems. <i>Natural Product Communications</i> , 2009 , 4, 27-34	0.9	15
53	Biological effects of polyphenol-rich extract and fractions from an oenological oak-derived tannin on in vitro swine sperm capacitation and fertilizing ability. <i>Theriogenology</i> , 2018 , 108, 284-290	2.8	14
52	Calorimetric evidence of differentiated transport of limonin and nomilin through biomembranes. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 4123-7	5.7	14
51	Cytotoxic diterpenoids from the brown alga <i>Dilophus ligulatus</i> . <i>Journal of Natural Products</i> , 1993 , 56, 1747-52	4.9	14
50	Amino acids, sugars and sterols of some Mediterranean brown algae. <i>Biochemical Systematics and Ecology</i> , 1976 , 4, 143-146	1.4	14
49	Substantial Equivalence of a Transgenic Lemon Fruit Showing Postharvest Fungal Pathogens Resistance. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 3806-3816	5.7	13
48	Phenethyl caffeate benzoxanthene lignan is a derivative of caffeic acid phenethyl ester that induces bystander autophagy in WiDr cells. <i>Molecular Biology Reports</i> , 2014 , 41, 85-94	2.8	13
47	Determination of trans-2,4,3',4',5'-pentamethoxystilbene in rat plasma and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 57, 94-8	3.5	13
46	Effects of a ferulate-derived dihydrobenzofuran neolignan on angiogenesis, steroidogenesis, and redox status in a swine cell model. <i>Journal of Biomolecular Screening</i> , 2014 , 19, 1282-9		13
45	Reaction of benzoxanthene lignans with peroxy radicals in polar and non-polar media: cooperative behaviour of OH groups. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 4291-4	3.9	13
44	Two Minor Dolabellane Diterpenoid Constituents from a Dictyota Species. <i>Journal of Natural Products</i> , 1985 , 48, 484-485	4.9	13
43	Dictyoxide, a new diterpene from the brown alga <i>Dilophus ligulatus</i> . <i>Phytochemistry</i> , 1979 , 18, 1895-1897		13
42	Quantification of trans-3,4,5,4'-Tetramethoxystilbene in rat plasma by HPLC: application to pharmacokinetic study. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 1072-7	5.7	12
41	Anti-tumor Properties of Stilbene-based Resveratrol Analogues: Recent Results. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700200	0.9	12
40	Previously unreported p-terphenyl derivatives with antibiotic properties from the fruiting bodies of <i>Sarcodonleucopus</i> (Basidiomycetes). A two-dimensional nuclear magnetic resonance study. <i>Canadian Journal of Chemistry</i> , 1987 , 65, 2369-2372	0.9	12
39	Novel benzoxanthene lignans that favorably modulate lipid mediator biosynthesis: A promising pharmacological strategy for anti-inflammatory therapy. <i>Biochemical Pharmacology</i> , 2019 , 165, 263-274	6	12
38	An antitumor principle from <i>Suillus granulatus</i> . <i>Journal of Natural Products</i> , 1989 , 52, 844-5	4.9	11
37	Three further dolabellane diterpenoids from <i>Dictyota</i> sp.. <i>Phytochemistry</i> , 1984 , 23, 1681-1684	4	11

36	Resveratrol, piceatannol and analogs inhibit activation of both wild-type and T877A mutant androgen receptor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 174, 161-168	5.1	10
35	Cytotoxic activity of tetraprenylphenols related to suillin, an antitumor principle from <i>Suillus granulatus</i> . <i>Journal of Natural Products</i> , 1992 , 55, 1772-5	4.9	10
34	A novel acylphloroglucinol from the brown alga <i>Zonaria tournefortii</i> . <i>Phytochemistry</i> , 1982 , 21, 739-741	4	10
33	LC Determination of trans-3,5,3',4',5'-Pentamethoxystilbene in Rat Plasma. <i>Chromatographia</i> , 2010 , 72, 827-832	2.1	9
32	Synthesis and high field NMR study of a new cyclodipeptide-cyclodextrin derivative. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996 , 1435-1440		9
31	Fasciola-7, 18-dien-17-al, a Diterpenoid with a New Tetracyclic Ring System from the Brown Alga <i>Dilophus fasciola</i> . <i>Journal of Natural Products</i> , 1986 , 49, 236-243	4.9	9
30	Observations on the levels of DDTs and PCBs in the central mediterranean. <i>Science of the Total Environment</i> , 1982 , 25, 169-79	10.2	9
29	Enzymatic procedure catalysed by lipase from <i>Candida antarctica</i> for the regioprotection-deprotection of glucosamine. <i>Tetrahedron: Asymmetry</i> , 1999 , 10, 2891-2897		8
28	Constituents of the pods of <i>Piliostigma thonningii</i> . <i>Phytotherapy Research</i> , 1999 , 70, 205-208	3.2	8
27	Applications of two-dimensional NMR in spectral assignments of the cytotoxic triterpene saponaceolide B. <i>Magnetic Resonance in Chemistry</i> , 1991 , 29, 603-606	2.1	8
26	Molluscicidal and antifungal activity of diterpenoids from brown algae of the family dictyotaceae. <i>Planta Medica</i> , 1986 , 52, 404-6	3.1	8
25	Complete ¹ H and ¹³ C NMR assignments of ruthenium(II) complexes with two new 2-pyridylquinoline ligands. <i>Magnetic Resonance in Chemistry</i> , 1991 , 29, 1165-1174	2.1	7
24	Mass Spectrometry and H-NMR Study of (Quebracho) Tannins as a Source of Hypoglycemic and Antioxidant Principles. <i>Molecules</i> , 2020 , 25,	4.8	7
23	Proteasome as a New Target for Bio-Inspired Benzo[k,l]xanthene Lignans. <i>Chemistry - A European Journal</i> , 2017 , 23, 8371-8374	4.8	6
22	Chemical Proteomics-Guided Identification of a Novel Biological Target of the Bioactive Neolignan Magnolol. <i>Frontiers in Chemistry</i> , 2019 , 7, 53	5	6
21	Bioassay-Guided Isolation of Antiproliferative Compounds from Grape (<i>Vitis vinifera</i>) Stems. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	6
20	beta-Cyclodextrins influence on E-3,5,4'-trimethoxystilbene absorption across biological membrane model: a differential scanning calorimetry evidence. <i>International Journal of Pharmaceutics</i> , 2010 , 388, 144-50	6.5	6
19	Identification of bioactive metabolites from the bark of <i>Pericopsis (Afrormosia) laxiflora</i> . <i>Phytochemical Analysis</i> , 1995 , 6, 289-291	3.4	6

18	Valorization of Agri-Food Waste from Pistachio Hard Shells: Extraction of Polyphenols as Natural Antioxidants. <i>Resources</i> , 2021 , 10, 45	3.7	6
17	Antiangiogenic resveratrol analogues by mild m-CPBA aromatic hydroxylation of 3,5-dimethoxystilbenes. <i>Natural Product Communications</i> , 2009 , 4, 239-46	0.9	6
16	Laccase-mediated synthesis of bioactive natural products and their analogues. <i>RSC Chemical Biology</i> ,	3	6
15	Synthesis of Bisphenol Neolignans Inspired by Honokiol as Antiproliferative Agents. <i>Molecules</i> , 2020 , 25,	4.8	5
14	Hydroxytyrosol Lipophilic Analogues 2010 , 1233-1243		5
13	Levels of chlorinated hydrocarbons in sediments from the central mediterranean. <i>Science of the Total Environment</i> , 1982 , 24, 91-99	10.2	5
12	Bioinspired benzoxanthene lignans as a new class of antimycotic agents: synthesis and spp. growth inhibition. <i>Natural Product Research</i> , 2020 , 34, 1653-1662	2.3	5
11	Quantification of the resveratrol analogs trans-2,3-dimethoxy-stilbene and trans-3,4-dimethoxystilbene in rat plasma: application to pre-clinical pharmacokinetic studies. <i>Molecules</i> , 2014 , 19, 9577-90	4.8	3
10	Hydrogen atom abstraction from resveratrol and two lipophilic derivatives by tert-butoxyl radicals. A laser flash photolysis study.. <i>New Journal of Chemistry</i> , 2004 ,	3.6	3
9	Composition of the Essential Oil from the Bark of Fagara macrophylla. <i>Journal of Essential Oil Research</i> , 1998 , 10, 443-445	2.3	3
8	Natural Isoflavones and Semisynthetic Derivatives as Pancreatic Lipase Inhibitors. <i>Journal of Natural Products</i> , 2021 , 84, 654-665	4.9	3
7	Bio-activated intramolecular anti-aza-Michael addition: stereoselective synthesis of hydantoin derivatives. <i>New Journal of Chemistry</i> , 2018 , 42, 18348-18357	3.6	3
6	Antiangiogenic Resveratrol Analogues by Mild m-CPBA Aromatic Hydroxylation of 3,5-Dimethoxystilbenes. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	2
5	Synthesis and Structural Characterisation of Two Novel Diastereoisomeric Naproxen Appended β Cyclodextrin Derivatives. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2005 , 51, 173-180		2
4	Synthesis, DNA/RNA-interaction and biological activity of benzo[k,l]xanthene lignans. <i>Bioorganic Chemistry</i> , 2020 , 104, 104190	5.1	1
3	Synthesis and in vitro evaluation of chlorogenic acid amides as potential hypoglycemic agents and their synergistic effect with acarbose. <i>Bioorganic Chemistry</i> , 2021 , 117, 105458	5.1	0
2	Resveratrol against Major Pathologies 2011 , 339-378		
1	From Natural Polyphenols to Synthetic Antitumor Agents 2011 , 299-338		

