

Corrado Tringali

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9224875/corrado-tringali-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

2,800
citations

29
h-index

43
g-index

128
ext. papers

3,099
ext. citations

4.2
avg, IF

4.8
L-index

#	Paper	IF	Citations
125	Synthesis and in vitro evaluation of chlorogenic acid amides as potential hypoglycemic agents and their synergistic effect with acarbose. <i>Bioorganic Chemistry</i> , 2021 , 117, 105458	5.1	0
124	Natural Isoflavones and Semisynthetic Derivatives as Pancreatic Lipase Inhibitors. <i>Journal of Natural Products</i> , 2021 , 84, 654-665	4.9	3
123	Valorization of Agri-Food Waste from Pistachio Hard Shells: Extraction of Polyphenols as Natural Antioxidants. <i>Resources</i> , 2021 , 10, 45	3.7	6
122	Substantial Equivalence of a Transgenic Lemon Fruit Showing Postharvest Fungal Pathogens Resistance. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 3806-3816	5.7	13
121	Synthesis of Bisphenol Neolignans Inspired by Honokiol as Antiproliferative Agents. <i>Molecules</i> , 2020 , 25,	4.8	5
120	C-glucosidic ellagitannins and galloylated glucoses as potential functional food ingredients with anti-diabetic properties: a study of β -glucosidase and α -amylase inhibition. <i>Food Chemistry</i> , 2020 , 313, 126099	8.5	40
119	Mass Spectrometry and H-NMR Study of (Quebracho) Tannins as a Source of Hypoglycemic and Antioxidant Principles. <i>Molecules</i> , 2020 , 25,	4.8	7
118	Synthesis, DNA/RNA-interaction and biological activity of benzo[k,l]xanthene lignans. <i>Bioorganic Chemistry</i> , 2020 , 104, 104190	5.1	1
117	Bioinspired benzoxanthene lignans as a new class of antimycotic agents: synthesis and spp. growth inhibition. <i>Natural Product Research</i> , 2020 , 34, 1653-1662	2.3	5
116	Chemical Proteomics-Guided Identification of a Novel Biological Target of the Bioactive Neolignan Magnolol. <i>Frontiers in Chemistry</i> , 2019 , 7, 53	5	6
115	Novel benzoxanthene lignans that favorably modulate lipid mediator biosynthesis: A promising pharmacological strategy for anti-inflammatory therapy. <i>Biochemical Pharmacology</i> , 2019 , 165, 263-274	6	12
114	Synthesis of Rosmarinic Acid Amides as Antioxidative and Hypoglycemic Agents. <i>Journal of Natural Products</i> , 2019 , 82, 573-582	4.9	16
113	Biological effects of polyphenol-rich extract and fractions from an oenological oak-derived tannin on in vitro swine sperm capacitation and fertilizing ability. <i>Theriogenology</i> , 2018 , 108, 284-290	2.8	14
112	Identification by Inverse Virtual Screening of magnolol-based scaffold as new tankyrase-2 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 3953-3957	3.4	18
111	Bio-activated intramolecular anti-aza-Michael addition: stereoselective synthesis of hydantoin derivatives. <i>New Journal of Chemistry</i> , 2018 , 42, 18348-18357	3.6	3
110	A mass spectrometry and H NMR study of hypoglycemic and antioxidant principles from a <i>Castanea sativa</i> tannin employed in oenology. <i>Food Chemistry</i> , 2018 , 268, 585-593	8.5	16
109	Chemoenzymatic Synthesis and β -Glucosidase Inhibitory Activity of Dimeric Neolignans Inspired by Magnolol. <i>Journal of Natural Products</i> , 2017 , 80, 1648-1657	4.9	22

108	Proteasome as a New Target for Bio-Inspired Benzo[k,l]xanthene Lignans. <i>Chemistry - A European Journal</i> , 2017 , 23, 8371-8374	4.8	6
107	Resveratrol, piceatannol and analogs inhibit activation of both wild-type and T877A mutant androgen receptor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017 , 174, 161-168	5.1	10
106	Chain-breaking antioxidant activity of hydroxylated and methoxylated magnolol derivatives: the role of H-bonds. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 6177-6184	3.9	22
105	α-Glucosidase inhibition and antioxidant activity of an oenological commercial tannin. Extraction, fractionation and analysis by HPLC/ESI-MS/MS and (1)H NMR. <i>Food Chemistry</i> , 2017 , 215, 50-60	8.5	45
104	2,3-Dihydrobenzofuran privileged structures as new bioinspired lead compounds for the design of mPGES-1 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 820-6	3.4	30
103	Dihydrobenzofuran Neolignanamides: Laccase-Mediated Biomimetic Synthesis and Antiproliferative Activity. <i>Journal of Natural Products</i> , 2016 , 79, 2122-34	4.9	30
102	Resveratrol-Related Polymethoxystilbene Glycosides: Synthesis, Antiproliferative Activity, and Glycosidase Inhibition. <i>Journal of Natural Products</i> , 2015 , 78, 2675-83	4.9	22
101	Anti-tumor properties of cis-resveratrol methylated analogs in metastatic mouse melanoma cells. <i>Molecular and Cellular Biochemistry</i> , 2015 , 402, 83-91	4.2	18
100	Inhibition of CYP17A1 activity by resveratrol, piceatannol, and synthetic resveratrol analogs. <i>Prostate</i> , 2014 , 74, 839-51	4.2	20
99	Phenethyl caffeate benzoxanthene lignan is a derivative of caffeic acid phenethyl ester that induces bystander autophagy in WiDr cells. <i>Molecular Biology Reports</i> , 2014 , 41, 85-94	2.8	13
98	Quantification of the resveratrol analogs trans-2,3-dimethoxy-stilbene and trans-3,4-dimethoxystilbene in rat plasma: application to pre-clinical pharmacokinetic studies. <i>Molecules</i> , 2014 , 19, 9577-90	4.8	3
97	Effects of a ferulate-derived dihydrobenzofuran neolignan on angiogenesis, steroidogenesis, and redox status in a swine cell model. <i>Journal of Biomolecular Screening</i> , 2014 , 19, 1282-9		13
96	Bio-inspired benzo[k,l]xanthene lignans: synthesis, DNA-interaction and antiproliferative properties. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 2686-701	3.9	27
95	Effect of resveratrol-related stilbenoids on biomembrane models. <i>Journal of Natural Products</i> , 2013 , 76, 1424-31	4.9	15
94	Grape stems from Sicilian <i>Vitis vinifera</i> cultivars as a source of polyphenol-enriched fractions with enhanced antioxidant activity. <i>LWT - Food Science and Technology</i> , 2013 , 54, 542-548	5.4	23
93	Reaction of benzoxanthene lignans with peroxy radicals in polar and non-polar media: cooperative behaviour of OH groups. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 4291-4	3.9	13
92	Determination of trans-2,4,3',4',5'-pentamethoxystilbene in rat plasma and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 57, 94-8	3.5	13
91	Antiangiogenic properties of an unusual benzo[k,l]xanthene lignan derived from CAPE (caffeic acid phenethyl ester). <i>Investigational New Drugs</i> , 2012 , 30, 186-90	4.3	25

90	Methoxy stilbenes as potent, specific, untransported, and noncytotoxic inhibitors of breast cancer resistance protein. <i>ACS Chemical Biology</i> , 2012 , 7, 322-30	4.9	39
89	Resveratrol-Related Dehydrodimers: Laccase-Mediated Biomimetic Synthesis and Antiproliferative Activity. <i>European Journal of Organic Chemistry</i> , 2012 , 2012, 5217-5224	3.2	19
88	Natural-derived polyphenols as potential anticancer agents. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012 , 12, 902-18	2.2	52
87	Quantification of trans-3,4,5,4'-Tetramethoxystilbene in rat plasma by HPLC: application to pharmacokinetic study. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 1072-7	5.7	12
86	Structural basis for the potential antitumour activity of DNA-interacting benzo[k]xanthene lignans. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 701-10	3.9	28
85	Resveratrol against Major Pathologies 2011 , 339-378		
84	From Natural Polyphenols to Synthetic Antitumor Agents 2011 , 299-338		
83	Hydroxytyrosol Lipophilic Analogues 2010 , 1233-1243		5
82	LC Determination of trans-3,5,3',4',5'-Pentamethoxystilbene in Rat Plasma. <i>Chromatographia</i> , 2010 , 72, 827-832	2.1	9
81	beta-Cyclodextrins influence on E-3,5,4'-trimethoxystilbene absorption across biological membrane model: a differential scanning calorimetry evidence. <i>International Journal of Pharmaceutics</i> , 2010 , 388, 144-50	6.5	6
80	Biological effects on granulosa cells of hydroxylated and methylated resveratrol analogues. <i>Molecular Nutrition and Food Research</i> , 2010 , 54 Suppl 2, S236-43	5.9	28
79	A simple and sensitive HPLC-UV method for the quantification of piceatannol analog trans-3,5,3',4'-tetramethoxystilbene in rat plasma and its application for a pre-clinical pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 51, 679-84	3.5	36
78	Structural determinants of resveratrol for cell proliferation inhibition potency: experimental and docking studies of new analogs. <i>European Journal of Medicinal Chemistry</i> , 2010 , 45, 2972-80	6.8	55
77	Bioassay-Guided Isolation of Antiproliferative Compounds from Grape (<i>Vitis vinifera</i>) Stems. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	6
76	Antiangiogenic Resveratrol Analogues by Mild m-CPBA Aromatic Hydroxylation of 3,5-Dimethoxystilbenes. <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	2
75	Biomimetic Synthesis of Natural and Unnatural Lignans by Oxidative Coupling of Caffeic Esters. <i>European Journal of Organic Chemistry</i> , 2009 , 2009, 6289-6300	3.2	36
74	Effects of resveratrol analogs on steroidogenesis and mitochondrial function in rat Leydig cells in vitro. <i>Journal of Applied Toxicology</i> , 2009 , 29, 673-80	4.1	40
73	Bioassay-guided isolation of antiproliferative compounds from grape (<i>Vitis vinifera</i>) stems. <i>Natural Product Communications</i> , 2009 , 4, 27-34	0.9	15

72	Antiangiogenic resveratrol analogues by mild m-CPBA aromatic hydroxylation of 3,5-dimethoxystilbenes. <i>Natural Product Communications</i> , 2009 , 4, 239-46	0.9	6
71	Volatile components of grape pomaces from different cultivars of Sicilian <i>Vitis vinifera</i> L. <i>Bioresource Technology</i> , 2008 , 99, 260-8	11	34
70	Polyphenol-enriched fractions from Sicilian grape pomace: HPLC-DAD analysis and antioxidant activity. <i>Bioresource Technology</i> , 2008 , 99, 5960-6	11	64
69	Interaction of resveratrol and its trimethyl and triacetyl derivatives with biomembrane models studied by differential scanning calorimetry. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3720-8	5.7	32
68	Anti-tumor Properties of Stilbene-based Resveratrol Analogues: Recent Results. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700200	0.9	12
67	Hydroxytyrosol lipophilic analogues: enzymatic synthesis, radical scavenging activity and DNA oxidative damage protection. <i>Bioorganic Chemistry</i> , 2007 , 35, 137-52	5.1	111
66	Polyphenol constituents and antioxidant activity of grape pomace extracts from five Sicilian red grape cultivars. <i>Food Chemistry</i> , 2007 , 100, 203-210	8.5	171
65	Antiproliferative activity of methylated analogues of E- and Z-resveratrol. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2007 , 62, 189-95	1.7	47
64	Antiproliferative terpenoids from almond hulls (<i>Prunus dulcis</i>): identification and structure-activity relationships. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 810-4	5.7	50
63	Chemo-enzymatic synthesis and cell-growth inhibition activity of resveratrol analogues. <i>Bioorganic Chemistry</i> , 2005 , 33, 22-33	5.1	59
62	Synthesis and Structural Characterisation of Two Novel Diastereoisomeric Naproxen Appended β -Cyclodextrin Derivatives. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2005 , 51, 173-180		2
61	Sarcodonins and Sarcoviolins, Bioactive Polyhydroxy-p-terphenyl Pyrazinediol Dioxide Conjugates from Fruiting Bodies of the Basidiomycete <i>Sarcodon leucopus</i> . <i>European Journal of Organic Chemistry</i> , 2004 , 2004, 592-599	3.2	27
60	Constituents of grape pomace from the Sicilian cultivar 'Nerello Mascalese'. <i>Food Chemistry</i> , 2004 , 88, 599-607	8.5	78
59	Secondary metabolites from the leaves of <i>Feijoa sellowiana</i> Berg. <i>Phytochemistry</i> , 2004 , 65, 2947-51	4	29
58	Hydrogen atom abstraction from resveratrol and two lipophilic derivatives by tert-butoxyl radicals. A laser flash photolysis study.. <i>New Journal of Chemistry</i> , 2004 ,	3.6	3
57	Polyhydroxy-P-Terphenyls and Related P-Terphenylquinones From Fungi: Overview and Biological Properties. <i>Studies in Natural Products Chemistry</i> , 2003 , 29, 263-307	1.5	27
56	Chemo-enzymatic preparation of resveratrol derivatives. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2002 , 16, 223-229		30
55	Citrus limonoids and their semisynthetic derivatives as antifeedant agents against <i>Spodoptera frugiperda</i> larvae. A structure-activity relationship study. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 6766-74	5.7	63

54	Antifeedant constituents from <i>Fagara macrophylla</i> . <i>Phytotherapy Research</i> , 2001 , 72, 538-43	3.2	26
53	Bioactive constituents of the bark of <i>Parkia biglobosa</i> . <i>Phytotherapy Research</i> , 2000 , 71, 118-25	3.2	28
52	Calorimetric evidence of differentiated transport of limonin and nomilin through biomembranes. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 4123-7	5.7	14
51	An unusual nitrogenous terphenyl derivative from fruiting bodies of the basidiomycete <i>Sarcodon leucopus</i> . <i>Journal of Natural Products</i> , 2000 , 63, 347-51	4.9	29
50	Enzymatic procedure catalysed by lipase from <i>Candida antarctica</i> for the regioselective protection of glucosamine. <i>Tetrahedron: Asymmetry</i> , 1999 , 10, 2891-2897		8
49	Constituents of the pods of <i>Piliostigma thonningii</i> . <i>Phytotherapy Research</i> , 1999 , 70, 205-208	3.2	8
48	Composition of the Essential Oil from the Bark of <i>Fagara macrophylla</i> . <i>Journal of Essential Oil Research</i> , 1998 , 10, 443-445	2.3	3
47	Bioactive Metabolites from the Bark of <i>Fagara macrophylla</i> 1997 , 8, 139-142		16
46	Synthesis and high field NMR study of a new cyclodipeptide-cyclodextrin derivative. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1996 , 1435-1440		9
45	Identification of bioactive metabolites from the bark of <i>Pericopsis (Afrormosia) laxiflora</i> . <i>Phytochemical Analysis</i> , 1995 , 6, 289-291	3.4	6
44	Sesquiterpenes and geranylgeranyl glycerol from the brown algae <i>Taonia lacheana</i> and <i>Taonia atomaria</i> f. <i>ciliata</i> : their chemotaxonomic significance. <i>Phytochemistry</i> , 1995 , 40, 827-831	4	19
43	Stereochemistry and Conformation of Dolabellane Diterpenes: An Nmr and Molecular Mechanics Study. <i>Journal of Natural Products</i> , 1995 , 58, 697-704	4.9	18
42	Phomenins A and B, Bioactive Polypropionate Pyrones from Culture Fluids of <i>Phoma tracheiphila</i> . <i>Natural Product Research</i> , 1993 , 3, 101-106		17
41	Cytotoxic diterpenoids from the brown alga <i>Dilophus ligulatus</i> . <i>Journal of Natural Products</i> , 1993 , 56, 1747-52	4.9	14
40	Bioactive Diterpenoids Isolated from <i>Dilophus ligulatus</i> . <i>Planta Medica</i> , 1993 , 59, 256-8	3.1	15
39	Identification of the phytotoxin mellein in culture fluids of <i>Phoma tracheiphila</i> . <i>Phytochemistry</i> , 1993 , 32, 865-867	4	37
38	Cytotoxic activity of tetraprenylphenols related to suillin, an antitumor principle from <i>Suillus granulatus</i> . <i>Journal of Natural Products</i> , 1992 , 55, 1772-5	4.9	10
37	Applications of two-dimensional NMR in spectral assignments of the cytotoxic triterpene saponaceolide B. <i>Magnetic Resonance in Chemistry</i> , 1991 , 29, 603-606	2.1	8

36	Complete ¹ H and ¹³ C NMR assignments of ruthenium(II) complexes with two new 2-pyridylquinoline ligands. <i>Magnetic Resonance in Chemistry</i> , 1991 , 29, 1165-1174	2.1	7
35	An antitumor principle from <i>Suillus granulatus</i> . <i>Journal of Natural Products</i> , 1989 , 52, 844-5	4.9	11
34	Crenuladial, an antimicrobial diterpenoid from the brown alga <i>Dilophus ligulatus</i> . <i>Canadian Journal of Chemistry</i> , 1988 , 66, 2799-2802	0.9	19
33	Chemistry of N-heterocyclic sulfur compounds. Reaction of 2,5-dimercapto-1,3,4-thiadiazoles with 1,omega.-dibromoalkanes. Synthesis of tetrathia[(n + 2).(n + 2)](2,5)-1,3,4-thiadiazolophanes and dithia[(n + 1).(n + 1)](3,5)-1,3,4-thiadiazolinophanedithiones. <i>Journal of Organic Chemistry</i> , 1987 , 52, 405-412	4.2	38
32	Synthesis and structural aspects of (2,5)-1,3,4-thiadiazolo and (3,5)-1,3,4-thiadiazolino thia crown ethers. <i>Journal of Organic Chemistry</i> , 1987 , 52, 3409-3413	4.2	17
31	Previously unreported p-terphenyl derivatives with antibiotic properties from the fruiting bodies of <i>Sarcodonleucopus</i> (Basidiomycetes). A two-dimensional nuclear magnetic resonance study. <i>Canadian Journal of Chemistry</i> , 1987 , 65, 2369-2372	0.9	12
30	Molluscicidal and antifungal activity of diterpenoids from brown algae of the family dictyotaceae. <i>Planta Medica</i> , 1986 , 52, 404-6	3.1	8
29	Fasciola-7, 18-dien-17-al, a Diterpenoid with a New Tetracyclic Ring System from the Brown Alga <i>Dilophus fasciola</i> . <i>Journal of Natural Products</i> , 1986 , 49, 236-243	4.9	9
28	Two Minor Dolabellane Diterpenoid Constituents from a Dictyota Species. <i>Journal of Natural Products</i> , 1985 , 48, 484-485	4.9	13
27	Structure and conformation of new diterpenes based on the dolabellane skeleton from a Dictyota species. <i>Tetrahedron</i> , 1984 , 40, 799-803	2.4	32
26	Three further dolabellane diterpenoids from Dictyota sp.. <i>Phytochemistry</i> , 1984 , 23, 1681-1684	4	11
25	Structure and conformation of two new dolabellane-based diterpenes from Dictyota sp. <i>Journal of Natural Products</i> , 1984 , 47, 615-9	4.9	19
24	Levels of chlorinated hydrocarbons in sediments from the central mediterranean. <i>Science of the Total Environment</i> , 1982 , 24, 91-99	10.2	5
23	Observations on the levels of DDTs and PCBs in the central mediterranean. <i>Science of the Total Environment</i> , 1982 , 25, 169-79	10.2	9
22	A novel acylphloroglucinol from the brown alga <i>Zonaria tournefortii</i> . <i>Phytochemistry</i> , 1982 , 21, 739-741	4	10
21	Two chrome derivatives from the brown alga. <i>Tetrahedron Letters</i> , 1982 , 23, 1509-1512	2	18
20	A quinone-hydroquinone couple from the Brown alga <i>Cystoseira stricta</i> . <i>Phytochemistry</i> , 1982 , 21, 421-424		23
19	Novel acyclic diterpenes from the brown alga <i>Cystoseira crinita</i> . <i>Phytochemistry</i> , 1981 , 20, 1085-1088	4	22

18	A phloroglucinol derivative from the brown alga <i>Zonaria tournefortii</i> . <i>Phytochemistry</i> , 1981 , 20, 1451-1453	21
17	18-Hydroxy-3,7-dolabelladiene from the brown alga, <i>Dictyota dichotoma</i> . <i>Phytochemistry</i> , 1981 , 20, 848-849	24
16	A geranylacetone derivative from the brown alga <i>Cystoseira crinita</i> . <i>Phytochemistry</i> , 1980 , 19, 2759-2760	16
15	Diterpenes based on the dolabellane skeleton from <i>dictyota dichotoma</i> . <i>Tetrahedron</i> , 1980 , 36, 1409-1414	52
14	Dictyoxide, a new diterpene from the brown alga <i>Dilophus ligulatus</i> . <i>Phytochemistry</i> , 1979 , 18, 1895-1897	13
13	Levels of chlorinated hydrocarbons in marine animals from the central Mediterranean. <i>Marine Pollution Bulletin</i> , 1979 , 10, 282-284	6.7 19
12	Concentrations of PCBs, BHCs and DDTs residues in seaweeds of the east coast of Sicily. <i>Marine Pollution Bulletin</i> , 1979 , 10, 177-179	6.7 15
11	Caulerpenyne, an unusual sesquiterpenoid from the green alga <i>caulerpa prolifera</i> . <i>Tetrahedron Letters</i> , 1978 , 19, 3593-3596	2 99
10	Isolation of (2,8)-germacra-1(11),5(12),6-trien-2-ol acetate from the brown alga. <i>Tetrahedron Letters</i> , 1978 , 19, 4149-4152	2 17
9	Quantitative analysis of protein and non-protein amino acids by gas-liquid chromatography. <i>Journal of Chromatography A</i> , 1977 , 131, 233-8	4.5 16
8	Further perhydroazulene diterpenes from marine organisms. <i>Experientia</i> , 1977 , 33, 413-5	44
7	(-)-(R)-1-O-Geranylgeranyl glycerol from the brown alga <i>Dilophus fasciola</i> . <i>Experientia</i> , 1977 , 33, 989-90	18
6	Dictyol A and B, two novel diterpene alcohols from the brown alga <i>Dictyota dichotoma</i> . <i>Journal of the Chemical Society Chemical Communications</i> , 1976 , 575	29
5	Dilphol, a new ten-membered-ring diterpene alcohol from the brown alga <i>Dilophus ligulatus</i> . <i>Journal of the Chemical Society Chemical Communications</i> , 1976 , 1024	18
4	Quantitative gas-liquid chromatography of non-protein amino acids. <i>Journal of Chromatography A</i> , 1976 , 116, 439-441	4.5 15
3	Amino acids, sugars and sterols of some Mediterranean brown algae. <i>Biochemical Systematics and Ecology</i> , 1976 , 4, 143-146	1.4 14
2	Oxocrinol and crinitol, novel linear terpenoids from the brown alga <i>Cystoseira crinita</i> . <i>Tetrahedron Letters</i> , 1976 , 17, 937-940	2 27
1	Laccase-mediated synthesis of bioactive natural products and their analogues. <i>RSC Chemical Biology</i> ,	3 6

