

Krishnaraj S Rathod

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9225112/publications.pdf>

Version: 2024-02-01

165
papers

2,665
citations

293460

24
h-index

223390

49
g-index

186
all docs

186
docs citations

186
times ranked

4460
citing authors

#	ARTICLE	IF	CITATIONS
1	Delayed Diagnosis of Compartment Syndrome After Transradial PCI, Leading to Long-Term Disability. <i>Cardiovascular Revascularization Medicine</i> , 2022, 40, 254-257.	0.3	0
2	Inorganic nitrate attenuates cardiac dysfunction: roles for xanthine oxidoreductase and nitric oxide. <i>British Journal of Pharmacology</i> , 2022, 179, 4757-4777.	2.7	5
3	20- α -hydroxyeicosatetraenoic acid (20- α -HETE) is a pivotal endogenous ligand for TRPV1-mediated neurogenic inflammation in the skin. <i>British Journal of Pharmacology</i> , 2022, 179, 1450-1469.	2.7	6
4	Quantitative Myocardial Perfusion Predicts Outcomes in Patients With Prior Surgical Revascularization. <i>Journal of the American College of Cardiology</i> , 2022, 79, 1141-1151.	1.2	10
5	An Observational Study Assessing the Predictors of Procedural Failure From the Radial Approach: Is Right Radial Access Always the Best?. <i>Cardiovascular Revascularization Medicine</i> , 2022, 42, 86-91.	0.3	2
6	Differentiating Between Acute Decompensated Aortic Stenosis and Myocardial Infarction. <i>Cardiovascular Revascularization Medicine</i> , 2022, 43, 13-17.	0.3	2
7	Long-Term Outcomes of COVID-19-Associated ST-Elevation Myocardial Infarction Treated With Primary PCI. <i>Cardiovascular Revascularization Medicine</i> , 2022, 43, 133-135.	0.3	4
8	The use of novel oral anticoagulants compared to vitamin K antagonists (warfarin) in patients with left ventricular thrombus after acute myocardial infarction. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2021, 7, 398-404.	1.4	69
9	Impact of Early (â‰‰24h) Versus Delayed (>24h) Intervention in Patients With Non-ST Segment Elevation Myocardial Infarction: An Observational Study of 20,882 Patients From the London Heart Attack Group. <i>Cardiovascular Revascularization Medicine</i> , 2021, 22, 3-7.	0.3	5
10	Sex Differences in the Inflammatory Response: Pharmacological Opportunities for Therapeutics for Coronary Artery Disease. <i>Annual Review of Pharmacology and Toxicology</i> , 2021, 61, 333-359.	4.2	15
11	Therapeutic Implications of COVID-19 for the Interventional Cardiologist. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2021, 26, 203-216.	1.0	6
12	NITRATE-CIN Study: Protocol of a Randomized (1:1) Single-Center, UK, Double-Blind Placebo-Controlled Trial Testing the Effect of Inorganic Nitrate on Contrast-Induced Nephropathy in Patients Undergoing Coronary Angiography for Acute Coronary Syndromes. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2021, 26, 303-309.	1.0	5
13	Multi-modality intravascular imaging for guiding coronary intervention and assessing coronary atheroma: the Novasight Hybrid IVUS-OCT system. <i>Minerva Cardiology and Angiology</i> , 2021, 69, 655-670.	0.4	5
14	COVID-19 and changes in activity and treatment of ST elevation MI from a UK cardiac centre. <i>IJC Heart and Vasculature</i> , 2021, 33, 100736.	0.6	5
15	The BYPASS-CTCA Study: the value of Computed Tomography Cardiac Angiography (CTCA) in improving patient-related outcomes in patients with previous bypass operation undergoing invasive coronary angiography: Study Protocol of a Randomised Controlled Trial. <i>Annals of Translational Medicine</i> , 2021, 9, 1395-1395.	0.7	6
16	Reply. <i>Journal of the American College of Cardiology</i> , 2021, 77, 105-106.	1.2	0
17	Coronary Revascularization in Patients Undergoing Aortic Valve Replacement for Severe Aortic Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 2083-2096.	1.1	15
18	A pro-resolving phenotype underpins the anti-inflammatory effects of inorganic nitrate. <i>European Heart Journal</i> , 2021, 42, .	1.0	0

#	ARTICLE	IF	CITATIONS
19	Inorganic nitrate attenuates endothelial dysfunction consequent to systemic inflammation. <i>European Heart Journal</i> , 2021, 42, .	1.0	0
20	Inorganic nitrate attenuates the systemic inflammatory response in typhoid vaccine-induced endothelial dysfunction in healthy volunteers. <i>European Heart Journal</i> , 2021, 42, .	1.0	0
21	The impact of the COVID-19 pandemic on the delivery of primary percutaneous coronary intervention in STEMI. <i>American Journal of Cardiovascular Disease</i> , 2021, 11, 647-658.	0.5	0
22	The influence of biological age and sex on long-term outcome after percutaneous coronary intervention for ST-elevation myocardial infarction. <i>American Journal of Cardiovascular Disease</i> , 2021, 11, 659-678.	0.5	0
23	Discharge after primary percutaneous coronary intervention: the earlier the better?. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, , .	1.8	0
24	Early Hospital Discharge Following PCI for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2021, 78, 2550-2560.	1.2	18
25	Validation of the CREST score for predicting circulatory-aetiology death in out-of-hospital cardiac arrest without STEMI.. <i>American Journal of Cardiovascular Disease</i> , 2021, 11, 723-733.	0.5	0
26	Complete Versus Culprit only Revascularisation in Patients with Cardiogenic Shock Complicating Acute Myocardial Infarction: Incidence and Outcomes from the London Heart Attack Group. <i>Cardiovascular Revascularization Medicine</i> , 2020, 21, 350-358.	0.3	5
27	Optical coherence tomography enables more accurate detection of functionally significant intermediate non-left main coronary artery stenoses than intravascular ultrasound: A meta-analysis of 6919 patients and 7537 lesions. <i>International Journal of Cardiology</i> , 2020, 301, 226-234.	0.8	19
28	High Thrombus Burden in Patients With COVID-19 Presenting With ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2020, 76, 1168-1176.	1.2	223
29	Use of enhanced stent visualisation compared to angiography alone to guide percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2020, 321, 24-29.	0.8	7
30	An Observational Study Assessing Immediate Complete Versus Delayed Complete Revascularisation in Patients with Multi-Vessel Disease Undergoing Primary Percutaneous Coronary Intervention. <i>Clinical Medicine Insights: Cardiology</i> , 2020, 14, 117954682095179.	0.6	0
31	An observational study assessing the impact of a cardiac arrest centre on patient outcomes after out-of-hospital cardiac arrest (OHCA). <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, S67-S73.	0.4	6
32	Prior Coronary Artery Bypass Graft Surgery and Outcome After Percutaneous Coronary Intervention: An Observational Study From the Pan-London Percutaneous Coronary Intervention Registry. <i>Journal of the American Heart Association</i> , 2020, 9, e014409.	1.6	19
33	Outcome of inter-hospital transfer versus direct admission for primary percutaneous coronary intervention: An observational study of 25,315 patients with ST-elevation myocardial infarction from the London Heart Attack Group. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 948-957.	0.4	16
34	Randomised, double-blind, placebo-controlled clinical trial investigating the effects of inorganic nitrate in hypertension-induced target organ damage: protocol of the NITRATE-TOD study in the UK. <i>BMJ Open</i> , 2020, 10, e034399.	0.8	4
35	The Noncanonical Pathway for In Vivo Nitric Oxide Generation: The Nitrate-Nitrite-Nitric Oxide Pathway. <i>Pharmacological Reviews</i> , 2020, 72, 692-766.	7.1	133
36	Evaluation of the Efficacy of Computed Tomographic Coronary Angiography in Assessing Coronary Artery Morphology and Physiology: Rationale and Study Design. <i>Cardiology</i> , 2020, 145, 285-293.	0.6	9

#	ARTICLE	IF	CITATIONS
37	Computed tomography cardiac angiography for planning invasive angiographic procedures in patients with previous coronary artery bypass grafting. <i>EuroIntervention</i> , 2020, 15, e1351-e1357.	1.4	9
38	Routine aspiration thrombectomy is associated with increased stroke rates during primary percutaneous coronary intervention for myocardial infarction. <i>American Journal of Cardiovascular Disease</i> , 2020, 10, 548-556.	0.5	0
39	Impact of early (<24h) versus delayed (>24h) intervention in patients with non ST segment elevation myocardial infarction (an observational study of 20882 patients). <i>European Heart Journal</i> , 2020, 41, .	1.0	0
40	Sodium Nitriteâ€Mediated Cardioprotection in Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction: A Cost-Effectiveness Analysis. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2019, 24, 113-119.	1.0	4
41	P6426The use of direct oral anti-coagulations (DOACs) compared to vitamin k antagonist in patients with left ventricular thrombus after acute myocardial infarction. <i>European Heart Journal</i> , 2019, 40, .	1.0	5
42	Umbilical cordâ€derived mesenchymal stromal cells in cardiovascular disease: review of preclinical and clinical data. <i>Cytotherapy</i> , 2019, 21, 1007-1018.	0.3	16
43	Reply. <i>Journal of the American College of Cardiology</i> , 2019, 73, 533-534.	1.2	0
44	The association between the public reporting of individual operator outcomes with patient profiles, procedural management, and mortality after percutaneous coronary intervention: an observational study from the Pan-London PCI (BCIS) Registry using an interrupted time series analysis. <i>European Heart Journal</i> , 2019, 40, 2620-2629.	1.0	10
45	The Impact of Cell Therapy on Cardiovascular Outcomes in Patients With Refractory Angina. <i>Circulation Research</i> , 2019, 124, 1786-1795.	2.0	11
46	Management of cardiogenic shock in patients with acute coronary syndromes. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2019, 80, 204-210.	0.2	2
47	151â€Validation of the ACS2 score for predicting the presence of an acute coronary lesion in patients following out of hospital cardiac arrest. , 2019, , .		1
48	P2665An observational study assessing the impact of a cardiac arrest centre on patient outcome. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
49	P2671The addition of admission lactate to the CREST risk score to determine prognosis in out of hospital cardiac arrest: the C-AREST score. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
50	P6516The association between prior coronary artery bypass graft surgery and outcome after percutaneous coronary intervention (PCI): an observational study of 123,780 patients. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
51	UK perspective on the changing landscape of non-invasive cardiac testing. <i>Open Heart</i> , 2019, 6, e001186.	0.9	18
52	Routine use of fluoroscopic guidance and up-front femoral angiography results in reduced femoral complications in patients undergoing coronary angiographic procedures: an observational study using an Interrupted Time-Series analysis. <i>Heart and Vessels</i> , 2019, 34, 419-426.	0.5	3
53	Randomised trial of the comparison of drug-eluting stents in patients with diabetes: OCT DES trial. <i>Open Heart</i> , 2018, 5, e000705.	0.9	2
54	Do patient-reported outcome measures speak for all patient subgroups: is everyone included?. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 79-80.	1.8	2

#	ARTICLE	IF	CITATIONS
55	Risk scoring to guide antiplatelet therapy post-percutaneous coronary intervention for acute coronary syndrome results in improved clinical outcomes. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 283-289.	1.8	11
56	Contemporary trends in cardiogenic shock: Incidence, intra-aortic balloon pump utilisation and outcomes from the London Heart Attack Group. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2018, 7, 16-27.	0.4	96
57	P5609 Complete revascularisation in STEMI patients with multi-vessel disease: inpatient versus outpatient staged revascularisation results in similar clinical outcomes. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
58	Outcomes after chronic total occlusion percutaneous coronary interventions. <i>Coronary Artery Disease</i> , 2018, 29, 557-563.	0.3	6
59	P3586 Patients with prior CABG treated with primary PCI have high long-term adverse outcome: an observational study of 26,799 patients with STEMI from the London heart attack group. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
60	P587 Does the immune response to granulocyte-colony stimulating factor therapy vary in ischaemic versus non-ischaemic dilated cardiomyopathy?. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
61	P834 Validation of the CREST risk score in out of hospital cardiac arrest. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
62	P2564 Sodium nitrite-mediated cardioprotection in primary percutaneous coronary intervention for ST-elevation myocardial infarction: a cost-effectiveness analysis. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
63	P5500 Improved clinical outcomes post percutaneous coronary intervention (PCI) with the use of an enhanced visualisation system (CLEARstent). <i>European Heart Journal</i> , 2018, 39, .	1.0	0
64	Reply. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 2233-2234.	1.1	0
65	P4647 Long-term outcome in patients with myocardial infarction and unobstructed coronary arteries (MINOCA): ST elevation means worse outcomes. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
66	P6452 Inter-hospital transfer for primary PCI has worse outcome compared with direct admission to a heart attack centre: observational study of 25,315 patients with STEMI from the London heart attack group. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
67	P1781 An observational study assessing the value of computed tomography cardiac angiography (CTCA) in planning invasive angiographic procedures in patients with previous coronary artery bypass grafts (CABG). <i>European Heart Journal</i> , 2018, 39, .	1.0	0
68	P1665 Outcomes and risk factors for recurrent restenosis in patients treated for coronary in-stent restenosis. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
69	Complete Versus Culprit-Only Lesion Intervention in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2018, 72, 1989-1999.	1.2	95
70	Practical Perspectives on the Guidelines for Management of Coronary Thrombus. , 2018, , 163-174.		0
71	P6377 The use of 48mm Everolimus eluting stents for the percutaneous treatment of long coronary lesions. <i>European Heart Journal</i> , 2018, 39, .	1.0	0
72	P2631 Accuracy of optical coherence tomography in predicting functional significance of coronary stenosis determined by fractional flow reserve: a meta-analysis. <i>European Heart Journal</i> , 2018, 39, .	1.0	0

#	ARTICLE	IF	CITATIONS
73	Sex differences in the nitrate-nitrite-NO pathway: Role of oral nitrate-reducing bacteria. <i>Free Radical Biology and Medicine</i> , 2018, 126, 113-121.	1.3	59
74	Angiography Alone Versus Angiography Plus Optical Coherence Tomography to Guide Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1313-1321.	1.1	103
75	The effect of intracoronary sodium nitrite on the burden of ventricular arrhythmias following primary percutaneous coronary intervention for acute myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 266, 1-6.	0.8	5
76	Heritability of cerebral arterial velocity and resistance. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 28-33.	0.6	6
77	Antiinflammatory actions of inorganic nitrate stabilize the atherosclerotic plaque. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E550-E559.	3.3	52
78	Sex differences in the inflammatory response and inflammation-induced vascular dysfunction. <i>Lancet</i> , 2017, 389, S20.	6.3	7
79	Intracoronary nitrite suppresses the inflammatory response following primary percutaneous coronary intervention. <i>Heart</i> , 2017, 103, 508.2-516.	1.2	14
80	Combined analysis of the safety of intra-coronary drug delivery during primary percutaneous coronary intervention for acute myocardial infarction: A study of three clinical trials. <i>JRSM Cardiovascular Disease</i> , 2017, 6, 204800401772598.	0.4	1
81	Eptifibatide is associated with significant cost savings and similar clinical outcomes to abciximab when used during primary percutaneous coronary intervention for ST-elevation myocardial infarction: An observational cohort study of 3863 patients. <i>JRSM Cardiovascular Disease</i> , 2017, 6, 204800401773443.	0.4	2
82	TCT-97 Culprit lesion versus multi-vessel intervention in patients with cardiogenic shock complicating myocardial infarction: Incidence and outcomes from The London Heart Attack Group. <i>Journal of the American College of Cardiology</i> , 2017, 70, B42-B43.	1.2	0
83	TCT-490 Management and Outcomes of Angiographically Documented Stent Thrombosis. <i>Journal of the American College of Cardiology</i> , 2017, 70, B202-B203.	1.2	0
84	99...The changing face of anti-platelet prescriptions in england: 1998...2015. <i>Heart</i> , 2017, 103, A74.1-A74.	1.2	1
85	2036Optical coherence tomography plus angiography versus angiography alone to guide percutaneous coronary intervention: outcomes from the Pan-London PCI Cohort. <i>European Heart Journal</i> , 2017, 38, .	1.0	0
86	Update on Nitrite Reduction in Ischemic Disease: Mechanisms and Clinical Translation. , 2017, , 195-211.		0
87	Drug-Eluting Stents Appear Superior to Bare Metal Stents for Vein-Graft PCI in Vessels up to a Stent Diameter of 4 mm. <i>Heart International</i> , 2016, 11, heartint.500022.	0.4	2
88	A "green" diet-based approach to cardiovascular health? Is inorganic nitrate the answer?. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 185-202.	1.5	28
89	Randomised, double-blind, placebo-controlled study investigating the effects of inorganic nitrate on vascular function, platelet reactivity and restenosis in stable angina: protocol of the NITRATE-OCT study. <i>BMJ Open</i> , 2016, 6, e012728.	0.8	6
90	TCT-14 Specialist Chronic Total Occlusion (CTO) Programmes and Outcomes after CTO Percutaneous Coronary Interventions: An observational study of 5,496 patients from the Pan-London CTO Cohort. <i>Journal of the American College of Cardiology</i> , 2016, 68, B6.	1.2	0

#	ARTICLE	IF	CITATIONS
91	Outcome of 1051 Octogenarian Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention: Observational Cohort From the London Heart Attack Group. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	27
92	Atypical risk factor profile and excellent long-term outcomes of young patients treated with primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2016, 5, 23-32.	0.4	29
93	Dietary nitrate improves vascular function in patients with hypercholesterolemia: a randomized, double-blind, placebo-controlled study. <i>American Journal of Clinical Nutrition</i> , 2016, 103, 25-38.	2.2	206
94	Accelerated resolution of inflammation underlies sex differences in inflammatory responses in humans. <i>Journal of Clinical Investigation</i> , 2016, 127, 169-182.	3.9	113
95	Manual Thrombus Aspiration Is Not Associated With Reduced Mortality in Patients Treated With Primary Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 575-584.	1.1	21
96	Time-Trend Analyses of Bleeding and Mortality After Primary Percutaneous Coronary Intervention During Out of Working Hours Versus In-Working Hours. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002206.	1.4	2
97	Randomized Phase 2 Trial of Intracoronary Nitrite During Acute Myocardial Infarction. <i>Circulation Research</i> , 2015, 116, 437-447.	2.0	84
98	Atrial flutter ablation in a case of diuretic resistant constrictive pericarditis. <i>Indian Heart Journal</i> , 2015, 67, 377-380.	0.2	0
99	Intravascular Ultrasound Versus Optical Coherence Tomography for Coronary Artery Imaging – Apples and Oranges?. <i>Interventional Cardiology Review</i> , 2015, 10, 8.	0.7	37
100	The impact of socio-economic status on all-cause mortality after percutaneous coronary intervention: an observational cohort study of 13,770 patients. <i>EuroIntervention</i> , 2015, 10, e1-e8.	1.4	16
101	Glycoprotein IIb/IIIa Inhibitors Use and Outcome after Percutaneous Coronary Intervention for Non-ST Elevation Myocardial Infarction. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	7
102	Chest pain symptom scoring can improve the quality of referrals to Rapid Access Chest Pain Clinic. <i>BMJ Quality Improvement Reports</i> , 2014, 3, u203864.w1691.	0.8	4
103	Prognostic impact of anaemia on patients with ST-elevation myocardial infarction treated by primary PCI. <i>Coronary Artery Disease</i> , 2014, 25, 52-59.	0.3	26
104	Mortality in South Asians and Caucasians After Percutaneous Coronary Intervention in the United Kingdom. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 362-371.	1.1	44
105	Culprit Vessel Versus Multivessel Intervention at the Time of Primary Percutaneous Coronary Intervention in Patients With ST-Segment-Elevation Myocardial Infarction and Multivessel Disease: Real-World Analysis of 3984 Patients in London. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 936-943.	0.9	38
106	Radial Versus Femoral Access Is Associated With Reduced Complications and Mortality in Patients With Non-ST-Segment-Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 456-464.	1.4	30
107	TCT-28 Comparison Of Outcomes For Primary Percutaneous Coronary Intervention During Out Of Working Hours Versus In Working Hours: An Observational Cohort Study Of 11,461 Patients. <i>Journal of the American College of Cardiology</i> , 2014, 64, B9.	1.2	0
108	Radial primary percutaneous coronary intervention is independently associated with decreased long-term mortality in high-risk ST-elevation myocardial infarction patients. <i>Journal of Cardiovascular Medicine</i> , 2014, Publish Ahead of Print, .	0.6	1

#	ARTICLE	IF	CITATIONS
109	Chest pain in a young patient: an unusual complication of Epstein-Barr virus. <i>BMJ Case Reports</i> , 2014, 2014, bcr2013201606-bcr2013201606.	0.2	2
110	An incidental finding of a calcified right-atrial mass in a young patient treated with chemotherapy 20 years ago. <i>BMJ Case Reports</i> , 2014, 2014, bcr2014203564-bcr2014203564.	0.2	0
111	Contemporary Analysis of Incidence and Outcomes of Stent Thrombosis Presenting as ST Elevation Myocardial Infarction in a Primary Percutaneous Coronary Intervention Cohort. <i>American Journal of Cardiology</i> , 2013, 112, 1347-1354.	0.7	5
112	Characteristics and Outcomes of Dialysis Patients with Infective Endocarditis. <i>Nephron Clinical Practice</i> , 2013, 123, 151-156.	2.3	25
113	Out of hours primary PCI is not associated with increased adverse outcomes compared to in-hour procedures. <i>European Heart Journal</i> , 2013, 34, P2229-P2229.	1.0	0
114	Clinical outcomes after myocardial revascularization according to operator training status: cohort study of 22 697 patients undergoing percutaneous coronary intervention or coronary artery bypass graft surgery. <i>European Heart Journal</i> , 2013, 34, 2887-2895.	1.0	12
115	Influence of female sex on long-term mortality after acute coronary syndromes treated by percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2013, 24, 183-190.	0.3	22
116	Out-of-hours primary percutaneous coronary intervention for ST-elevation myocardial infarction is not associated with excess mortality: a study of 3347 patients treated in an integrated cardiac network. <i>BMJ Open</i> , 2013, 3, e003063.	0.8	23
117	040 THE EFFECT OF GLYCOPROTEIN IIB/IIIa INHIBITORS ON MORTALITY FOLLOWING PCI FOR NSTEMI/UA. <i>Heart</i> , 2013, 99, A29-A30.	1.2	0
118	065 OUT OF HOURS PRIMARY PCI IS NOT ASSOCIATED WITH INCREASED ADVERSE OUTCOMES COMPARED TO IN-HOUR PROCEDURES. <i>Heart</i> , 2013, 99, A42-A43.	1.2	0
119	094 CLINICAL USE OF CARDIAC STRESS PERFUSION MRI SCAN TO GUIDE TREATMENT OF NON CULPRIT CORONARY ARTERY DISEASE IN PATIENTS WITH MULTI-VESSEL DISEASE UNDERGOING PPCI FOR STEMI. <i>Heart</i> , 2013, 99, A58.2-A59.	1.2	0
120	064 LONG-TERM OUTCOME AMONG PATIENTS WITH EARLY, LATE, AND VERY LATE STENT THROMBOSIS FOLLOWING PREVIOUS PCI FOR ST-ELEVATION MYOCARDIAL INFARCTION. <i>Heart</i> , 2013, 99, A41.2-A42.	1.2	0
121	037 OUTCOME OF 1051 OCTOGENARIANS AFTER PRIMARY PERCUTANEOUS CORONARY INTERVENTION FOR ST ELEVATION MYOCARDIAL INFARCTION: OBSERVATIONAL COHORT FROM THE LONDON HEART ATTACK GROUP. <i>Heart</i> , 2013, 99, A27-A28.	1.2	0
122	041 CORONARY ARTERY BYPASS GRAFT PATIENTS TREATED WITH PRIMARY PERCUTANEOUS CORONARY INTERVENTION HAVE HIGH LONG-TERM ADVERSE EVENT RATES (10%...920 STEMI PATIENTS FROM THE LONDON HEART ATTACK GROUP). <i>Heart</i> , 2013, 99, A27-A28.	1.2	0
123	046 MECHANICAL THROMBECTOMY USE IS ASSOCIATED WITH DECREASED MORTALITY IN PATIENTS TREATED WITH PRIMARY PERCUTANEOUS CORONARY INTERVENTION (9935 PATIENTS FROM THE LONDON HEART ATTACK GROUP). <i>Heart</i> , 2013, 99, A27-A28.	1.2	0
124	Eptifibatid and abciximab are associated with similar outcomes when used during primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2013, 34, P5551-P5551.	1.0	0
125	No difference in mortality between immediate vs delayed staged intervention of non culprit vessel in patients with multivessel disease following primary angioplasty. <i>European Heart Journal</i> , 2013, 34, P4816-P4816.	1.0	0
126	Deployment of drug-eluting stents for isolated proximal lad disease is associated with lower major adverse cardiac events and no increase in stent thrombosis when compared with bare metal stents: A 5-year observational cohort study. <i>Catheterization and Cardiovascular Interventions</i> , 2013, 81, E237-E244.	0.7	7

#	ARTICLE	IF	CITATIONS
127	030 IMPACT OF INTER-HOSPITAL TRANSFER FOR PRIMARY PERCUTANEOUS CORONARY INTERVENTION ON SURVIVAL (10â€¦108 STEMI PATIENTS FROM THE LONDON HEART ATTACK GROUP). Heart, 2013, 99, A22.2-A23.	1.2	0
128	063 TIMING OF STAGED INTERVENTION FOR NON-CULPRIT DISEASE IN PATIENTS WITH MULTI-VESSEL DISEASE UNDERGOING PPCI FOR STEMI. Heart, 2013, 99, A41.1-A41.	1.2	0
129	Profound first-degree atrioventricular block. BMJ Case Reports, 2013, 2013, bcr2013010474-bcr2013010474.	0.2	0
130	An unusual cause of sustained ventricular tachycardia in a 27-year-old man. BMJ Case Reports, 2013, 2013, bcr2013201517-bcr2013201517.	0.2	0
131	The mystery of a carpenter's headache. BMJ Case Reports, 2013, 2013, bcr2013202349-bcr2013202349.	0.2	0
132	Wellens' syndrome in a 24-year-old woman. BMJ Case Reports, 2013, 2013, bcr2013009323-bcr2013009323.	0.2	10
133	Percutaneous coronary intervention in old age " effective or intrusive?. British Journal of Cardiology, 2013, , .	0.7	4
134	Case fatality rates for South Asian and Caucasian patients show no difference 2.5â€¦years after percutaneous coronary intervention. Heart, 2012, 98, 414-419.	1.2	21
135	Safety and feasibility of hospital discharge 2â€¦days following primary percutaneous intervention for ST-segment elevation myocardial infarction. Heart, 2012, 98, 1722-1727.	1.2	62
136	037â€¦Drug eluting stents (DES) offer benefit over bare metal stents (BMS) inserted during vein graft PCI: Abstract 037 Figure 1. Heart, 2012, 98, A23-A24.	1.2	0
137	035â€¦Thrombectomy and platelet glycoprotein IIb/IIIa blockade for stent thrombosis. Heart, 2012, 98, A22.1-A22.	1.2	1
138	036â€¦No difference in long-term major adverse cardiac event rates between paclitaxel-eluting and sirolimus-eluting stents. Heart, 2012, 98, A22.2-A23.	1.2	0
139	045â€¦Socio-economic status and outcome after percutaneous coronary intervention. Heart, 2012, 98, A27.2-A28.	1.2	0
140	048â€¦Is it safe to discharge patients 24â€¦h after uncomplicated successful primary percutaneous coronary intervention?: Abstract 048 Table 1. Heart, 2012, 98, A29-A30.	1.2	1
141	130â€¦Prior coronary artery bypass graft patients treated with primary percutaneous coronary intervention have higher long-term adverse event rates. Heart, 2012, 98, A73.1-A73.	1.2	0
142	148â€¦Insulin dependent diabetes results in worse outcomes compared to non-insulin dependent diabetes following coronary artery bypass graft surgery (CABG): Abstract 148 Figure 1. Heart, 2012, 98, A82.1-A82.	1.2	0
143	038â€¦Drug eluting stent implantation is associated with lower mace rates than bare metal stent implantation in primary PCI for ST elevation myocardial infarction. Heart, 2012, 98, A24.1-A24.	1.2	0
144	TCT-506 Out-Of-Hours Outcomes in STEMI Patients Treated With Primary Percutaneous Coronary Intervention. Journal of the American College of Cardiology, 2012, 60, B146-B147.	1.2	0

#	ARTICLE	IF	CITATIONS
145	Successful Recanalization of Chronic Total Occlusions Is Associated With Improved Long-Term Survival. <i>JACC: Cardiovascular Interventions</i> , 2012, 5, 380-388.	1.1	197
146	Does change in heart rate and blood pressure during adenosine stress perfusion cardiovascular magnetic resonance (A-CMRP) imaging predict perfusion defects?. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	1.6	0
147	Cardiac magnetic resonance perfusion imaging using a single intravenous line. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	1.6	0
148	Secondary prevention regimens and risk factors are not optimised in patients re-admitted with ACS. <i>British Journal of Cardiology</i> , 2012, , .	0.7	1
149	36 In-stent restenosis presents as an acute coronary syndrome (ACS) in 40% of cases: not simply a benign clinical entity. <i>Heart</i> , 2011, 97, A25-A26.	1.2	0
150	16 Acute stent thrombosis resulting in ST elevation myocardial infarction (STEMI) is associated with worse clinical outcomes than STEMI due to native coronary thrombosis. <i>Heart</i> , 2011, 97, A13-A14.	1.2	1
151	19 Treatment of multivessel coronary artery disease in primary PCI for ST elevation myocardial infarction: culprit only revascularisation is associated with higher mace rates. <i>Heart</i> , 2011, 97, A15-A16.	1.2	0
152	46 Prognostic value of baseline renal function on long term outcome in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction. <i>Heart</i> , 2011, 97, A31-A31.	1.2	0
153	9 Early hospital discharge at 48 h following primary PCI for myocardial infarction is both safe and feasible. <i>Heart</i> , 2011, 97, A9-A9.	1.2	0
154	35 Successful recanalisation of chronic total occlusions is associated with increased long term survival. <i>Heart</i> , 2011, 97, A25-A25.	1.2	0
155	18 Patients presenting with anaemia undergoing primary PCI appear at significantly higher risk of an adverse outcome. <i>Heart</i> , 2011, 97, A15-A15.	1.2	0
156	Use of Thrombectomy Devices in Primary Percutaneous Interventions for ST-elevation Myocardial Infarction – An Update. <i>Interventional Cardiology Review</i> , 2011, 9, 102.	0.7	2
157	122 – ST elevation myocardial infarction due to stent thrombosis is associated with worse clinical outcomes than STEMI due to coronary thrombosis. <i>Heart</i> , 2010, 96, A70.2-A71.	1.2	0
158	126 – Primary percutaneous coronary intervention for ST-elevation myocardial infarction in octogenarians. <i>Heart</i> , 2010, 96, A73.1-A73.	1.2	0
159	039 – Improved survival with abciximab if used during PCI for NSTEMI patients under 75 years of age. <i>Heart</i> , 2010, 96, A23-A23.	1.2	0
160	095 – Dialysis patients with infective endocarditis who received valve replacement have improved 1-year survival. <i>Heart</i> , 2010, 96, A57.1-A57.	1.2	0
161	123 – Comparison of outcomes of patients treated within hours vs out of hours by PPCI for STEMI: Abstract 123 Table 1. <i>Heart</i> , 2010, 96, A71.1-A71.	1.2	0
162	Ureteric Obstruction of Solitary Kidney Following Endovascular Repair of Infrarenal Abdominal Aortic Aneurysm: A Case Report. <i>Vascular and Endovascular Surgery</i> , 2009, 43, 312-316.	0.3	0

#	ARTICLE	IF	CITATIONS
163	Mechanisms Underlying Erythrocyte and Endothelial Nitrite Reduction to Nitric Oxide in Hypoxia. <i>Circulation Research</i> , 2008, 103, 957-964.	2.0	166
164	Nitrite-Derived Nitric Oxide Protects the Rat Kidney against Ischemia/Reperfusion Injury In Vivo: Role for Xanthine Oxidoreductase. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 570-580.	3.0	215
165	Nitrite Is Reduced to Nitric Oxide by Xanthine Oxidoreductase and Nitric Oxide Synthase in the Erythrocyte Membrane in Hypoxemia.. <i>Blood</i> , 2006, 108, 1560-1560.	0.6	1