

Jan K DamÃ¥s

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9225194/publications.pdf>

Version: 2024-02-01

148
papers

7,705
citations

50276

46
h-index

60623

81
g-index

154
all docs

154
docs citations

154
times ranked

12614
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of lower respiratory tract infections: a genome-wide association study with Mendelian randomization analysis in three independent European populations. <i>Clinical Microbiology and Infection</i> , 2022, 28, 732.e1-732.e7.	6.0	2
2	The inflammatory response is related to circulatory failure after out-of-hospital cardiac arrest: A prospective cohort study. <i>Resuscitation</i> , 2022, 170, 115-125.	3.0	19
3	Interleukin-6 inhibition in ST-elevation myocardial infarction: Immune cell profile in the randomised ASSAIL-MI trial. <i>EBioMedicine</i> , 2022, 80, 104013.	6.1	22
4	Explaining sex differences in risk of bloodstream infections using mediation analysis in the population-based HUNT study in Norway. <i>Scientific Reports</i> , 2022, 12, 8436.	3.3	10
5	Inflammatory Markers and Radiotherapy Response in Patients With Painful Bone Metastases. <i>Journal of Pain and Symptom Management</i> , 2022, 64, 330-339.	1.2	1
6	The Role of <i>rs4957796</i> in the Risk of Developing and Dying from a Bloodstream Infection: A 23-Year Follow-up of the Population-based Nord-TrÃndelag Health Study. <i>Clinical Infectious Diseases</i> , 2021, 73, e297-e303.	5.8	1
7	Secreted Wnt antagonists in scrub typhus. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009185.	3.0	3
8	Randomized Trial of Interleukin-6 Receptor Inhibition in Patients With Acute ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1845-1855.	2.8	169
9	Epidemiological and clinical characteristics of immunocompromised patients infected with <i>Pneumocystis jirovecii</i> in a twelve-year retrospective study from Norway. <i>BMC Infectious Diseases</i> , 2021, 21, 659.	2.9	18
10	GWAS Identifies LINC01184/SLC12A2 as a Risk Locus for Skin and Soft Tissue Infections. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2083-2086.e8.	0.7	4
11	Hepatitis C outreach project and cross-sectional epidemiology in high-risk populations in Trondheim, Norway. <i>Therapeutic Advances in Infectious Disease</i> , 2021, 8, 2049936121110539.	1.8	3
12	Thyroid function and risk of bloodstream infections: Results from the Norwegian prospective population-based HUNT Study. <i>Clinical Endocrinology</i> , 2021, , .	2.4	2
13	Sensing of HIV-1 by TLR8 activates human T cells and reverses latency. <i>Nature Communications</i> , 2020, 11, 147.	12.8	62
14	Genome-Wide Linkage Analysis of the Risk of Contracting a Bloodstream Infection in 47 Pedigrees Followed for 23 Years Assembled From a Population-Based Cohort (the HUNT Study)*. <i>Critical Care Medicine</i> , 2020, 48, 1580-1586.	0.9	3
15	Cardiometabolic Traits, Sepsis, and Severe COVID-19. <i>Circulation</i> , 2020, 142, 1791-1793.	1.6	93
16	Cholesterol crystals use complement to increase NLRP3 signaling pathways in coronary and carotid atherosclerosis. <i>EBioMedicine</i> , 2020, 60, 102985.	6.1	41
17	Novel Insights Into the Effects of Interleukin 6 Antagonism in Non-ST-Segment Elevation Myocardial Infarction Employing the SOMAScan Proteomics Platform. <i>Journal of the American Heart Association</i> , 2020, 9, e015628.	3.7	16
18	TLR8 and complement C5 induce cytokine release and thrombin activation in human whole blood challenged with Gram-positive bacteria. <i>Journal of Leukocyte Biology</i> , 2020, 107, 673-683.	3.3	9

#	ARTICLE	IF	CITATIONS
19	Systemic Inflammation Persists the First Year after Mild Traumatic Brain Injury: Results from the Prospective Trondheim Mild Traumatic Brain Injury Study. <i>Journal of Neurotrauma</i> , 2020, 37, 2120-2130.	3.4	49
20	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. <i>PLoS Medicine</i> , 2020, 17, e1003413.	8.4	15
21	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. , 2020, 17, e1003413.		0
22	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. , 2020, 17, e1003413.		0
23	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. , 2020, 17, e1003413.		0
24	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. , 2020, 17, e1003413.		0
25	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. , 2020, 17, e1003413.		0
26	Body mass index and risk of dying from a bloodstream infection: A Mendelian randomization study. , 2020, 17, e1003413.		0
27	Serum lipoprotein(a) is not modified by interleukin-6 receptor antagonism or associated with inflammation in non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2019, 274, 348-350.	1.7	11
28	Monitoring quality of care for peripheral intravenous catheters; feasibility and reliability of the peripheral intravenous catheters mini questionnaire (PIVC-miniQ). <i>BMC Health Services Research</i> , 2019, 19, 636.	2.2	19
29	Human Toll-like Receptor 8 (TLR8) Is an Important Sensor of Pyogenic Bacteria, and Is Attenuated by Cell Surface TLR Signaling. <i>Frontiers in Immunology</i> , 2019, 10, 1209.	4.8	49
30	Rationale for the ASSAIL-MI-trial: a randomised controlled trial designed to assess the effect of tocilizumab on myocardial salvage in patients with acute ST-elevation myocardial infarction (STEMI). <i>Open Heart</i> , 2019, 6, e001108.	2.3	34
31	Variation in Serum PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9), Cardiovascular Disease Risk, and an Investigation of Potential Unanticipated Effects of PCSK9 Inhibition. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002335.	3.6	11
32	Transcapillary fluid flux and inflammatory response during neonatal therapeutic hypothermia: an open, longitudinal, observational study. <i>BMC Pediatrics</i> , 2018, 18, 82.	1.7	1
33	Anxiety and Depression Symptoms in a General Population and Future Risk of Bloodstream Infection: The HUNT Study. <i>Psychosomatic Medicine</i> , 2018, 80, 673-679.	2.0	18
34	Serum PCSK9 is modified by interleukin-6 receptor antagonism in patients with hypercholesterolaemia following non-ST-elevation myocardial infarction. <i>Open Heart</i> , 2018, 5, e000765.	2.3	15
35	IL-6 Receptor Inhibition by Tocilizumab Attenuated Expression of C5a Receptor 1 and 2 in Non-ST-Elevation Myocardial Infarction. <i>Frontiers in Immunology</i> , 2018, 9, 2035.	4.8	21
36	The Palliative Radiotherapy and Inflammation Study (PRAIS) - protocol for a longitudinal observational multicenter study on patients with cancer induced bone pain. <i>BMC Palliative Care</i> , 2018, 17, 110.	1.8	10

#	ARTICLE	IF	CITATIONS
37	Interleukin-6 receptor inhibition with tocilizumab induces a selective and substantial increase in plasma IP-10 and MIP-1 β in non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 271, 1-7.	1.7	22
38	Association of iron status with the risk of bloodstream infections: results from the prospective population-based HUNT Study in Norway. <i>Intensive Care Medicine</i> , 2018, 44, 1276-1283.	8.2	27
39	Expression of neutrophil gelatinase-associated lipocalin (NGAL) in the gut in Crohn's disease. <i>Cell and Tissue Research</i> , 2018, 374, 339-348.	2.9	25
40	Transitions Between Circulatory States After Out-of-Hospital Cardiac Arrest: Protocol for an Observational, Prospective Cohort Study. <i>JMIR Research Protocols</i> , 2018, 7, e17.	1.0	6
41	Trends in antimicrobial resistance and empiric antibiotic therapy of bloodstream infections at a general hospital in Mid-Norway: a prospective observational study. <i>BMC Infectious Diseases</i> , 2017, 17, 116.	2.9	25
42	Effect of interleukin-6 inhibition on coronary microvascular and endothelial function in myocardial infarction. <i>Heart</i> , 2017, 103, 1521-1527.	2.9	46
43	Extracellular matrix markers and risk of myocardial infarction: The HUNT Study in Norway. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1161-1167.	1.8	13
44	Monocyte/macrophage and T cell activation markers are not independently associated with MI risk in healthy individuals - results from the HUNT Study. <i>International Journal of Cardiology</i> , 2017, 243, 502-504.	1.7	4
45	Burden of bloodstream infection in an area of Mid-Norway 2002-2013: a prospective population-based observational study. <i>BMC Infectious Diseases</i> , 2017, 17, 205.	2.9	56
46	N-3 PUFAs induce inflammatory tolerance by formation of KEAP1-containing SQSTM1/p62-bodies and activation of NFE2L2. <i>Autophagy</i> , 2017, 13, 1664-1678.	9.1	43
47	Cyclodextrin Reduces Cholesterol Crystal-Induced Inflammation by Modulating Complement Activation. <i>Journal of Immunology</i> , 2017, 199, 2910-2920.	0.8	31
48	Cyclodextrin inhibits CC-induced complement activation. <i>Molecular Immunology</i> , 2017, 89, 167-168.	2.2	0
49	Associations of obesity and lifestyle with the risk and mortality of bloodstream infection in a general population: a 15-year follow-up of 64% individuals in the HUNT Study. <i>International Journal of Epidemiology</i> , 2017, 46, 1573-1581.	1.9	48
50	Fecal neutrophil gelatinase-associated lipocalin as a biomarker for inflammatory bowel disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 128-135.	2.8	66
51	Bronchial microdialysis monitoring of inflammatory response in open abdominal aortic aneurysm repair; an observational study. <i>Physiological Reports</i> , 2017, 5, e13348.	1.7	4
52	Toll-Like Receptor 8 Is a Major Sensor of Group B Streptococcus But Not Escherichia coli in Human Primary Monocytes and Macrophages. <i>Frontiers in Immunology</i> , 2017, 8, 1243.	4.8	29
53	Epidemiology and outcome of sepsis in adult patients with Streptococcus pneumoniae infection in a Norwegian county 1993-2011: an observational study. <i>BMC Infectious Diseases</i> , 2016, 16, 223.	2.9	25
54	Low levels of short- and medium-chain acylcarnitines in HIV-infected patients. <i>European Journal of Clinical Investigation</i> , 2016, 46, 408-417.	3.4	14

#	ARTICLE	IF	CITATIONS
55	Circulating PCSK9 and Risk of Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2016, 1, 568-575.	4.1	21
56	Soluble CXCL16 and risk of myocardial infarction: The HUNT study in Norway. <i>Atherosclerosis</i> , 2016, 244, 188-194.	0.8	18
57	The Impact of Infectious Disease Specialist Consultation for Staphylococcus aureus Bloodstream Infections: A Systematic Review. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw048.	0.9	60
58	Hepatitis C reinfection after sustained virological response. <i>Journal of Hepatology</i> , 2016, 64, 1020-1026.	3.7	122
59	Effect of a single dose of the interleukin-6 receptor antagonist tocilizumab on inflammation and troponin T release in patients with non-ST-elevation myocardial infarction: a double-blind, randomized, placebo-controlled phase 2 trial. <i>European Heart Journal</i> , 2016, 37, 2406-2413.	2.2	270
60	Early identification of sepsis in hospital inpatients by ward nurses increases 30-day survival. <i>Critical Care</i> , 2016, 20, 244.	5.8	60
61	Reconstituted High-Density Lipoprotein Attenuates Cholesterol Crystal-Induced Inflammatory Responses by Reducing Complement Activation. <i>Journal of Immunology</i> , 2015, 195, 257-264.	0.8	27
62	Genetic variants in the DNA repair gene NEIL3 and the risk of myocardial infarction in a nested case-control study. The HUNT Study. <i>DNA Repair</i> , 2015, 28, 21-27.	2.8	20
63	Keap1 regulates inflammatory signaling in <i>Mycobacterium avium</i> -infected human macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E4272-80.	7.1	43
64	Epidemiology and outcome of Staphylococcus aureus bloodstream infection and sepsis in a Norwegian county 1996-2011: an observational study. <i>BMC Infectious Diseases</i> , 2015, 15, 116.	2.9	55
65	Increased Serum Levels of LIGHT/TNFSF14 in Nonalcoholic Fatty Liver Disease: Possible Role in Hepatic Inflammation. <i>Clinical and Translational Gastroenterology</i> , 2015, 6, e95.	2.5	16
66	Expression of CCL20 and Its Corresponding Receptor CCR6 Is Enhanced in Active Inflammatory Bowel Disease, and TLR3 Mediates CCL20 Expression in Colonic Epithelial Cells. <i>PLoS ONE</i> , 2015, 10, e0141710.	2.5	54
67	Lipocalin 2 Imparts Selective Pressure on Bacterial Growth in the Bladder and Is Elevated in Women with Urinary Tract Infection. <i>Journal of Immunology</i> , 2014, 193, 6081-6089.	0.8	54
68	Cytokine Network in Scrub Typhus: High Levels of Interleukin-8 Are Associated with Disease Severity and Mortality. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2648.	3.0	45
69	Mucosal Toll-like Receptor 3-dependent Synthesis of Complement Factor B and Systemic Complement Activation in Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2014, 20, 1.	1.9	29
70	Increased levels of CCR7 ligands in carotid atherosclerosis: different effects in macrophages and smooth muscle cells. <i>Cardiovascular Research</i> , 2014, 102, 148-156.	3.8	37
71	Cholesterol Crystals Induce Complement-Dependent Inflammasome Activation and Cytokine Release. <i>Journal of Immunology</i> , 2014, 192, 2837-2845.	0.8	236
72	Increased endothelial and macrophage markers are associated with disease severity and mortality in scrub typhus. <i>Journal of Infection</i> , 2014, 69, 462-469.	3.3	22

#	ARTICLE	IF	CITATIONS
73	Enhanced Expression of CXCL10 in Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2013, 19, 265-274.	1.9	62
74	Circulating levels of HMGB1 are correlated strongly with MD2 in HIV-infection: Possible implication for TLR4-signalling and chronic immune activation. <i>Innate Immunity</i> , 2013, 19, 290-297.	2.4	22
75	Whole Genome Gene Expression Meta-Analysis of Inflammatory Bowel Disease Colon Mucosa Demonstrates Lack of Major Differences between Crohn's Disease and Ulcerative Colitis. <i>PLoS ONE</i> , 2013, 8, e56818.	2.5	111
76	Soluble Markers of the Toll-Like Receptor 4 Pathway Differentiate between Active and Latent Tuberculosis and Are Associated with Treatment Responses. <i>PLoS ONE</i> , 2013, 8, e69896.	2.5	21
77	The Homeostatic Chemokine CCL21 Predicts Mortality and May Play a Pathogenic Role in Heart Failure. <i>PLoS ONE</i> , 2012, 7, e33038.	2.5	33
78	A Complex Interaction between <i>Rickettsia conorii</i> and Dickkopf-1 " Potential Role in Immune Evasion Mechanisms in Endothelial Cells. <i>PLoS ONE</i> , 2012, 7, e43638.	2.5	15
79	Effect of eptifibatid on platelet-mediated inflammation in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2011, 151, 385-387.	1.7	4
80	No Inflammatory Response Related to Pulmonary Hemodynamics in Children with Systemic to Pulmonary Shunts. <i>Congenital Heart Disease</i> , 2011, 6, 338-346.	0.2	0
81	Treatment with the PPAR β agonist rosiglitazone downregulates interleukin-1 receptor antagonist in individuals with metabolic syndrome. <i>European Journal of Endocrinology</i> , 2010, 162, 267-273.	3.7	17
82	Intracellular Nicotinamide Phosphoribosyltransferase Protects against Hepatocyte Apoptosis and Is Down-Regulated in Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3039-3047.	3.6	89
83	Raised MCP-4 levels in symptomatic carotid atherosclerosis: an inflammatory link between platelet and monocyte activation. <i>Cardiovascular Research</i> , 2010, 86, 265-273.	3.8	35
84	Neutrophil Gelatinase-Associated Lipocalin. <i>Chest</i> , 2010, 138, 888-895.	0.8	89
85	The tumour necrosis factor superfamily ligand APRIL (TNFSF13) is released upon platelet activation and expressed in atherosclerosis. <i>Thrombosis and Haemostasis</i> , 2009, 102, 704-710.	3.4	24
86	Elevated levels of activin A in clinical and experimental pulmonary hypertension. <i>Journal of Applied Physiology</i> , 2009, 106, 1356-1364.	2.5	55
87	IL-10 Enhances MD-2 and CD14 Expression in Monocytes and the Proteins Are Increased and Correlated in HIV-Infected Patients. <i>Journal of Immunology</i> , 2009, 182, 588-595.	0.8	27
88	Enhanced levels of the CCR7 ligands CCL19 and CCL21 in HIV infection: correlation with viral load, disease progression and response to highly active antiretroviral therapy. <i>Aids</i> , 2009, 23, 135-138.	2.2	19
89	C-reactive protein, infarct size, microvascular obstruction, and left-ventricular remodelling following acute myocardial infarction. <i>European Heart Journal</i> , 2009, 30, 1180-1186.	2.2	143
90	Increased Production of CXCL16 in Experimental and Clinical Heart Failure. <i>Circulation: Heart Failure</i> , 2009, 2, 624-632.	3.9	38

#	ARTICLE	IF	CITATIONS
91	Inflammatory Interaction Between LIGHT and Proteinase-Activated Receptor-2 in Endothelial Cells. <i>Circulation Research</i> , 2009, 104, 60-68.	4.5	28
92	Patients with Pulmonary Hypertension Related to Congenital Systemic-to-Pulmonary Shunts are Characterized by Inflammation Involving Endothelial Cell Activation and Platelet-mediated Inflammation. <i>Congenital Heart Disease</i> , 2009, 4, 153-159.	0.2	25
93	Chemokines and common variable immunodeficiency; possible contribution of the fractalkine system (CX3CL1/CX3CR1) to chronic inflammation. <i>Clinical Immunology</i> , 2009, 130, 151-161.	3.2	12
94	Relative chemokine and adhesion molecule expression in Mediterranean spotted fever and African tick bite fever. <i>Journal of Infection</i> , 2009, 58, 68-75.	3.3	34
95	The complex role of T-cell-based immunity in atherosclerosis. <i>Current Atherosclerosis Reports</i> , 2008, 10, 236-243.	4.8	24
96	Cytokine expression profiling of the myocardium reveals a role for CX3CL1 (fractalkine) in heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 261-269.	1.9	69
97	A Potential Role of the CXC Chemokine GROÎ± in Atherosclerosis and Plaque Destabilization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1005-1011.	2.4	54
98	High levels and inflammatory effects of soluble CXC ligand 16 (CXCL16) in coronary artery disease: down-regulatory effects of statins. <i>Cardiovascular Research</i> , 2008, 79, 195-203.	3.8	45
99	Increased expression of LIGHT/TNFSF14 and its receptors in experimental and clinical heart failure. <i>European Journal of Heart Failure</i> , 2008, 10, 352-359.	7.1	30
100	Raised LIGHT Levels in Pulmonary Arterial Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2008, 177, 202-207.	5.6	24
101	Chemokines and Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1909-1919.	2.4	161
102	Increased Expression of Visfatin in Macrophages of Human Unstable Carotid and Coronary Atherosclerosis. <i>Circulation</i> , 2007, 115, 972-980.	1.6	428
103	Enhanced Expression of the Homeostatic Chemokines CCL19 and CCL21 in Clinical and Experimental Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 614-620.	2.4	134
104	Plasma levels of granzyme B are increased in patients with lipid-rich carotid plaques as determined by echogenicity. <i>Atherosclerosis</i> , 2007, 195, e142-e146.	0.8	35
105	Potential Mechanisms of Benefit with Thalidomide in Chronic Heart Failure. <i>American Journal of Cardiovascular Drugs</i> , 2007, 7, 127-134.	2.2	5
106	Microbubbles in the Pulmonary Artery Generated During Experimental Hepatic Radiofrequency Ablation Is Correlated with Increased Pulmonary Arterial Pressure. <i>Journal of Vascular and Interventional Radiology</i> , 2007, 18, 437-442.	0.5	7
107	T Cells in Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2007, 50, 1459-1461.	2.8	9
108	Role of inflammation in the progression of heart failure. <i>Current Cardiology Reports</i> , 2007, 9, 236-241.	2.9	151

#	ARTICLE	IF	CITATIONS
109	Chemokines in cardiovascular risk prediction. <i>Thrombosis and Haemostasis</i> , 2007, 97, 748-54.	3.4	22
110	Systemic markers of inflammation “ are they useful predictive tools in coronary artery disease?. <i>Scandinavian Cardiovascular Journal</i> , 2006, 40, 262-266.	1.2	3
111	Systemic inflammation in nonalcoholic fatty liver disease is characterized by elevated levels of CCL2. <i>Journal of Hepatology</i> , 2006, 44, 1167-1174.	3.7	493
112	The role of intravenous immunoglobulin in the treatment of chronic heart failure. <i>International Journal of Cardiology</i> , 2006, 112, 40-45.	1.7	29
113	Systemic inflammation in heart failure “ The whys and wherefores. <i>Heart Failure Reviews</i> , 2006, 11, 83-92.	3.9	252
114	Chemokines in Children With Heterozygous Familial Hypercholesterolemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 200-205.	2.4	29
115	Impaired Inhibitory Effect of Interleukin-10 on the Balance Between Matrix Metalloproteinase-9 and Its Inhibitor in Mononuclear Cells From Hyperhomocysteinemic Subjects. <i>Stroke</i> , 2006, 37, 1731-1736.	2.0	21
116	Enhanced T-Cell Expression of RANK Ligand in Acute Coronary Syndrome. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 857-863.	2.4	170
117	Increased Levels of Soluble CD40L in African Tick Bite Fever: Possible Involvement of TLRs in the Pathogenic Interaction between <i>Rickettsia africae</i> , Endothelial Cells, and Platelets. <i>Journal of Immunology</i> , 2006, 177, 2699-2706.	0.8	47
118	Anti-inflammatory trials in chronic heart failure. <i>Heart Failure Monitor</i> , 2006, 5, 2-9.	0.7	9
119	Abnormal interleukin-7 function in common variable immunodeficiency. <i>Blood</i> , 2005, 105, 2887-2890.	1.4	54
120	Early anti-thrombotic and anti-inflammatory actions of statins and fibrates “ time for adjuvant therapy in acute coronary syndromes?. <i>Thrombosis and Haemostasis</i> , 2005, 94, 1-3.	3.4	34
121	Expression of Fractalkine (CX3CL1) and its Receptor, CX3CR1, Is Elevated in Coronary Artery Disease and Is Reduced During Statin Therapy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2567-2572.	2.4	119
122	Interleukin-10 enhances the oxidized LDL-induced foam cell formation of macrophages by antiapoptotic mechanisms. <i>Journal of Lipid Research</i> , 2005, 46, 211-219.	4.2	78
123	Potential role for immunomodulatory therapy in atherosclerotic plaque stabilisation. <i>Expert Opinion on Pharmacotherapy</i> , 2005, 6, 2169-2180.	1.8	3
124	Inflammation in coronary artery disease: potential role for immunomodulatory therapy. <i>Expert Review of Cardiovascular Therapy</i> , 2005, 3, 1111-1124.	1.5	12
125	Antiinflammatory Effects of Tetradecylthioacetic Acid Involve Both Peroxisome Proliferator-Activated Receptor -Dependent and -Independent Pathways. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 1364-1369.	2.4	27
126	Enhanced Plasma Levels of LIGHT in Unstable Angina. <i>Circulation</i> , 2005, 112, 2121-2129.	1.6	55

#	ARTICLE	IF	CITATIONS
127	Soluble CD40 ligand in acute and chronic heart failure. <i>European Heart Journal</i> , 2005, 26, 1101-1107.	2.2	71
128	Inflammatory and anti-inflammatory cytokines in chronic heart failure: Potential therapeutic implications. <i>Annals of Medicine</i> , 2005, 37, 74-85.	3.8	140
129	Agents targeting inflammation in heart failure. <i>Expert Opinion on Investigational Drugs</i> , 2005, 14, 557-566.	4.1	35
130	Effect of activated platelets on expression of cytokines in peripheral blood mononuclear cells – potential role of prostaglandin E2. <i>Thrombosis and Haemostasis</i> , 2004, 92, 1358-1367.	3.4	20
131	Increased Expression of Interleukin-1 in Coronary Artery Disease With Downregulatory Effects of HMG-CoA Reductase Inhibitors. <i>Circulation</i> , 2004, 109, 1966-1972.	1.6	142
132	Elevated Levels of Activin A in Heart Failure. <i>Circulation</i> , 2004, 109, 1379-1385.	1.6	150
133	Exercise reduces plasma levels of the chemokines MCP-1 and IL-8 in subjects with the metabolic syndrome. <i>European Heart Journal</i> , 2004, 25, 349-355.	2.2	151
134	Soluble CD40 Ligand in Pulmonary Arterial Hypertension. <i>Circulation</i> , 2004, 110, 999-1005.	1.6	99
135	Inflammation and chronic heart failure – potential therapeutic role of intravenous immunoglobulin. <i>Autoimmunity Reviews</i> , 2004, 3, 221-227.	5.8	38
136	Platelet activation in heart transplant recipients. <i>Clinical Transplantation</i> , 2004, 18, 142-147.	1.6	20
137	Therapeutic Potential of Anticytokine Therapy in Congestive Heart Failure. <i>American Journal of Cardiovascular Drugs</i> , 2004, 4, 169-177.	2.2	12
138	Potential anti-inflammatory role of activin A in acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2004, 44, 369-375.	2.8	53
139	Atherosclerotic Plaque Stabilization - Potential Role for Immunomodulatory Therapy. <i>Vascular Disease Prevention</i> , 2004, 1, 17-31.	0.2	3
140	Immunomodulating Therapy: New Treatment Modality in Congestive Heart Failure. <i>Congestive Heart Failure</i> , 2003, 9, 64-69.	2.0	12
141	Hydroxymethylglutaryl coenzyme a reductase inhibitors down-regulate chemokines and chemokine receptors in patients with coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2003, 41, 1460-1467.	2.8	99
142	Interleukin-7 – Mediated Inflammation in Unstable Angina. <i>Circulation</i> , 2003, 107, 2670-2676.	1.6	105
143	8-Isoprostane increases expression of interleukin-8 in human macrophages through activation of mitogen-activated protein kinases. <i>Cardiovascular Research</i> , 2003, 59, 945-954.	3.8	60
144	Stromal Cell – Derived Factor-1 – in Unstable Angina. <i>Circulation</i> , 2002, 106, 36-42.	1.6	139

#	ARTICLE	IF	CITATIONS
145	Increased gene expression of tumor necrosis factor superfamily ligands in peripheral blood mononuclear cells during chronic heart failure. <i>Cardiovascular Research</i> , 2002, 54, 175-182.	3.8	82
146	Interaction between chemokines and oxidative stress: possible pathogenic role in acute coronary syndromes. <i>Journal of the American College of Cardiology</i> , 2001, 37, 485-491.	2.8	128
147	Enhanced gene expression of chemokines and their corresponding receptors in mononuclear blood cells in chronic heart failure—modulatory effect of intravenous immunoglobulin. <i>Journal of the American College of Cardiology</i> , 2001, 38, 187-193.	2.8	93
148	Monocyte chemoattractant protein-1 enhances and interleukin-10 suppresses the production of inflammatory cytokines in adult rat cardiomyocytes. <i>Basic Research in Cardiology</i> , 2001, 96, 345-352.	5.9	42