

Bengt Lindholm

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9225576/publications.pdf>

Version: 2024-02-01

309
papers

16,164
citations

22099

59
h-index

20900

115
g-index

316
all docs

316
docs citations

316
times ranked

13217
citing authors

#	ARTICLE	IF	CITATIONS
1	IL-10, IL-6, and TNF- α : Central factors in the altered cytokine network of uremiaâ€”The good, the bad, and the ugly. <i>Kidney International</i> , 2005, 67, 1216-1233.	2.6	738
2	Are there two types of malnutrition in chronic renal failure? Evidence for relationships between malnutrition, inflammation and atherosclerosis (MIA syndrome). <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 953-960.	0.4	701
3	Factors predicting malnutrition in hemodialysis patients: A cross-sectional study. <i>Kidney International</i> , 1998, 53, 773-782.	2.6	507
4	The malnutrition, inflammation, and atherosclerosis (MIA) syndrome - the heart of the matter. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 28-31.	0.4	473
5	Emerging Biomarkers for Evaluating Cardiovascular Risk in the Chronic Kidney Disease Patient. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 505-521.	2.2	472
6	Serum Albumin, C-Reactive Protein, Interleukin 6, and Fetuin A as Predictors of Malnutrition, Cardiovascular Disease, and Mortality in Patients With ESRD. <i>American Journal of Kidney Diseases</i> , 2006, 47, 139-148.	2.1	442
7	Comparative Associations of Muscle Mass and Muscle Strength with Mortality in Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1720-1728.	2.2	386
8	Associations between circulating inflammatory markers and residual renal function in CRF patients. <i>American Journal of Kidney Diseases</i> , 2003, 41, 1212-1218.	2.1	371
9	Interleukin-6 is an independent predictor of mortality in patients starting dialysis treatment. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1684-1688.	0.4	345
10	Chronic inflammation in end-stage renal disease and dialysis. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, iii35-iii40.	0.4	249
11	Obese sarcopenia in patients with end-stage renal disease is associated with inflammation and increased mortality. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 633-638.	2.2	246
12	Sarcopenia in chronic kidney disease on conservative therapy: prevalence and association with mortality. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1718-1725.	0.4	246
13	Serum Trimethylamine-N-Oxide Is Strongly Related to Renal Function and Predicts Outcome in Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0141738.	1.1	241
14	Muscle atrophy, inflammation and clinical outcome in incident and prevalent dialysis patients. <i>Clinical Nutrition</i> , 2008, 27, 557-564.	2.3	230
15	Pathophysiology of Peritoneal Membrane Failure. <i>Peritoneal Dialysis International</i> , 2000, 20, 22-42.	1.1	228
16	Consequences of low plasma histidine in chronic kidney disease patients: associations with inflammation, oxidative stress, and mortality. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1860-1866.	2.2	228
17	Global Prevalence of Protein-Energy Wasting in Kidney Disease: A Meta-analysis of Contemporary Observational Studies From the International Society of Renal Nutrition and Metabolism. , 2018, 28, 380-392.		225
18	J-Shaped Mortality Relationship for Uric Acid in CKD. <i>American Journal of Kidney Diseases</i> , 2006, 48, 761-771.	2.1	213

#	ARTICLE	IF	CITATIONS
19	Coronary Artery Disease in End-Stage Renal Disease: No Longer a Simple Plumbing Problem. Journal of the American Society of Nephrology: JASN, 2003, 14, 1927-1939.	3.0	208
20	Sarcopenia in chronic kidney disease: what have we learned so far?. Journal of Nephrology, 2021, 34, 1347-1372.	0.9	204
21	Comparison of nutritional and inflammatory markers in dialysis patients with reduced appetite. American Journal of Clinical Nutrition, 2007, 85, 695-701.	2.2	202
22	Screening for muscle wasting and dysfunction in patients with chronic kidney disease. Kidney International, 2016, 90, 53-66.	2.6	199
23	A quantitative description of solute and fluid transport during peritoneal dialysis. Kidney International, 1992, 41, 1320-1332.	2.6	179
24	Hyperhomocysteinemia, nutritional status, and cardiovascular disease in hemodialysis patients. Kidney International, 2000, 57, 1727-1735.	2.6	177
25	Increases in Serum Leptin Levels during Peritoneal Dialysis Are Associated with Inflammation and a Decrease in Lean Body Mass. Journal of the American Society of Nephrology: JASN, 2000, 11, 1303-1309.	3.0	168
26	Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. Clinical Science, 2016, 130, 1147-1163.	1.8	167
27	A comparative analysis of nutritional parameters as predictors of outcome in male and female ESRD patients. Nephrology Dialysis Transplantation, 2002, 17, 1266-1274.	0.4	166
28	Calculation of the Protein Equivalent of Total Nitrogen Appearance from Urea Appearance. Which Formulas Should be Used?. Peritoneal Dialysis International, 1998, 18, 467-473.	1.1	161
29	Biomarkers of Cardiovascular Disease and Mortality Risk in Patients with Advanced CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 1163-1172.	2.2	133
30	Plasma Pentosidine Is Associated with Inflammation and Malnutrition in End-Stage Renal Disease Patients Starting on Dialysis Therapy. Journal of the American Society of Nephrology: JASN, 2003, 14, 1614-1622.	3.0	131
31	Homocysteine in uraemia—a puzzling and conflicting story. Nephrology Dialysis Transplantation, 2005, 20, 16-21.	0.4	130
32	Food as medicine: targeting the uraemic phenotype in chronic kidney disease. Nature Reviews Nephrology, 2021, 17, 153-171.	4.1	126
33	Mediterranean Diet, Kidney Function, and Mortality in Men with CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 1548-1555.	2.2	119
34	Abdominal fat deposition is associated with increased inflammation, protein-energy wasting and worse outcome in patients undergoing haemodialysis. Nephrology Dialysis Transplantation, 2010, 25, 562-568.	0.4	116
35	Association between residual renal function, inflammation and patient survival in new peritoneal dialysis patients. Nephrology Dialysis Transplantation, 2003, 18, 590-597.	0.4	115
36	Dietary Components That May Influence the Disturbed Gut Microbiota in Chronic Kidney Disease. Nutrients, 2019, 11, 496.	1.7	112

#	ARTICLE	IF	CITATIONS
37	Associations between plasma ghrelin levels and body composition in end-stage renal disease: a longitudinal study. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 421-426.	0.4	110
38	Adipose tissue and its relation to inflammation: The role of adipokines. , 2005, 15, 131-136.		108
39	What Are the Causes and Consequences of the Chronic Inflammatory State in Chronic Dialysis Patients?. <i>Seminars in Dialysis</i> , 2001, 13, 163-164.	0.7	105
40	Albuminuria changes are associated with subsequent risk of end-stage renal disease and mortality. <i>Kidney International</i> , 2017, 91, 244-251.	2.6	104
41	Novel Links between the Long Pentraxin 3, Endothelial Dysfunction, and Albuminuria in Early and Advanced Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 976-985.	2.2	103
42	Increased circulating sclerostin levels in end-stage renal disease predict biopsy-verified vascular medial calcification and coronary artery calcification. <i>Kidney International</i> , 2015, 88, 1356-1364.	2.6	102
43	Influence of Peritoneal Transport Rate, Inflammation, and Fluid Removal on Nutritional Status and Clinical Outcome in Prevalent Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2003, 23, 174-183.	1.1	101
44	Dietary Fiber, Kidney Function, Inflammation, and Mortality Risk. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 2104-2110.	2.2	101
45	Systemic and Intraperitoneal Interleukin-6 System during the First Year of Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2006, 26, 53-63.	1.1	98
46	Serum Lipids and Lipoproteins during Continuous Ambulatory Peritoneal Dialysis. <i>Acta Medica Scandinavica</i> , 1986, 220, 143-151.	0.0	95
47	Therapeutics targeting persistent inflammation in chronic kidney disease. <i>Translational Research</i> , 2016, 167, 204-213.	2.2	92
48	The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease. <i>PLoS ONE</i> , 2018, 13, e0190410.	1.1	91
49	Chronic Inflammation in Peritoneal Dialysis: The Search for the Holy Grail?. <i>Peritoneal Dialysis International</i> , 2004, 24, 327-339.	1.1	90
50	Influence of Initial Nutritional Status on Continuous Ambulatory Peritoneal Dialysis Patient Survival. <i>Peritoneal Dialysis International</i> , 2000, 20, 19-26.	1.1	89
51	Peritoneal Transport Characteristics, Comorbid Diseases and Survival in CAPD Patients. <i>Peritoneal Dialysis International</i> , 2000, 20, 541-547.	1.1	88
52	ADMA Levels Correlate with Proteinuria, Secondary Amyloidosis, and Endothelial Dysfunction. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 388-395.	3.0	84
53	Effect of Circulating Soluble Receptor for Advanced Glycation End Products (sRAGE) and the Proinflammatory RAGE Ligand (EN-RAGE, S100A12) on Mortality in Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 2213-2219.	2.2	83
54	Body Fat Mass and Serum Leptin Levels Influence Epoetin Sensitivity in Patients With ESRD. <i>American Journal of Kidney Diseases</i> , 2005, 46, 628-634.	2.1	78

#	ARTICLE	IF	CITATIONS
55	Soluble CD14 Levels, Interleukin 6, and Mortality Among Prevalent Hemodialysis Patients. <i>American Journal of Kidney Diseases</i> , 2009, 54, 1072-1080.	2.1	75
56	Simple Models for Description of Small-Solute Transport in Peritoneal Dialysis. <i>Blood Purification</i> , 1991, 9, 129-141.	0.9	74
57	Relation between serum fibroblast growth factor-23 level and mortality in incident dialysis patients: are gender and cardiovascular disease confounding the relationship?. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3033-3038.	0.4	69
58	Association between an Increased Surface Area of Peritoneal Microvessels and a High Peritoneal Solute Transport Rate. <i>Peritoneal Dialysis International</i> , 2003, 23, 116-122.	1.1	65
59	Early Vascular Ageing and Cellular Senescence in Chronic Kidney Disease. <i>Computational and Structural Biotechnology Journal</i> , 2019, 17, 721-729.	1.9	65
60	Impact of curcumin supplementation on expression of inflammatory transcription factors in hemodialysis patients: A pilot randomized, double-blind, controlled study. <i>Clinical Nutrition</i> , 2020, 39, 3594-3600.	2.3	65
61	Does statins promote vascular calcification in chronic kidney disease?. <i>European Journal of Clinical Investigation</i> , 2017, 47, 137-148.	1.7	62
62	The reverse epidemiology of plasma total homocysteine as a mortality risk factor is related to the impact of wasting and inflammation. <i>Nephrology Dialysis Transplantation</i> , 2006, 22, 209-217.	0.4	61
63	Inflammation contributes to low plasma amino acid concentrations in patients with chronic kidney disease. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 342-349.	2.2	60
64	Clinical global assessment of nutritional status as predictor of mortality in chronic kidney disease patients. <i>PLoS ONE</i> , 2017, 12, e0186659.	1.1	60
65	Red meat intake in chronic kidney disease patients: Two sides of the coin. <i>Nutrition</i> , 2018, 46, 26-32.	1.1	59
66	Lymphatic Absorption in CAPD Patients with Loss of Ultrafiltration Capacity. <i>Blood Purification</i> , 1995, 13, 327-339.	0.9	58
67	Elevated serum levels of S-adenosylhomocysteine, but not homocysteine, are associated with cardiovascular disease in stage 5 chronic kidney disease patients. <i>Clinica Chimica Acta</i> , 2008, 395, 106-110.	0.5	58
68	The dysfunctional endothelium in CKD and in cardiovascular disease: mapping the origin(s) of cardiovascular problems in CKD and of kidney disease in cardiovascular conditions for a research agenda. <i>Kidney International Supplements</i> , 2011, 1, 6-9.	4.6	57
69	Combination of Crystalloid (Glucose) and Colloid (Icodextrin) Osmotic Agents Markedly Enhances Peritoneal Fluid and Solute Transport during the Long PD Dwell. <i>Peritoneal Dialysis International</i> , 2007, 27, 267-276.	1.1	56
70	Chronic Systemic Inflammation in Dialysis Patients: An Update on Causes and Consequences. <i>ASAIO Journal</i> , 2004, 50, lii-lvii.	0.9	54
71	Diagnostic validation and prognostic significance of the Malnutrition-Inflammation Score in nondialyzed chronic kidney disease patients. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 821-828.	0.4	54
72	Curcumin - A promising nutritional strategy for chronic kidney disease patients. <i>Journal of Functional Foods</i> , 2018, 40, 715-721.	1.6	54

#	ARTICLE	IF	CITATIONS
73	A Proinflammatory Diet Is Associated with Systemic Inflammation and Reduced Kidney Function in Elderly Adults. <i>Journal of Nutrition</i> , 2015, 145, 729-735.	1.3	53
74	Plasma S100A12 and soluble receptor of advanced glycation end product levels and mortality in chronic kidney disease Stage 5 patients. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 84-91.	0.4	52
75	eGFR and the Risk of Community-Acquired Infections. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 1399-1408.	2.2	52
76	Osmotic Conductance of the Peritoneum in Capd Patients with Permanent Loss of Ultrafiltration Capacity. <i>Peritoneal Dialysis International</i> , 1996, 16, 488-496.	1.1	50
77	Vascular calcification in chronic kidney disease: are biomarkers useful for probing the pathobiology and the health risks of this process in the clinical scenario?. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1275-1284.	0.4	50
78	Clinical Correlates of Insulin Sensitivity and Its Association with Mortality among Men with CKD Stages 3 and 4. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 690-697.	2.2	50
79	Kidney Function, Kidney Function Decline, and the Risk of Dementia in Older Adults. <i>Neurology</i> , 2021, 96, .	1.5	50
80	Effect of blood perfusion on diffusive transport in peritoneal dialysis. <i>Kidney International</i> , 1999, 56, 707-713.	2.6	49
81	Modification of the oxidative stress biomarker AOPP assay: Application in uremic samples. <i>Clinica Chimica Acta</i> , 2008, 393, 114-118.	0.5	48
82	Diffusive Mass Transport Coefficients Are Not Constant During a Single Exchange In Continuous Ambulatory Peritoneal Dialysis. <i>ASAIO Journal</i> , 1996, 42, M518-523.	0.9	47
83	Overestimation of advanced oxidation protein products in uremic plasma due to presence of triglycerides and other endogenous factors. <i>Clinica Chimica Acta</i> , 2007, 379, 87-94.	0.5	47
84	The kidney is the major site of S-adenosylhomocysteine disposal in humans. <i>Kidney International</i> , 2009, 76, 293-296.	2.6	47
85	Mechanisms of Crystalloid versus Colloid Osmosis across the Peritoneal Membrane. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 1875-1886.	3.0	47
86	Methods for Estimation of Peritoneal Dialysate Volume and Reabsorption Rate Using Macromolecular Markers. <i>Peritoneal Dialysis International</i> , 1994, 14, 8-16.	1.1	46
87	Estimated Glomerular Filtration Rate and the Risk of Cancer. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 530-539.	2.2	46
88	Impact of Residual Renal Function on Volume Status in Chronic Renal Failure. <i>Blood Purification</i> , 2004, 22, 285-292.	0.9	45
89	Enhanced scavenger receptor expression in monocyte-macrophages in dialysis patients. <i>Kidney International</i> , 1996, 49, 773-780.	2.6	44
90	Vibratory perception threshold compared with nerve conduction velocity in the evaluation of uremic neuropathy. <i>Acta Neurologica Scandinavica</i> , 1985, 71, 284-289.	1.0	44

#	ARTICLE	IF	CITATIONS
91	Remote Patient Monitoring Program in Automated Peritoneal Dialysis: Impact on Hospitalizations. <i>Peritoneal Dialysis International</i> , 2019, 39, 472-478.	1.1	44
92	Biocompatibility of New Peritoneal Dialysis Solutions: Clinical Experience. <i>Peritoneal Dialysis International</i> , 2000, 20, 48-56.	1.1	43
93	Short-Term Effects of a New Bicarbonate/Lactate-Buffered and Conventional Peritoneal Dialysis Fluid on Peritoneal and Systemic Inflammation in CAPD Patients: A Randomized Controlled Study. <i>Peritoneal Dialysis International</i> , 2008, 28, 44-52.	1.1	43
94	Diffusive and Convective Solute Transport in Peritoneal Dialysis with Glucose as an Osmotic Agent. <i>Artificial Organs</i> , 1995, 19, 295-306.	1.0	42
95	Determination of High and Low Molecular Weight Molecules of Icodextrin in Plasma and Dialysate, Using Gel Filtration Chromatography, in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2005, 25, 181-191.	1.1	42
96	Effect of repeated intravenous iron administration in haemodialysis patients on serum 8-hydroxy-2'-deoxyguanosine levels. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 1407-1412.	0.4	42
97	Risk factors for mortality in diabetic peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3742-3748.	0.4	42
98	Vertebral bone density associates with coronary artery calcification and is an independent predictor of poor outcome in end-stage renal disease patients. <i>Bone</i> , 2016, 92, 50-57.	1.4	42
99	Peritoneal Transport during Dialysis with Amino Acid-Based Solutions. <i>Peritoneal Dialysis International</i> , 1993, 13, 280-288.	1.1	40
100	Clinical importance of an elevated circulating chemerin level in incident dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 4017-4023.	0.4	40
101	Hyperhomocysteinemia in relation to plasma free amino acids, biomarkers of inflammation and mortality in patients with chronic kidney disease starting dialysis therapy. <i>American Journal of Kidney Diseases</i> , 2004, 44, 455-465.	2.1	38
102	Interleukin-6 Is a Better Predictor of Mortality as Compared to C-Reactive Protein, Homocysteine, Pentosidine and Advanced Oxidation Protein Products in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 204-210.	0.9	37
103	Circulating Follistatin in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 1001-1008.	2.2	37
104	Oxidative Dna Damage and Mortality in Hemodialysis and Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 206-215.	1.1	37
105	Elevated intracellular copper contributes a unique role to kidney fibrosis by lysyl oxidase mediated matrix crosslinking. <i>Cell Death and Disease</i> , 2020, 11, 211.	2.7	37
106	Validation of insulin sensitivity surrogate indices and prediction of clinical outcomes in individuals with and without impaired renal function. <i>Kidney International</i> , 2014, 86, 383-391.	2.6	36
107	Bone mineral density and mortality in end-stage renal disease patients. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 307-321.	1.4	36
108	Paradoxes in Peritoneal Transport of Small Solutes. <i>Peritoneal Dialysis International</i> , 1996, 16, 63-70.	1.1	35

#	ARTICLE	IF	CITATIONS
109	IGF-1 and Survival in ESRD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 120-127.	2.2	34
110	Plasma Pentosidine and Its Association with Mortality in Patients with Chronic Kidney Disease. <i>PLoS ONE</i> , 2016, 11, e0163826.	1.1	34
111	Lung Dysfunction and Mortality in Patients with Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 522-535.	0.9	33
112	Health-related quality of life as predictor of mortality in end-stage renal disease patients: an observational study. <i>BMC Nephrology</i> , 2019, 20, 144.	0.8	33
113	Computer simulations of osmotic ultrafiltration and small-solute transport in peritoneal dialysis: a spatially distributed approach. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, F1331-F1341.	1.3	32
114	Subclinical versus overt obesity in dialysis patients: more than meets the eye. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, iv175-iv181.	0.4	32
115	The endothelin system as target for therapeutic interventions in cardiovascular and renal disease. <i>Clinica Chimica Acta</i> , 2020, 506, 92-106.	0.5	32
116	Nutritional status of older patients on hemodialysis: Which nutritional markers can best predict clinical outcomes?. <i>Nutrition</i> , 2019, 65, 113-119.	1.1	31
117	Uremic serum enhances scavenger receptor expression and activity in the human monocytic cell line U937. <i>Kidney International</i> , 1997, 51, 785-792.	2.6	29
118	Experimental Encapsulating Peritoneal Sclerosis Models: Pathogenesis and Treatment. <i>Peritoneal Dialysis International</i> , 2008, 28, 21-28.	1.1	29
119	Uremic Polyneuropathy: Different Effects of Hemodialysis and Continuous Ambulatory Peritoneal Dialysis. <i>Acta Medica Scandinavica</i> , 1985, 218, 409-416.	0.0	29
120	Muscle Water and Electrolytes in Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. <i>Acta Medica Scandinavica</i> , 1986, 219, 323-330.	0.0	29
121	Changes in circulating biomarkers during a single hemodialysis session. <i>Hemodialysis International</i> , 2013, 17, 59-66.	0.4	29
122	Inflammation modifies the association of osteoprotegerin with mortality in chronic kidney disease. <i>Journal of Nephrology</i> , 2009, 22, 774-82.	0.9	29
123	Serum albumin, inflammation, and nutrition in end-stage renal disease: C-reactive protein is needed for optimal assessment. <i>Seminars in Dialysis</i> , 2018, 31, 435-439.	0.7	28
124	Cruciferous vegetables: rationale for exploring potential salutary effects of sulforaphane-rich foods in patients with chronic kidney disease. <i>Nutrition Reviews</i> , 2021, 79, 1204-1224.	2.6	28
125	Peritoneal Transport in Peritoneal Dialysis Patients Using Glucose-Based and Amino Acid-Based Solutions. <i>Peritoneal Dialysis International</i> , 2007, 27, 544-553.	1.1	27
126	How Accurate is the Description of Transport Kinetics in Peritoneal Dialysis According to Different Versions of the Three-Pore Model?. <i>Peritoneal Dialysis International</i> , 2008, 28, 53-60.	1.1	27

#	ARTICLE	IF	CITATIONS
127	Definition of Metabolic Syndrome in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2009, 29, 137-144.	1.1	27
128	Total and bone-specific alkaline phosphatase are associated with bone mineral density over time in end-stage renal disease patients starting dialysis. <i>Journal of Nephrology</i> , 2017, 30, 255-262.	0.9	27
129	Alterations of peritoneal transport characteristics in dialysis patients with ultrafiltration failure: tissue and capillary components. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 864-870.	0.4	27
130	Simple Membrane Models for Peritoneal Dialysis Evaluation of Diffusive and Convective Solute Transport. <i>ASAIO Journal</i> , 1992, 38, 788-796.	0.9	26
131	TOF-SIMS analysis of adipose tissue from patients with chronic kidney disease. <i>Applied Surface Science</i> , 2008, 255, 1177-1180.	3.1	26
132	Metabolic abnormalities in chronic kidney disease that contribute to cardiovascular disease, and nutritional initiatives that may diminish the risk. <i>Current Opinion in Lipidology</i> , 2009, 20, 3-9.	1.2	26
133	Cardiovascular Biomarkers in Chronic Kidney Disease. , 2012, 22, 120-127.		26
134	A real-world cohort study on the quality of potassium and creatinine monitoring during initiation of mineralocorticoid receptor antagonists in patients with heart failure. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2018, 4, 267-273.	1.8	26
135	Serum 8-hydroxydeoxyguanosine, a marker of oxidative DNA damage, is associated with mortality independent of inflammation in chronic kidney disease. <i>European Journal of Internal Medicine</i> , 2019, 68, 60-65.	1.0	25
136	Skin autofluorescence, arterial stiffness and Framingham risk score as predictors of clinical outcome in chronic kidney disease patients: a cohort study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 442-448.	0.4	25
137	Icodextrin Metabolism and Alpha-Amylase Activity in Nonuremic Rats Undergoing Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2007, 27, 415-423.	1.1	24
138	The AGEâ€RAGE Pathway and Its Relation to Cardiovascular Disease in Patients with Chronic Kidney Disease. <i>Archives of Medical Research</i> , 2013, 44, 601-610.	1.5	24
139	Effects of probiotic supplementation on inflammatory biomarkers and uremic toxins in non-dialysis chronic kidney patients: A double-blind, randomized, placebo-controlled trial. <i>Journal of Functional Foods</i> , 2018, 46, 378-383.	1.6	24
140	Hypoalbuminemia: a price worth paying for improved dialytic removal of middle-molecular-weight uremic toxins?. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 901-907.	0.4	24
141	Restrictive lung disorder is common in patients with kidney failure and associates with protein-energy wasting, inflammation and cardiovascular disease. <i>PLoS ONE</i> , 2018, 13, e0195585.	1.1	23
142	Nutritional status, hyperkalaemia and attainment of energy/protein intake targets in haemodialysis patients following plant-based diets: a longitudinal cohort study. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 681-688.	0.4	23
143	Bidirectional Solute Transport in Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 1994, 14, 327-337.	1.1	22
144	Peritoneal Fluid Transport in CAPD Patients with Different Transport Rates of Small Solutes. <i>Peritoneal Dialysis International</i> , 2004, 24, 240-251.	1.1	22

#	ARTICLE	IF	CITATIONS
145	Câ€reactive Protein: Repeated Measurements will Improve Dialysis Patient Care. <i>Seminars in Dialysis</i> , 2016, 29, 7-14.	0.7	22
146	A single session of haemodialysis improves left ventricular synchronicity in patients with end-stage renal disease: a pilot tissue synchronization imaging study. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3622-3628.	0.4	21
147	Kinetic Analysis of Peritoneal Fluid and Solute Transport with Combination of Glucose and Icodextrin as Osmotic Agents. <i>Peritoneal Dialysis International</i> , 2009, 29, 72-80.	1.1	21
148	Bioactive food and exercise in chronic kidney disease: Targeting the mitochondria. <i>European Journal of Clinical Investigation</i> , 2018, 48, e13020.	1.7	21
149	Mitochondrial dysfunction and gut microbiota imbalance: An intriguing relationship in chronic kidney disease. <i>Mitochondrion</i> , 2019, 47, 206-209.	1.6	21
150	The influence of hepatitis C and iron replacement therapy on plasma pentosidine levels in haemodialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3112-3116.	0.4	20
151	Timing of Dialysis Initiation: When to Start? Which Treatment?. , 2015, 25, 238-241.		20
152	Thyroid Function Test Derangements and Mortality in Dialysis Patients: A Systematic Review and Meta-analysis. <i>American Journal of Kidney Diseases</i> , 2016, 68, 923-932.	2.1	20
153	Chronic kidney disease is associated with poorer in-hospital outcomes in patients hospitalized with infections: Electronic record analysis from China. <i>Scientific Reports</i> , 2017, 7, 11530.	1.6	20
154	Healthâ€related quality of life in peritoneal dialysis patients: A narrative review. <i>Seminars in Dialysis</i> , 2019, 32, 452-462.	0.7	20
155	Inverse J-shaped relation between coronary arterial calcium density and mortality in advanced chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1202-1211.	0.4	20
156	Bone mineral density at different sites and 5 years mortality in end-stage renal disease patients: A cohort study. <i>Bone</i> , 2020, 130, 115075.	1.4	20
157	Glucose Tolerance in Patients Undergoing Continuous Ambulatory Peritoneal Dialysis. <i>Acta Medica Scandinavica</i> , 1986, 220, 477-483.	0.0	19
158	Changes in Free Water Fraction and Aquaporin Function With Dwell Time During Continuous Ambulatory Peritoneal Dialysis. <i>Artificial Organs</i> , 2010, 34, 1138-1143.	1.0	19
159	Increased Levels of Modified Advanced Oxidation Protein Products are Associated with Central and Peripheral Blood Pressure in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2015, 35, 460-470.	1.1	19
160	Offering Patients Therapy Options in Unplanned Start (OPTiONS): Implementation of an educational program is feasible and effective. <i>BMC Nephrology</i> , 2017, 18, 18.	0.8	19
161	Modelling Transcapillary Transport of Fluid and Proteins in Hemodialysis Patients. <i>PLoS ONE</i> , 2016, 11, e0159748.	1.1	19
162	The Effect of Dialysate Acidity on Peritoneal Solute Transport in the Rat. <i>Peritoneal Dialysis International</i> , 1995, 15, 312-319.	1.1	18

#	ARTICLE	IF	CITATIONS
163	CARDIOVASCULAR AND SURVIVAL PARADOXES IN DIALYSIS PATIENTS: Homocysteine—Lowering Is Not a Primary Target for Cardiovascular Disease Prevention in Chronic Kidney Disease Patients. <i>Seminars in Dialysis</i> , 2007, 20, 523-529.	0.7	18
164	Association of Kidney Function with Infections by Multidrug-Resistant Organisms: An Electronic Medical Record Analysis. <i>Scientific Reports</i> , 2018, 8, 13372.	1.6	18
165	Fractures after kidney transplantation: Incidence, predictors, and association with mortality. <i>Bone</i> , 2020, 140, 115554.	1.4	18
166	Plant-based diets, insulin sensitivity and inflammation in elderly men with chronic kidney disease. <i>Journal of Nephrology</i> , 2020, 33, 1091-1101.	0.9	18
167	Role of Uremic Toxins in Early Vascular Ageing and Calcification. <i>Toxins</i> , 2021, 13, 26.	1.5	18
168	Osteoprotegerin is a marker of cardiovascular—mortality—in patients with chronic kidney disease stages 3–5. <i>Scientific Reports</i> , 2021, 11, 2473.	1.6	18
169	Hypogonadism associated with muscle atrophy, physical inactivity and ESA hyporesponsiveness in men undergoing haemodialysis. <i>Nefrologia</i> , 2017, 37, 54-60.	0.2	17
170	Methyl Donor Nutrients in Chronic Kidney Disease: Impact on the Epigenetic Landscape. <i>Journal of Nutrition</i> , 2019, 149, 372-380.	1.3	17
171	A Comparative Analysis of Nutritional Assessment Using Global Leadership Initiative on Malnutrition Versus Subjective Global Assessment and Malnutrition Inflammation Score in Maintenance Hemodialysis Patients. , 2022, 32, 476-482.		17
172	Discriminative Impact of Ultrafiltration on Peritoneal Protein Transport. <i>Peritoneal Dialysis International</i> , 2000, 20, 39-46.	1.1	16
173	Hyaluronan Preserves Peritoneal Membrane Transport Properties. <i>Peritoneal Dialysis International</i> , 2001, 21, 136-143.	1.1	16
174	Major fractures after initiation of dialysis: Incidence, predictors and association with mortality. <i>Bone</i> , 2020, 133, 115242.	1.4	16
175	Simple Membrane Models for Peritoneal Dialysis. <i>ASAIO Journal</i> , 1992, 38, 788-796.	0.9	16
176	Nutritional Problems in Peritoneal Dialysis: An Overview. <i>Peritoneal Dialysis International</i> , 1999, 19, 297-303.	1.1	15
177	Variations in C-reactive protein during a single haemodialysis session do not associate with mortality. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3717-3723.	0.4	15
178	Factors influencing access to education, decision making, and receipt of preferred dialysis modality in unplanned dialysis start patients. <i>Patient Preference and Adherence</i> , 2016, Volume 10, 2229-2237.	0.8	15
179	Model of fluid and solute shifts during hemodialysis with active transport of sodium and potassium. <i>PLoS ONE</i> , 2018, 13, e0209553.	1.1	15
180	Vitamin D deficiency and treatment versus risk of infection in end-stage renal disease patients under dialysis: a systematic review and meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 146-156.	0.4	15

#	ARTICLE	IF	CITATIONS
181	Association of Serum Sclerostin with Bone Sclerostin in Chronic Kidney Disease is Lost in Glucocorticoid Treated Patients. <i>Calcified Tissue International</i> , 2019, 104, 214-223.	1.5	15
182	Mortality Predictive Role of Serum Uric Acid in Diabetic Hemodialysis Patients. , 2014, 24, 336-342.		14
183	Concomitant bidirectional transport during peritoneal dialysis can be explained by a structured interstitium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1501-H1511.	1.5	14
184	A cohort study of insulin-like growth factor 1 and mortality in haemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 148-152.	1.4	14
185	Fractures and their sequelae in non-dialysis-dependent chronic kidney disease: the Stockholm CREATinine Measurement project. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1908-1915.	0.4	14
186	Functional vitamin K insufficiency, vascular calcification and mortality in advanced chronic kidney disease: A cohort study. <i>PLoS ONE</i> , 2021, 16, e0247623.	1.1	14
187	Bicarbonate-Based Peritoneal Dialysis Solution has Less Effect on Ingestive Behavior than Lactate-Based Peritoneal Dialysis Solution. <i>Peritoneal Dialysis International</i> , 2009, 29, 656-663.	1.1	13
188	An Increase of Plasma Advanced Oxidation Protein Products Levels Is Associated with Cardiovascular Risk in Incident Peritoneal Dialysis Patients: A Pilot Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2015, 2015, 1-6.	1.9	13
189	Dietary Patterns of Patients with Chronic Kidney Disease: The Influence of Treatment Modality. <i>Nutrients</i> , 2019, 11, 1920.	1.7	13
190	High alkaline phosphatase and low intact parathyroid hormone associate with worse clinical outcome in peritoneal dialysis patients. <i>Peritoneal Dialysis International</i> , 2021, 41, 236-243.	1.1	13
191	Peritoneal Dialysis Solutions. <i>Peritoneal Dialysis International</i> , 2001, 21, 89-95.	1.1	12
192	Elevated Pro-Brain Natriuretic Peptide, Troponin T and Malnutrition Inflammatory Score in Chronic Hemodialysis Patients with Overt Cardiovascular Disease. <i>Nephron Clinical Practice</i> , 2011, 117, c198-c205.	2.3	12
193	Visceral Adipose Tissue and Leptin Hyperproduction Are Associated With Hypogonadism in Men With Chronic Kidney Disease. , 2017, 27, 243-248.		12
194	Inflammation down-regulates CYP3A4-catalysed drug metabolism in hemodialysis patients. <i>BMC Pharmacology & Toxicology</i> , 2018, 19, 33.	1.0	12
195	The value of the Brazilian aÃ§ai fruit as a therapeutic nutritional strategy for chronic kidney disease patients. <i>International Urology and Nephrology</i> , 2018, 50, 2207-2220.	0.6	12
196	Can nutritional interventions modulate the activation of the NLRP3 inflammasome in chronic kidney disease?. <i>Food Research International</i> , 2020, 136, 109306.	2.9	12
197	Peritoneal Dialysis Prescription for Diabetic Patients. <i>Peritoneal Dialysis International</i> , 2005, 25, 76-78.	1.1	11
198	Urinary albumin excretion, blood pressure changes and hypertension incidence in the community: effect modification by kidney function. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1538-1545.	0.4	11

#	ARTICLE	IF	CITATIONS
199	Elevated Circulating S100A12 Associates with Vascular Disease and Worse Clinical Outcome in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2016, 36, 269-276.	1.1	11
200	Peritonitis: Episode Sequence, Microbiological Variation, Risk Factors and Clinical Outcomes in a North China Peritoneal Dialysis Center. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1573-1584.	0.9	11
201	Long Peritoneal Dialysis Dwells With Icodextrin: Kinetics of Transperitoneal Fluid and Polyglucose Transport. <i>Frontiers in Physiology</i> , 2019, 10, 1326.	1.3	11
202	Phosphate clearance in peritoneal dialysis. <i>Scientific Reports</i> , 2020, 10, 17504.	1.6	11
203	Transcapillary transport of water, small solutes and proteins during hemodialysis. <i>Scientific Reports</i> , 2020, 10, 18736.	1.6	11
204	Peritoneal dialysis patient selection from a comorbidity perspective. <i>Seminars in Dialysis</i> , 2022, 35, 25-39.	0.7	11
205	Rate of Synthetic Oligosaccharide Degradation as a Novel Measure of Amylase Activity in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008, 28, 296-304.	1.1	10
206	Timing of dialysis initiation and choice of dialysis modality. <i>Nature Reviews Nephrology</i> , 2011, 7, 66-68.	4.1	10
207	Delta-He: a novel marker of inflammation predicting mortality and ESA response in peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 275-281.	1.4	10
208	Renal function associates with energy intake in elderly community-dwelling men. <i>British Journal of Nutrition</i> , 2014, 111, 2184-2189.	1.2	10
209	Animal Models of Peritoneal Dialysis: Thirty Years of Our Own Experience. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	10
210	Serum hepatocyte growth factor is associated with truncal fat mass and increased mortality in chronic kidney disease stage 5 patients with protein-energy wasting. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 274-282.	0.4	10
211	Sensitivity and Specificity of Body Mass Index as a Marker of Obesity in Elderly Patients on Hemodialysis. , 2016, 26, 65-71.		10
212	Aortic Valve Calcium Associates with All-Cause Mortality Independent of Coronary Artery Calcium and Inflammation in Patients with End-Stage Renal Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 607.	1.0	10
213	Prognostic Value of Copeptin in Chronic Kidney Disease: From General Population to End-Stage Renal Disease. <i>Current Protein and Peptide Science</i> , 2017, 18, 1232-1243.	0.7	10
214	Muscle Mass Assessed by Computed Tomography at the Third Lumbar Vertebra Predicts Patient Survival in Chronic Kidney Disease. , 2021, 31, 342-350.		9
215	Copeptin is independently associated with vascular calcification in chronic kidney disease stage 5. <i>BMC Nephrology</i> , 2020, 21, 43.	0.8	9
216	Technique failure in remote patient monitoring program in patients undergoing automated peritoneal dialysis: A retrospective cohort study. <i>Peritoneal Dialysis International</i> , 2022, 42, 288-296.	1.1	9

#	ARTICLE	IF	CITATIONS
217	Intraperitoneal Addition of Hyaluronan Improves Peritoneal Dialysis Efficiency. <i>Peritoneal Dialysis International</i> , 1999, 19, 106-111.	1.1	8
218	Ultrafiltration and Absorption in Evaluating Aquaporin Function from Peritoneal Transport of Sodium. <i>Peritoneal Dialysis International</i> , 2007, 27, 687-690.	1.1	8
219	Mathematical Modeling of the Glucose-Insulin System During Peritoneal Dialysis With Glucose-Based Fluids. <i>ASAIO Journal</i> , 2011, 57, 41-47.	0.9	8
220	Genotypic and phenotypic predictors of inflammation in patients with chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 2033-2040.	0.4	8
221	The importance of residual renal function in peritoneal dialysis. <i>International Urology and Nephrology</i> , 2016, 48, 2101-2108.	0.6	8
222	Bone mineral density of extremities is associated with coronary calcification and biopsy-verified vascular calcification in living-donor renal transplant recipients. <i>Journal of Bone and Mineral Metabolism</i> , 2017, 35, 536-543.	1.3	8
223	Plasma Beta-Trace Protein as a Marker of Residual Renal Function: The Effect of Different Hemodialysis Modalities and Intra-Individual Variability over Time. <i>Kidney and Blood Pressure Research</i> , 2017, 42, 877-885.	0.9	8
224	Changes of Peritoneal Transport Parameters with Time on Dialysis: Assessment with Sequential Peritoneal Equilibration Test. <i>International Journal of Artificial Organs</i> , 2017, 40, 595-601.	0.7	8
225	Dialysis Access, Infections, and Hospitalisations in Unplanned Dialysis Start Patients: Results from the Options Study. <i>International Journal of Artificial Organs</i> , 2017, 40, 48-59.	0.7	8
226	Could Low-Protein Diet Modulate Nrf2 Pathway in Chronic Kidney Disease?. , 2018, 28, 229-234.		8
227	Differences in association of lower bone mineral density with higher coronary calcification in female and male end-stage renal disease patients. <i>BMC Nephrology</i> , 2019, 20, 59.	0.8	8
228	Causes of death across categories of estimated glomerular filtration rate: The Stockholm CREATinine Measurements (SCREAM) project. <i>PLoS ONE</i> , 2019, 14, e0209440.	1.1	8
229	Effects of acute fructose loading on levels of serum uric acid—a pilot study. <i>European Journal of Clinical Investigation</i> , 2019, 49, e13040.	1.7	8
230	Association between Biomarkers of Mineral and Bone Metabolism and Removal of Calcium and Phosphate in Hemodialysis. <i>Blood Purification</i> , 2020, 49, 71-78.	0.9	8
231	Incidence of Fractures Before and After Dialysis Initiation. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 2372-2380.	3.1	8
232	Association between reduced kidney function and incident hypoglycaemia in people with diabetes: The Stockholm Creatinine Measurements (SCREAM) project. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1425-1435.	2.2	8
233	Stopping versus continuing renin-angiotensin system inhibitors after acute kidney injury and adverse clinical outcomes: an observational study from routine care data. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1109-1119.	1.4	8
234	Albumin-based Solutions for Peritoneal Dialysis: Investigations with a Rat Model. <i>Artificial Organs</i> , 1995, 19, 307-314.	1.0	7

#	ARTICLE	IF	CITATIONS
235	The Effect of Icodextrin-Based Solutions on Peritoneal Transport in Rats Undergoing Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2001, 21, 359-361.	1.1	7
236	Albuminuria, renal dysfunction and circadian blood pressure rhythm in older men: a population-based longitudinal cohort study. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 560-566.	1.4	7
237	Peritoneal Fluid Transport rather than Peritoneal Solute Transport Associates with Dialysis Vintage and Age of Peritoneal Dialysis Patients. <i>Computational and Mathematical Methods in Medicine</i> , 2016, 2016, 1-10.	0.7	7
238	Future Clinical Research with Icodextrin-Containing Solutions. <i>Peritoneal Dialysis International</i> , 1997, 17, 70-74.	1.1	6
239	Effect in a Rat Model of Heparinized Peritoneal Dialysis Catheters on Bacterial Colonization and the Healing of the Exit Site. <i>Peritoneal Dialysis International</i> , 2001, 21, 357-358.	1.1	6
240	Hyperhomocysteinemia, Malnutrition, and Inflammation in ESRD Patients. <i>Seminars in Nephrology</i> , 2006, 26, 14-19.	0.6	6
241	Uremic Toxicity. , 2013, , 49-77.		6
242	Dialysis Adequacy Indices and Body Composition in Male and Female Patients on Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2014, 34, 417-425.	1.1	6
243	Clinical determinants and prognostic significance of the electrocardiographic strain pattern in chronic kidney disease patients. <i>Journal of the American Society of Hypertension</i> , 2014, 8, 312-320.	2.3	6
244	Serum S100A12: A Risk Marker or Risk Factor of Vascular Calcification in Chronic Kidney Disease?. <i>American Journal of Nephrology</i> , 2015, 42, 1-3.	1.4	6
245	High blood glucose independent of pre-existing diabetic status predicts mortality in patients initiating peritoneal dialysis therapy. <i>International Urology and Nephrology</i> , 2015, 47, 1017-1024.	0.6	6
246	Sclerostinâ€™ Debutant on the Autosomal Dominant Polycystic Kidney Disease Scene?. <i>Kidney International Reports</i> , 2017, 2, 481-485.	0.4	6
247	Pregnancy-associated plasma protein-A predicts survival in end-stage renal diseaseâ€™ confounding and modifying effects of cardiovascular disease, body composition and inflammation. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 971-977.	0.4	6
248	Sparing effect of peritoneal dialysis vs hemodialysis on BMD changes and its impact on mortality. <i>Journal of Bone and Mineral Metabolism</i> , 2021, 39, 260-269.	1.3	6
249	Fluid and Solute Transport using Different Sodium Concentrations in Peritoneal Dialysis Solutions. <i>Peritoneal Dialysis International</i> , 2001, 21, 1-8.	1.1	5
250	Circulating Alpha-Tocopherol and Insulin Sensitivity Among Older Men With Chronic Kidney Disease. , 2016, 26, 177-182.		5
251	La disminuci3n de triyodotironina se asocia con la elevaci3n del p3ptido natriur3tico cerebral N-terminal y con la mortalidad en di3lisis. <i>Nefrologia</i> , 2017, 37, 598-607.	0.2	5
252	Monitoring relative blood volume changes during hemodialysis: Impact of the priming procedure. <i>Artificial Organs</i> , 2021, 45, 1189-1194.	1.0	5

#	ARTICLE	IF	CITATIONS
253	Resistant Starch Type-2 Supplementation Does Not Decrease Trimethylamine N-Oxide (TMAO) Plasma Level in Hemodialysis Patients. , 2022, 41, 788-795.		5
254	Selection of Genetic and Phenotypic Features Associated with Inflammatory Status of Patients on Dialysis Using Relaxed Linear Separability Method. PLoS ONE, 2014, 9, e86630.	1.1	4
255	Phosphate Equilibration Rate and Daily Clearance in Patients on CAPD, CCPD and APD. International Journal of Artificial Organs, 2016, 39, 596-602.	0.7	4
256	Outcomes associated to serum phosphate levels in patients with suspected acute coronary syndrome. International Journal of Cardiology, 2017, 245, 20-26.	0.8	4
257	What pd Research in China Tells Us. Peritoneal Dialysis International, 2018, 38, 19-24.	1.1	4
258	Association between reduced renal function and cardiovascular mortality in patients hospitalized with infection: A multi-center cohort study. European Journal of Internal Medicine, 2018, 57, 32-38.	1.0	4
259	Design and methodology of the Aging Nephropathy Study (AGNES): a prospective cohort study of elderly patients with chronic kidney disease. BMC Nephrology, 2020, 21, 461.	0.8	4
260	Secular trends in hip fracture incidence and subsequent mortality in dialysis patients and the general population in Sweden. Bone, 2021, 147, 115909.	1.4	4
261	Water removal during automated peritoneal dialysis assessed by remote patient monitoring and modelling of peritoneal tissue hydration. Scientific Reports, 2021, 11, 15589.	1.6	4
262	Improved plasma amino acids pattern following 12 months of supplemented low-protein diet in peritoneal dialysis patients. Renal Failure, 2010, 32, 709-715.	0.8	3
263	Comparison of three PET methods to assess peritoneal membrane transport. Brazilian Journal of Medical and Biological Research, 2019, 52, e8596.	0.7	3
264	Burden and causes of hospital admissions and readmissions in patients undergoing hemodialysis and peritoneal dialysis: a nationwide study. Journal of Nephrology, 2021, 34, 1949-1959.	0.9	3
265	Treatment practices and outcomes in incident peritoneal dialysis patients: the Swedish Renal Registry 2006-2015. CKJ: Clinical Kidney Journal, 2021, 14, 2539-2547.	1.4	3
266	Association between implementation of novel therapies and improved survival in patients starting haemodialysis: the Swedish Renal Registry 2006-2015. Nephrology Dialysis Transplantation, 2021, 36, 1298-1306.	0.4	3
267	A Simple and Fast Method to Estimate Peritoneal Membrane Transport Characteristics Using Dialysate Sodium Concentration. Peritoneal Dialysis International, 1999, 19, 212-216.	1.1	2
268	Mechanisms and clinical implications of lipid disorders in chronic kidney disease. Clinical Lipidology, 2009, 4, 449-456.	0.4	2
269	Reducing insulin resistance in patients undergoing peritoneal dialysis through the use of icodextrin-based solutions. Nephrology Dialysis Transplantation, 2015, 30, 1783-1785.	0.4	2
270	Do metabolic derangements in end-stage polycystic kidney disease differ versus other primary kidney diseases?. Nephrology, 2018, 23, 31-36.	0.7	2

#	ARTICLE	IF	CITATIONS
271	Dialysate copeptin and peritoneal transport in incident peritoneal dialysis patients. <i>International Urology and Nephrology</i> , 2019, 51, 1667-1673.	0.6	2
272	Inter-leg systolic blood pressure difference predicts cardiovascular events and mortality in incident hemodialysis patients. <i>International Journal of Artificial Organs</i> , 2020, 43, 217-224.	0.7	2
273	On the change of transport parameters with dwell time during peritoneal dialysis. <i>Peritoneal Dialysis International</i> , 2021, 41, 404-412.	1.1	2
274	Author Response: Kidney Function, Kidney Function Decline, and the Risk of Dementia in Older Adults. <i>Neurology</i> , 2021, 97, 967-967.	1.5	2
275	Dialysis Outcomes in a Middle-Income Country: An Updated Comparison of Patient Mortality between Hemodialysis and Peritoneal Dialysis. <i>Blood Purification</i> , 2022, 51, 780-790.	0.9	2
276	The role of N-terminal pro-brain natriuretic peptide (NT-pro-BNP) as a prognostic marker in older people: the impact of reduced renal function. <i>Reviews in Clinical Gerontology</i> , 2009, 19, 71-76.	0.5	1
277	P1389MAJOR OSTEOPOROTIC FRACTURES AFTER INITIATION OF DIALYSIS: INCIDENCE, PREDICTORS AND ASSOCIATION WITH MORTALITY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	1
278	FP344LEFT ATRIAL VOLUME AND MORTALITY AMONG PATIENTS WITH CHRONIC KIDNEY DISEASE STAGES 3-5. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii183-iii183.	0.4	0
279	SP242GLOMERULAR FILTRATION RATE ESTIMATION USING BETA TRACE PROTEIN: EXTERNAL VALIDATION OF THREE EQUATIONS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i167-i167.	0.4	0
280	SP286PLASMA BETA TRACE PROTEIN PREDICTS MORTALITY IN CKD: RELATION WITH ENDOTHELIAL DYSFUNCTION. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i183-i184.	0.4	0
281	SP296THYROID FUNCTIONAL DISORDERS ASSOCIATED WITH MORTALITY IN CHRONIC KIDNEY DISEASE: ASYSTEMATIC REVIEW AND META-ANALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i187-i188.	0.4	0
282	SP621POOR PROGNOSIS LINKED TO REDUCED MUSCLE MASS IN HEMODIALYSIS PATIENTS IS MAINLY CONFINED TO ELDERLY MEN. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i302-i302.	0.4	0
283	In Memoriam. <i>Peritoneal Dialysis International</i> , 2016, 36, 5-6.	1.1	0
284	MP713PREDICTIVE FACTORS OF ANEMIA WITHIN 1 YEAR AFTER LIVING DONOR KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i576-i576.	0.4	0
285	SP298HIGHER MEAN CORPUSCULAR VOLUME ASSOCIATES WITH POOR CLINICAL OUTCOME IN CKD5 PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i444-i444.	0.4	0
286	FP336HIGHER NEUTROPHIL TO LYMPHOCYTE RATIO ASSOCIATES WITH POOR CLINICAL OUTCOME IN CKD5 PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i144-i145.	0.4	0
287	SP330AEGFR AND THE RISK OF CANCER: THE STOCKHOLM CREATININE MEASUREMENTS (SCREAM) PROJECT. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i455-i455.	0.4	0
288	SP323HIGH FIBRINOGEN LEVELS ARE INDEPENDENTLY ASSOCIATED WITH INCREASED MORTALITY IN PATIENTS WITH CHRONIC KIDNEY DISEASE (CKD). <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i452-i452.	0.4	0

#	ARTICLE	IF	CITATIONS
289	FP435MODELING POTASSIUM BEHAVIOUR DURING HAEMODIALYSIS UNDER DIFFERENT TREATMENT CONDITIONS. Nephrology Dialysis Transplantation, 2018, 33, i181-i181.	0.4	0
290	P1409HIP FRACTURE TRENDS IN SWEDISH GENERAL POPULATION AND DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
291	P1448FACTORS ASSOCIATED WITH INCREASED MORTALITY AFTER DIALYSIS INITIATION. RESULTS OF THE PERIDIALYSIS STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
292	P1415PARATHYROIDECTOMY IMPROVES MUSCULAR FUNCTION BUT NOT MUSCLE MASS IN HEMODIALYSIS PATIENTS WITH SEVERE HYPERPARATHYROIDISM. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
293	P0673INVERSE ASSOCIATION OF TRANSFERRIN SATURATION WITH MORTALITY RISK IN CHRONIC KIDNEY DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
294	P0791MATRIX GLA PROTEIN AND PREMATURE VASCULAR CALCIFICATION IN PATIENTS WITH END-STAGE RENAL DISEASE. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
295	P1137FACTORS DETERMINING CHOICE OF DIALYSIS MODALITY AMONG PATIENTS INITIATING DIALYSIS. RESULTS OF THE PERIDIALYSIS STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
296	P1158DOES THE PERITONEUM SWELLS OR SHRINK DURING PERITONEAL DIALYSIS?. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
297	MO576ASSOCIATION OF BONE MATERIAL STRENGTH WITH BONE DENSITY IN PATIENTS WITH END-STAGE RENAL DISEASE. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
298	MO678DISTRIBUTION OF PERIPHERAL BLOOD T CELL SUBTYPES IN HEMODIALYSIS PATIENTS TREATED WITH MEDIUM CUT-OFF MEMBRANES AND HIGH-FLUX MEMBRANES. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
299	MO703URINE VOLUME AS A MARKER OF RESIDUAL KIDNEY FUNCTION IN PERITONEAL DIALYSIS PATIENTS: QUANTITATIVE ASSESSMENT. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
300	Cardiovascular Disease and Inflammation. , 2021, , 1-22.		0
301	Protein-Energy Wasting/Malnutrition and the Inflammatory Response. , 2020, , 413-429.		0
302	KT/V: the denominator dilemma. Polski Merkurusz Lekarski, 2003, 15, 311-5.	0.3	0
303	MO560: Adherence to Nutritional Recommendations as Expressed by Patients on Hemodialysis, Their Informal Carers and Healthcare Professionals – the Goodrenal Project. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
304	MO673: Association of Mean Corpuscular Volume with Mortality in Kidney Failure Patients: Opposite Findings in Chinese and Swedish Kidney Failure Patients. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
305	FC 129: Stopping versus Continuing Renin – Angiotensin System Inhibitors After Acute Kidney Injury and Adverse Clinical Outcomes: An Observational Study From Routine Care Data. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
306	MO708: Association of Atherogenic Index of Plasma (AIP) with Mortality in Chinese and Swedish End-Stage Kidney Disease Patients: Results from Two Cohorts. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0

#	ARTICLE	IF	CITATIONS
307	MO917: Self-Reported Perceptions of Haemodialysis Patients' Cognitive State"â€"The Goodrenal Project. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
308	MO925: Psychological Wellbeing in Haemodialysis Patients: Comparing Perspectives From Patients, Caregivers and Healthcare Professionals"â€"The Goodrenal Project. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0
309	MO681: Association of Framingham Risk Score with Mortality in Kidney Failure Patients from China and Sweden. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0