

# Raffaele Giubbini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9228450/publications.pdf>

Version: 2024-02-01

197  
papers

4,706  
citations

117453

34  
h-index

123241

61  
g-index

201  
all docs

201  
docs citations

201  
times ranked

5184  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Sensitivity and specificity of dopamine transporter imaging with 123I-FP-CIT SPECT in dementia with Lewy bodies: a phase III, multicentre study. <i>Lancet Neurology</i> , The, 2007, 6, 305-313.  | 4.9 | 598       |
| 2  | Differential Effects of $\beta$ -Blockers in Patients With Heart Failure. <i>Circulation</i> , 2000, 102, 546-551.   | 1.6 | 317       |
| 3  | Effects of short- and long-term carvedilol administration on rest and exercise hemodynamic variables, exercise capacity and clinical conditions in patients with idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1994, 24, 1678-1687.              | 1.2 | 303       |
| 4  | Incidental Findings Suggestive of COVID-19 in Asymptomatic Patients Undergoing Nuclear Medicine Procedures in a High-Prevalence Region. <i>Journal of Nuclear Medicine</i> , 2020, 61, 632-636.  | 2.8 | 154       |
| 5  | Diagnostic and Clinical Significance of F-18-FDG-PET/CT Thyroid Incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3866-3875.   | 1.8 | 145       |
| 6  | Cardiovascular Risk in Adult Patients With Growth Hormone (GH) Deficiency and Following Substitution With GH: An Update. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 18-29.  | 1.8 | 126       |
| 7  | Marked improvement in left ventricular ejection fraction during long-term $\beta$ -blockade in patients with chronic heart failure: Clinical correlates and prognostic significance. <i>American Heart Journal</i> , 2003, 145, 292-299.   | 1.2 | 104       |
| 8  | Diagnostic accuracy of bone scintigraphy in the assessment of cardiac transthyretin-related amyloidosis: a bivariate meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 1945-1955.   | 3.3 | 96        |
| 9  | Assessing the need for nuclear cardiology and other advanced cardiac imaging modalities in the developing world. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 956-961.   | 1.4 | 64        |
| 10 | Effect of Spironolactone on Left Ventricular Ejection Fraction and Volumes in Patients With Class I or II Heart Failure. <i>American Journal of Cardiology</i> , 2010, 106, 1292-1296.   | 0.7 | 63        |
| 11 | Prognostic value of tomographic rest-redistribution thallium 201 imaging in medically treated patients with coronary artery disease and left ventricular dysfunction <sup>1, 2</sup> . <i>Journal of Nuclear Cardiology</i> , 1996, 3, 150-156.  | 1.4 | 62        |
| 12 | F-18 FDG-PET/CT Evaluation of Patients With Differentiated Thyroid Cancer With Negative I-131 Total Body Scan and High Thyroglobulin Level. <i>Clinical Nuclear Medicine</i> , 2009, 34, 756-761.  | 0.7 | 60        |
| 13 | Comparison between N13NH3-PET and 99mTc-Tetrofosmin-CZT SPECT in the evaluation of absolute myocardial blood flow and flow reserve. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1906-1918.  | 1.4 | 60        |
| 14 | Role of Beta-Adrenergic Receptor Gene Polymorphisms in the Long-Term Effects of Beta-Blockade with Carvedilol in Patients with Chronic Heart Failure. <i>Cardiovascular Drugs and Therapy</i> , 2010, 24, 49-60.   | 1.3 | 59        |
| 15 | Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in Burkitt lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 87-96.  | 3.3 | 59        |
| 16 | Are Evidence-Based Guidelines Reflected in Clinical Practice? An Analysis of Prospectively Collected Data of the Italian Thyroid Cancer Observatory. <i>Thyroid</i> , 2017, 27, 1490-1497.   | 2.4 | 52        |
| 17 | Diagnosis of acute myocardial infarction by indium-111 antimyosin antibodies and correlation with the traditional techniques for the evaluation of extent and localization. <i>American Journal of Cardiology</i> , 1989, 63, 7-13.  | 0.7 | 51        |
| 18 | Accuracy and safety of technetium-99m hexakis 2-methoxy-2-isobutyl isonitrile (Sestamibi) myocardial scintigraphy with high dose dipyridamole test in patients with effort angina pectoris: A multicenter study. <i>Journal of the American College of Cardiology</i> , 1991, 18, 1439-1444. | 1.2 | 51        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Diagnostic role of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2014, 8, 493-500.   | 1.9 | 51        |
| 20 | 18F-FDG PET/CT in gastric MALT lymphoma: a bicentric experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 589-597.  | 3.3 | 51        |
| 21 | Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in mantle cell lymphoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 449-458.  | 1.2 | 48        |
| 22 | Role of 18F-FDG PET/CT in patients affected by Langerhans cell histiocytosis. <i>Japanese Journal of Radiology</i> , 2017, 35, 574-583.  | 1.0 | 46        |
| 23 | Feasibility and Diagnostic Accuracy of a Gated SPECT Early-Imaging Protocol: A Multicenter Study of the Myoview Imaging Optimization Group. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1670-1675.                        | 2.8 | 45        |
| 24 | Role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography for therapy evaluation of patients with large-vessel vasculitis. <i>Japanese Journal of Radiology</i> , 2010, 28, 199-204.                   | 1.0 | 42        |
| 25 | Early and late adverse effects of radioiodine for pediatric differentiated thyroid cancer. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26595.   | 0.8 | 42        |
| 26 | Pulmonary mucosa-associated lymphoid tissue lymphoma: <sup>18</sup> F-FDG PET/CT and CT findings in 28 patients. <i>British Journal of Radiology</i> , 2017, 90, 20170311.   | 1.0 | 42        |
| 27 | Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014, 32, 59-68.   | 1.0 | 41        |
| 28 | Prognostic role of pretreatment 18F-FDG PET/CT in primary brain lymphoma. <i>Annals of Nuclear Medicine</i> , 2018, 32, 532-541.   | 1.2 | 40        |
| 29 | Real-World Performance of the American Thyroid Association Risk Estimates in Predicting 1-Year Differentiated Thyroid Cancer Outcomes: A Prospective Multicenter Study of 2000 Patients. <i>Thyroid</i> , 2021, 31, 264-271. | 2.4 | 40        |
| 30 | High Prevalence of Radiological Vertebral Fractures in Women on Thyroid-Stimulating Hormoneâ€“Suppressive Therapy for Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 956-964.       | 1.8 | 39        |
| 31 | Possible delayed diagnosis and treatment of metastatic differentiated thyroid cancer by adopting the 2015 ATA guidelines. <i>European Journal of Endocrinology</i> , 2018, 179, 143-151.                                     | 1.9 | 39        |
| 32 | Yttrium-90 DOTATOC therapy in GEP-NET and other SST2 expressing tumors: a selected review. <i>Annals of Nuclear Medicine</i> , 2011, 25, 75-85.  | 1.2 | 38        |
| 33 | 18F-FDG PET/CT and extragastric MALT lymphoma: role of Ki-67 score and plasmacytic differentiation. <i>Leukemia and Lymphoma</i> , 2017, 58, 2328-2334.  | 0.6 | 38        |
| 34 | Searching for Indicators of Malignancy in Pancreatic Intraductal Papillary Mucinous Neoplasms: The Value of 18FDGâ€“PET Confirmed. <i>Annals of Surgical Oncology</i> , 2012, 19, 3574-3580.                                 | 0.7 | 37        |
| 35 | 18Fâ€“FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 77-84.                                      | 3.3 | 37        |
| 36 | 18F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solvedâ€“A Critical Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 137-146.   | 0.2 | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Pre-clinical diagnosis of Alzheimer disease combining platelet amyloid precursor protein ratio and rCBF spect analysis. <i>Journal of Neurology</i> , 2005, 252, 1359-1362.   | 1.8 | 34        |
| 38 | Detection of post-exercise stunning by early gated SPECT myocardial perfusion imaging: Results from the IAEA multi-center study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 1168-1176.  | 1.4 | 34        |
| 39 | Differentiated thyroid carcinoma: Incremental diagnostic value of 131I SPECT/CT over planar whole body scan after radioiodine therapy. <i>Endocrine</i> , 2017, 56, 551-559.  | 1.1 | 34        |
| 40 | Possible role of F18-FDG-PET/CT in the diagnosis of endocarditis: preliminary evidence from a review of the literature. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1417-1425.   | 0.7 | 33        |
| 41 | Clinical and prognostic role of detection timing of distant metastases in patients with differentiated thyroid cancer. <i>Endocrine</i> , 2019, 63, 79-86.  | 1.1 | 33        |
| 42 | Prognostic role of baseline <sup>18</sup> F-FDG PET/CT parameters in MALT lymphoma. <i>Hematological Oncology</i> , 2019, 37, 39-46.  | 0.8 | 33        |
| 43 | Peptide Receptor Radionuclide Therapy (PRRT) in a Patient Affected by Metastatic Breast Cancer with Neuroendocrine Differentiation. <i>Breast Care</i> , 2012, 7, 408-410.  | 0.8 | 31        |
| 44 | <sup>68</sup> Ga-PSMA PET thyroid incidentalomas. <i>Hormones</i> , 2019, 18, 145-149.  | 0.9 | 31        |
| 45 | Role of F18-FDG-PET/CT in restaging patients affected by renal carcinoma. <i>Nuclear Medicine Review</i> , 2013, 16, 3-8.   | 0.3 | 31        |
| 46 | Role of 11C-choline positron emission tomography/computed tomography in evaluating patients affected by prostate cancer with suspected relapse due to prostate-specific antigen elevation. <i>Japanese Journal of Radiology</i> , 2011, 29, 394-404.  | 1.0 | 30        |
| 47 | <sup>18</sup> F-FDG PET/CT in primary brain lymphoma. <i>Journal of Neuro-Oncology</i> , 2018, 136, 577-583.  | 1.4 | 30        |
| 48 | Prognostic role of baseline <sup>18</sup> F-FDG PET/CT metabolic parameters in elderly HL: a two-center experience in 123 patients. <i>Annals of Hematology</i> , 2020, 99, 1321-1330.  | 0.8 | 30        |
| 49 | Single-point cardiac troponin T at coronary care unit discharge after myocardial infarction correlates with infarct size and ejection fraction. <i>Clinical Chemistry</i> , 2002, 48, 1432-6.   | 1.5 | 30        |
| 50 | The prognostic power of <sup>18</sup> F-FDG PET/CT extends to estimating systemic treatment response duration in metastatic castration-resistant prostate cancer (mCRPC) patients. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 1198-1207.   | 2.0 | 24        |
| 51 | Financial and Clinical Implications of Low-Energy CT Combined with <sup>99m</sup> Tc-Sestamibi SPECT for Primary Hyperparathyroidism. <i>Annals of Surgical Oncology</i> , 2011, 18, 2555-2563.   | 0.7 | 23        |
| 52 | Role of <sup>18</sup> F-FDG PET/CT Radiomics Features in the Differential Diagnosis of Solitary Pulmonary Nodules: Diagnostic Accuracy and Comparison between Two Different PET/CT Scanners. <i>Journal of Clinical Medicine</i> , 2021, 10, 5064.  | 1.0 | 23        |
| 53 | Role of <sup>18</sup> F-fluorodeoxyglucose positron emission tomography/computed tomography in patients affected by differentiated thyroid carcinoma, high thyroglobulin level, and negative <sup>131</sup> I scan: review of the literature. <i>Japanese Journal of Radiology</i> , 2010, 28, 629-636. | 1.0 | 22        |
| 54 | Nuclear medicine in the management of patients with heart failure. <i>Nuclear Medicine Communications</i> , 2014, 35, 818-823.  | 0.5 | 22        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | 18F-FDG PET/CT and primary hepatic MALT: a case series. <i>Abdominal Radiology</i> , 2016, 41, 1956-1959.   | 1.0 | 22        |
| 56 | Treatment of hypoparathyroidism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2018, 32, 955-964.  | 2.2 | 22        |
| 57 | 18F-Fluciclovine (18F-FACBC) PET/CT or PET/MRI in gliomas/glioblastomas. <i>Annals of Nuclear Medicine</i> , 2020, 34, 81-86.   | 1.2 | 22        |
| 58 | F18-FDG-PET/CT for evaluation of intraductal papillary mucinous neoplasms (IPMN): a review of the literature. <i>Japanese Journal of Radiology</i> , 2013, 31, 229-236.   | 1.0 | 21        |
| 59 | Comparison between the summed difference score and myocardial blood flow measured by 13N-ammonia. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1621-1628.   | 1.4 | 21        |
| 60 | Risk of vertebral fractures in hypoparathyroidism. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2019, 20, 295-302.   | 2.6 | 21        |
| 61 | Residual brain viability, evaluated by 99mTc-ECD SPECT, in patients with suspected brain death and with confounding clinical factors. <i>Nuclear Medicine Communications</i> , 2009, 30, 815-821.   | 0.5 | 20        |
| 62 | Exercise Stress Tests for Detecting Myocardial Ischemia in Asymptomatic Patients With Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2013, 112, 14-20.  | 0.7 | 20        |
| 63 | 18F-FDG PET/CT in splenic marginal zone lymphoma. <i>Abdominal Radiology</i> , 2018, 43, 2721-2727.   | 1.0 | 20        |
| 64 | Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. <i>Rheumatology International</i> , 2013, 33, 549-555.   | 1.5 | 19        |
| 65 | The role of F-18-fluorothymidine PET in oncology. <i>Clinical and Translational Imaging</i> , 2013, 1, 77-97.   | 1.1 | 19        |
| 66 | Efficacy of low radioiodine activity versus intermediate-high activity in the ablation of low-risk differentiated thyroid cancer. <i>Endocrine</i> , 2020, 68, 124-131.   | 1.1 | 19        |
| 67 | Potential of Radiolabeled PSMA PET/CT or PET/MRI Diagnostic Procedures in Gliomas/Glioblastomas. <i>Current Radiopharmaceuticals</i> , 2020, 13, 94-98.   | 0.3 | 19        |
| 68 | Body mass index predicts resistance to active vitamin D in patients with hypoparathyroidism. <i>Endocrine</i> , 2019, 66, 699-700.  | 1.1 | 18        |
| 69 | Final results of a phase 2A study for the treatment of metastatic neuroendocrine tumors with a fixed activity of $^{90}\text{Y}$ -DOTA-Phe <sup>1</sup> -Tyr <sup>3</sup> octreotide. <i>Cancer</i> , 2012, 118, 2915-2924.   | 2.0 | 17        |
| 70 | 18F-FDG PET or PET/CT in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, 422-430.  | 0.2 | 17        |
| 71 | Thyroglobulin doubling time offers a better threshold than thyroglobulin level for selecting optimal candidates to undergo localizing [18F]FDG PET/CT in non-iodine avid differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 461-468. | 3.3 | 16        |
| 72 | Prognostic factors in children and adolescents with differentiated thyroid carcinoma treated with total thyroidectomy and RAI: a real-life multicentric study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1374-1385.   | 3.3 | 16        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | 18F-choline PET/CT incidental thyroid uptake in patients studied for prostate cancer. <i>Endocrine</i> , 2019, 63, 531-536.  | 1.1 | 15        |
| 74 | Comparison between skeletal muscle and adipose tissue measurements with high-dose CT and low-dose attenuation correction CT of <sup>18</sup> F-FDG PET/CT in elderly Hodgkin lymphoma patients: a two-centre validation. <i>British Journal of Radiology</i> , 2021, 94, 20200672. | 1.0 | 15        |
| 75 | 18F-FDG-PET/CT in Patients Affected by Differentiated Thyroid Carcinoma with Positive Thyroglobulin Level and Negative 131I Whole Body Scan. It's Value Confirmed by a Bicentric Experience. <i>Current Radiopharmaceuticals</i> , 2016, 9, 228-234.                               | 0.3 | 15        |
| 76 | Treatment of hypothyroidism: all that glitters is gold?. <i>Endocrine</i> , 2016, 52, 411-413.   | 1.1 | 14        |
| 77 | Clinical and gated SPECT MPI parameters associated with super-response to cardiac resynchronization therapy. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1166-1174.   | 1.4 | 14        |
| 78 | 2-[18F]-FDG PET/CT Role in Detecting Richter Transformation of Chronic Lymphocytic Leukemia and Predicting Overall Survival. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e277-e283.   | 0.2 | 14        |
| 79 | [18F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. <i>Japanese Journal of Radiology</i> , 2012, 30, 415-421.  | 1.0 | 13        |
| 80 | 1-23I-MIBG thyroid uptake: Implications for MIBG imaging of the heart. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1335-1339.   | 1.4 | 13        |
| 81 | Comparison between Two Different Scanners for the Evaluation of the Role of 18F-FDG PET/CT Semiquantitative Parameters and Radiomics Features in the Prediction of Final Diagnosis of Thyroid Incidentalomas. <i>Journal of Clinical Medicine</i> , 2022, 11, 615.                 | 1.0 | 13        |
| 82 | Incidental 11C-Choline PET/CT Brain Uptake due to Meningioma in a Patient Studied for Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2013, 38, e435-e437.   | 0.7 | 12        |
| 83 | Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015, 33, 538-546.  | 1.0 | 12        |
| 84 | Metabolic behavior and prognostic value of early and end of treatment 18F-FDG PET/CT in adult Burkitt's lymphoma: the role of Deauville and IHP criteria. <i>Leukemia and Lymphoma</i> , 2019, 60, 326-333.  | 0.6 | 12        |
| 85 | Clinical and Prognostic Role of 18F-FDG PET/CT in Pediatric Ewing Sarcoma. <i>Journal of Pediatric Hematology/Oncology</i> , 2020, 42, e79-e86.  | 0.3 | 12        |
| 86 | Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. <i>Clinical and Translational Imaging</i> , 2020, 8, 461-467.   | 1.1 | 12        |
| 87 | New criteria for the diagnosis of infective endocarditis using 18F-FDG PET/CT imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2188-2194.   | 1.4 | 12        |
| 88 | Unsuspected Active Sarcoidosis Diagnosed by 18F-FDG PET/CT During the Search for a Primary Tumour in a Patient with Bone Lesions. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 205-207.   | 0.6 | 11        |
| 89 | Diagnostic and Clinical Impact of Staging 18F-FDG PET/CT in Mantle-Cell Lymphoma: A Two-Center Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e457-e464.   | 0.2 | 11        |
| 90 | F18-choline/C11-choline PET/CT thyroid incidentalomas. <i>Endocrine</i> , 2019, 64, 203-208.   | 1.1 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Detection of thyroiditis on PET/CT imaging: a systematic review. <i>Hormones</i> , 2020, 19, 341-349.  | 0.9 | 11        |
| 92  | Prevalence of interstitial pneumonia suggestive of COVID-19 at 18F-FDG PET/CT in oncological asymptomatic patients in a high prevalence country during pandemic period: a national multi-centric retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2871-2882. | 3.3 | 11        |
| 93  | An Unusual Muscular Metastasis in a Patient Affected by Ileal Carcinoid Imaged With a 111In-Pentetreotide SPECT/CT Scan and Confirmed by Biopsy. <i>Clinical Nuclear Medicine</i> , 2011, 36, 696-697.   | 0.7 | 10        |
| 94  | Metabolic behavior and prognostic role of pretreatment 18F-FDG PET/CT in gist. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, e207-e215.   | 0.7 | 10        |
| 95  | Clinical and prognostic 18F-FDG PET/CT role in recurrent vulvar cancer: a multicentric experience. <i>Japanese Journal of Radiology</i> , 2022, 40, 66-74.   | 1.0 | 10        |
| 96  | 18F-FDG PET and PET/CT for the evaluation of gastric signet ring cell carcinoma: a systematic review. <i>Nuclear Medicine Communications</i> , 2021, 42, 1293-1300.  | 0.5 | 10        |
| 97  | Reduction of cardiac imaging tests during the COVID-19 pandemic: The case of Italy. Findings from the IAEA Non-invasive Cardiology Protocol Survey on COVID-19 (INCAPS COVID). <i>International Journal of Cardiology</i> , 2021, 341, 100-106.  | 0.8 | 10        |
| 98  | Nuclear cardiology and heart failure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 2068-2080.   | 3.3 | 9         |
| 99  | 18F-Fluorodeoxyglucose positron emission tomography/computed tomography findings in a patient with human immunodeficiency virus-associated Castleman's disease and Kaposi sarcoma, disorders associated with human herpes virus 8 infection. <i>Japanese Journal of Radiology</i> , 2010, 28, 231-234.         | 1.0 | 9         |
| 100 | Is 99mTc-HMPAO granulocyte scan an alternative to endoscopy in pediatric chronic inflammatory bowel disease (IBD)? <i>European Journal of Pediatrics</i> , 2011, 170, 51-57.   | 1.3 | 9         |
| 101 | Radioguided lung lesion localization. <i>Nuclear Medicine Communications</i> , 2019, 40, 597-603.  | 0.5 | 9         |
| 102 | Role of 18F-FDG PET/CT in restaging and follow-up of patients with GIST. <i>Abdominal Radiology</i> , 2020, 45, 644-651.   | 1.0 | 9         |
| 103 | Reproducibility of global LV function and dyssynchrony parameters derived from phase analysis of gated myocardial perfusion SPECT: A multicenter comparison with core laboratory setting. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 952-961.  | 1.4 | 9         |
| 104 | Prognostic Role of Pre-Treatment Metabolic Parameters and Sarcopenia Derived by 2-[18F]-FDG PET/CT in Elderly Mantle Cell Lymphoma. <i>Journal of Clinical Medicine</i> , 2022, 11, 1210.  | 1.0 | 9         |
| 105 | Non-typhoidal Salmonella aortitis. <i>Infection</i> , 2019, 47, 1059-1063.   | 2.3 | 8         |
| 106 | Prognostic role of $^{131}\text{I}$ MTV and $^{131}\text{I}$ TLG in Burkitt lymphoma. <i>Annals of Nuclear Medicine</i> , 2019, 33, 280-287.   | 1.2 | 8         |
| 107 | COVID-19 Vaccination Manifesting as Unilateral Lymphadenopathies Detected by 18F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2022, 47, e187-e189.   | 0.7 | 8         |
| 108 | Clinical Meaning of 18F-FDG PET/CT Incidental Gynecological Uptake: An 8-Year Retrospective Analysis. <i>Indian Journal of Gynecologic Oncology</i> , 2021, 19, 1.   | 0.1 | 8         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Incidental inflammatory findings in nerves and in patients with neoplastic diseases evaluated by 18F-FDG-PET/CT. Hellenic Journal of Nuclear Medicine, 2009, 12, 279-80.  | 0.2 | 8         |
| 110 | An Unusual Orbital Localization of Wegener Granulomatosis Detected by 18F-FDG PET/CT. Clinical Nuclear Medicine, 2014, 39, 711-712.   | 0.7 | 7         |
| 111 | Prognostic Value of 18F-FDG PET/CT Metabolic Parameters in Splenic Marginal Zone Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e897-e904.  | 0.2 | 7         |
| 112 | The role of Tg kinetics in predicting 2-[18F]-FDG PET/CT results and overall survival in patients affected by differentiated thyroid carcinoma with detectable Tg and negative 131I-scan. Endocrine, 2021, 74, 332-339. | 1.1 | 7         |
| 113 | Prognostic Role of "Radiological" Sarcopenia in Lymphoma: A Systematic Review. Clinical Lymphoma, Myeloma and Leukemia, 2022, 22, e340-e349.  | 0.2 | 7         |
| 114 | Radiolabelled PSMA PET/CT in breast cancer. A systematic review. Nuclear Medicine Review, 2020, 23, 32-35.  | 0.3 | 7         |
| 115 | Electrocardiographic evolution after Q-wave anterior myocardial infarction: Correlations between QRS score and changes in left ventricular perfusion and function. Journal of Nuclear Cardiology, 2001, 8, 561-567.     | 1.4 | 6         |
| 116 | F18-FDG-PET/CT thyroid incidentalomas and their benign or malignant nature: a critical and debated issue. Annals of Nuclear Medicine, 2011, 25, 151-152.  | 1.2 | 6         |
| 117 | Two Distant Muscular Metastases from Papillary Carcinoma of the Thyroid Demonstrated by 18F-FDG PET/CT and Confirmed by Biopsy. Nuclear Medicine and Molecular Imaging, 2011, 45, 324-325.                              | 0.6 | 6         |
| 118 | The strange case of the [13N]NH3. Nuclear Medicine Communications, 2016, 37, 412-421.   | 0.5 | 6         |
| 119 | Value of gated-SPECT MPI for ischemia-guided PCI of non-culprit vessels in STEMI patients with multivessel disease after primary PCI. Journal of Nuclear Cardiology, 2018, 25, 1616-1620.                               | 1.4 | 6         |
| 120 | 13N-NH3 PET/CT in oncological disease. Japanese Journal of Radiology, 2019, 37, 799-807.  | 1.0 | 6         |
| 121 | Cardiac amyloidosis. Clinical and Translational Imaging, 2019, 7, 21-32.  | 1.1 | 6         |
| 122 | Sub-endocardial and sub-epicardial measurement of myocardial blood flow using 13NH3 PET in man. Journal of Nuclear Cardiology, 2020, 27, 1665-1674.   | 1.4 | 6         |
| 123 | Inter-reader variability of SPECT MPI readings in low- and middle-income countries: Results from the IAEA-MPI Audit Project (I-MAP). Journal of Nuclear Cardiology, 2020, 27, 465-478.                                  | 1.4 | 6         |
| 124 | Clinical and prognostic role of interim 18F-FDG PET/CT in elderly Hodgkin lymphoma: a dual-center experience. Leukemia and Lymphoma, 2020, 61, 3209-3216.   | 0.6 | 6         |
| 125 | Impact of the COVID-19 pandemic on nuclear medicine departments in Europe. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 3361-3364.   | 3.3 | 6         |
| 126 | Diagnostic and Prognostic Value of 18F-FDG PET/CT in Male Breast Cancer: Results From a Bicentric Population. Current Radiopharmaceuticals, 2016, 9, 169-177.   | 0.3 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A patient with medullary thyroid carcinoma and right ventricular cardiac metastasis treated by (90)Y-Dotatoc. <i>Hellenic Journal of Nuclear Medicine</i> , 2009, 12, 161-4.   | 0.2 | 6         |
| 128 | Role of F-18-FDG-PET/CT in restaging of patients affected by gastrointestinal stromal tumours (GIST). <i>Nuclear Medicine Review</i> , 2010, 13, 76-80.  | 0.3 | 6         |
| 129 | Silent Ischemia during Mental Stress: Scintigraphic Evidence and Electrocardiographic Patterns. <i>Advances in Cardiology</i> , 1990, 37, 53-66.   | 2.6 | 5         |
| 130 | Sensitivity of 99mTc Hexakis 2-Methoxyisobutyl Isonitrile (99mTc-Sestamibi) at Rest and during Exercise for Detection of Coronary Artery Disease and Comparison with 201TI: A Multicenter Study. <i>American Journal of Noninvasive Cardiology</i> , 1992, 6, 285-290. | 0.1 | 5         |
| 131 | Plurifocal malignant peripheral nerve sheath tumor demonstrated by 18F-fluorodeoxyglucose positron emission tomography/computed tomography. <i>Japanese Journal of Radiology</i> , 2009, 27, 320-323.  | 1.0 | 5         |
| 132 | Incidental 11C-Choline PET/CT Uptake Due to Esophageal Carcinoma in a Patient Studied for Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2014, 39, e442-e444.   | 0.7 | 5         |
| 133 | Multicentric study on 18F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015, 34, 24-29.   | 0.0 | 5         |
| 134 | Three yearsâ€™ clinical practice of Radium-223 therapy in patients with symptomatic bone metastases from metastatic castrate-resistant prostate cancer. <i>Nuclear Medicine Communications</i> , 2020, 41, 300-307.  | 0.5 | 5         |
| 135 | Prognostic Impact of Pretreatment 2-[18F]-FDG PET/CT Parameters in Primary Gastric DLBCL. <i>Medicina (Lithuania)</i> , 2021, 57, 498.   | 0.8 | 5         |
| 136 | The role of Hashimoto thyroiditis in predicting radioiodine ablation efficacy and prognosis of low to intermediate risk differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1089-1099.  | 1.2 | 5         |
| 137 | Comparison of visual criteria for amyloid-PET reading: could criteria merging reduce inter-rater variability?. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 64, 414-421.   | 0.4 | 5         |
| 138 | A cost-effective sestamibi protocol in the managed health care era <sup>1</sup> . <i>Journal of Nuclear Cardiology</i> , 1997, 4, 509-514.   | 1.4 | 4         |
| 139 | Positron Emission Tomography/Computed Tomography for Diagnosis of Prosthetic Valve Endocarditis. <i>Journal of the American College of Cardiology</i> , 2014, 63, 378-379.   | 1.2 | 4         |
| 140 | Attenuation correction in myocardial perfusion imaging affects the assessment of infarct size in women with previous inferior infarct. <i>Nuclear Medicine Communications</i> , 2018, 39, 290-296.   | 0.5 | 4         |
| 141 | Thyroid metastasis from breast cancer detected by 18F-FDG PET/CT. <i>Endocrine</i> , 2019, 64, 424-425.  | 1.1 | 4         |
| 142 | 18F-FDG PET/CT role in Burkitt lymphoma. <i>Clinical and Translational Imaging</i> , 2020, 8, 39-45.   | 1.1 | 4         |
| 143 | Cardiac lymphoma with early response to chemotherapy: A case report and review of the literature. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3044-3056.  | 1.4 | 4         |
| 144 | (18)F-FDG-PET/CT findings in patients affected by spondylodiscitis. <i>Hellenic Journal of Nuclear Medicine</i> , 2010, 13, 166-8.   | 0.2 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Diagnostic accuracy of rest-exercise first pass ventriculography with a fast single crystal gamma camera in detecting coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1987, 13, 213-220.                 | 2.2 | 3         |
| 146 | Transient Prolonged Postischemic Ventricular Dilatation Documented by 99mTc MIBI Scan. <i>Chest</i> , 1991, 99, 1536-1538.  | 0.4 | 3         |
| 147 | Massive bilateral adrenal gland metastases from melanoma diagnosed by F18-FDG-PET/CT. <i>Japanese Journal of Radiology</i> , 2009, 27, 392-393.   | 1.0 | 3         |
| 148 | Incremental Diagnostic Value of F-18 FDG PET/CT Over MRI in a Pediatric Patient With Suspected Hepatoblastoma and Histologic Diagnosis of Focal Nodular Hyperplasia. <i>Clinical Nuclear Medicine</i> , 2011, 36, 305-308.                            | 0.7 | 3         |
| 149 | Cardiac amyloidosis incidentally detected by 18F-FDG PET/CT. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 2429-2431.  | 1.4 | 3         |
| 150 | Improvement of diagnostic accuracy of 18fluorine-fluorodeoxyglucose PET/computed tomography in detection of infective endocarditis using a 72-h low carbs protocol. <i>Nuclear Medicine Communications</i> , 2020, 41, 753-758.                       | 0.5 | 3         |
| 151 | Tumor markers and 18F-FDG PET/CT after orchiectomy in seminoma: Is there any correlation?. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 287-292.  | 0.1 | 3         |
| 152 | Primary nasal-ethmoid choriocarcinoma detected by 18F-FDG PET/CT: a rare tumor with complete remission. <i>Nuclear Medicine Review</i> , 2020, 23, 105-107.   | 0.3 | 3         |
| 153 | Massive thyroid involvement by marginal zone B cell NHL as demonstrated by 18F-FDG-PET/CT. <i>Hellenic Journal of Nuclear Medicine</i> , 2009, 12, 63.  | 0.2 | 3         |
| 154 | Two Sequential Tc-99m ECD SPECT Studies in a Case of Sporadic Creutzfeldt-Jakob Disease Confirmed at Autopsy. <i>Clinical Nuclear Medicine</i> , 2011, 36, 669-671.   | 0.7 | 2         |
| 155 | Production and quality control of [90Y]DOTATOC for treatment of metastatic neuroendocrine tumors. <i>Nuclear Medicine Communications</i> , 2013, 34, 265-270.   | 0.5 | 2         |
| 156 | The time for radionuclide ventriculography resurrection is coming. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1139-1141.  | 1.4 | 2         |
| 157 | Correlation between brain glucose metabolism (18F-FDG) and cerebral blood flow with amyloid tracers (18F-Florbetapir) in clinical routine: Preliminary evidences. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 41, 146-152. | 0.1 | 2         |
| 158 | Incidental thyroid Tc-99m methylene diphosphonate (MDP) uptake in a patient affected by polynodular goiter at bone scintigraphy. <i>Nuclear Medicine Review</i> , 2009, 12, 81-2.   | 0.3 | 2         |
| 159 | Malignant transformation to schwannoma in a patient affected by type 1 neurofibromatosis as demonstrated by F-18-FDG-PET/CT. <i>Nuclear Medicine Review</i> , 2010, 13, 15-7.   | 0.3 | 2         |
| 160 | To the Editor: Long-term Follow-up of Patients with Metastatic Differentiated Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2010, 34, 1988-1989.   | 0.8 | 1         |
| 161 | 99mTc-MAA lung scan can be an alternative in detection and follow-up of patent foramen ovale. <i>International Journal of Cardiology</i> , 2011, 147, 296-298.  | 0.8 | 1         |
| 162 | Congenital Triple Kidney in a Patient Evaluated by F-18 FDG PET/CT for Oncologic Reason. <i>Clinical Nuclear Medicine</i> , 2011, 36, 937-938.  | 0.7 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Absence of Urine Production Due to Renal Failure Enables Clear Visualization of Primary Urinary Bladder Carcinoma on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2012, 37, 611-613.  | 0.7 | 1         |
| 164 | F18-FDG-PET/CT standardised uptake value threshold in discriminating benign vs. malignant lesions. Doubts and certainties in the era of evidence-based medicine. <i>Acta Oncologica</i> , 2012, 51, 122-144.                          | 0.8 | 1         |
| 165 | 18F-FDG PET/CT could Precisely Localize Hypermetabolic Cervical Muscles in a Patient Affected by Idiopathic Cervical Dystonia. <i>Journal of Musculoskeletal Pain</i> , 2013, 21, 67-70.  | 0.3 | 1         |
| 166 | Molecular imaging in acromegaly. <i>Nuclear Medicine Communications</i> , 2014, 35, 897-899.  | 0.5 | 1         |
| 167 | Left ventricular function during hyperemia: A dive into the unknown. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 807-808.  | 1.4 | 1         |
| 168 | Myocardial blood flow reserve and absolute myocardial blood flow for the assessment of patients with coronary artery disease with or without microvascular dysfunction. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 3007-3009.   | 1.4 | 1         |
| 169 | 18F-FDG-PET/CT in laryngeal cancer: comparison with conventional imaging and prognostic role. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 229-238.   | 0.1 | 1         |
| 170 | Incidental radioiodine uptake at whole body scan due to Primary Sjogren Syndrome in a patient with differentiated Thyroid cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022, 41, 47-49.                   | 0.1 | 1         |
| 171 | 68Ga-DOTATOC PET/CT and MR in the Evaluation of Meningeal Metastasis From Esthesioneuroblastoma. <i>Clinical Nuclear Medicine</i> , 2021, Publish Ahead of Print, e378-e380.  | 0.7 | 1         |
| 172 | Role of 18F-FDG PET/CT in the Management of Patients Affected by HHV-8-Associated Multicentric Castleman's Disease. <i>Hemato</i> , 2021, 2, 383-391.   | 0.2 | 1         |
| 173 | Value of [18F]FDG PET-CT in the follow-up of surgically treated oral tongue squamous cell carcinoma: single centre cohort analysis on 87 patients. <i>Nuclear Medicine Review</i> , 2021, 24, 58-62.                                  | 0.3 | 1         |
| 174 | Incidental uterine fibroid detected by 68Ga-DOTATOC PET/CT scan in patient with ileal neuroendocrine tumor. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 334-336.                                       | 0.1 | 1         |
| 175 | Different glucose metabolism behavior relating to histotypes in synchronous breast cancers evaluated by [18F]FDG PET-CT. <i>Nuclear Medicine Review</i> , 2022, 25, 64-65.  | 0.3 | 1         |
| 176 | Primary breast non-Hodgkin lymphoma. A report of an unusual case. <i>Nuclear Medicine Review</i> , 2012, 15, 149-52.  | 0.3 | 1         |
| 177 | Nuclear cardiology news update. <i>Journal of Nuclear Cardiology</i> , 1995, 2, 194-196.  | 1.4 | 0         |
| 178 | Fluorodeoxyglucose positron emission tomography/computed tomography standardized uptake value in discriminating benign versus malignant lesions. <i>Nuclear Medicine Communications</i> , 2011, 32, 542-543.                          | 0.5 | 0         |
| 179 | Possible Role of F18-FDG-PET/CT in Differentiating Benign Lesions versus Malignant after Indeterminate Fine-needle Aspiration Cytology. A Wider and Still Controversial Issue. <i>World Journal of Surgery</i> , 2011, 35, 1146-1147. | 0.8 | 0         |
| 180 | 18F-FDG PET/CT in a Patient Affected by Renal Collecting Duct (Bellini) Carcinoma. <i>Clinical Nuclear Medicine</i> , 2012, 37, 986-988.  | 0.7 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | 99mTc-MIBI imaging in thyroid nodules: Is it useful?. <i>Endocrine</i> , 2014, 46, 1-2.   | 1.1 | 0         |
| 182 | The dark side of the moon of coronary vasodilation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1491-1492.  | 3.3 | 0         |
| 183 | Is subclinical hyperthyroidism a real syndrome, different from overt hyperthyroidism?. <i>Endocrine</i> , 2017, 56, 229-230.  | 1.1 | 0         |
| 184 | Is physiology of coronary blood flow different in men and women?. <i>Journal of Nuclear Cardiology</i> , 2020, 27, 171-172.   | 1.4 | 0         |
| 185 | Response to the letter to the editor "18F-FDG-PET/CT indication in patients affected by differentiated thyroid cancer with elevated serum thyroglobulin and negative whole-body scanning after therapy with 131I". <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 2952-2953. | 3.3 | 0         |
| 186 | Incidental thymoma detection during myocardial perfusion imaging by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 866-870.   | 1.4 | 0         |
| 187 | Anomalous origin of the left coronary artery in patient with reduction of right coronary artery flow reserve detected by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 367-369.  | 1.4 | 0         |
| 188 | Comparison of left ventricle mechanical dyssynchrony parameters in ischemic and non-ischemic patients using 13N-NH3 PET/CT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1248-1253.   | 1.4 | 0         |
| 189 | Thyroid metastasis from lung carcinoid detected by 68Ga-DOTATOC PET/CT. <i>Endocrine</i> , 2021, 74, 202-203.   | 1.1 | 0         |
| 190 | 90Yttrium-Ibritumomab Tiuxetan for Non-Hodgkin Lymphoma: Results after a Median Follow-up of 5 Years in a Single Institution. <i>Blood</i> , 2014, 124, 4455-4455.  | 0.6 | 0         |
| 191 | PET in idiopathic retroperitoneal fibrosis. , 2021, , .   |     | 0         |
| 192 | 18F-FDG PET/CT in the Diagnosis and Follow-up of Balint Syndrome. <i>Clinical Nuclear Medicine</i> , 2021, 46, e90-e93.   | 0.7 | 0         |
| 193 | Incidental congenital renal and ureteric anomalies in patients studied for neoplastic diseases. <i>Hellenic Journal of Nuclear Medicine</i> , 2010, 13, 177-8.  | 0.2 | 0         |
| 194 | F18-FDG-PET/CT in a patient affected by Lynch syndrome. <i>Nuclear Medicine Review</i> , 2010, 13, 87-9.  | 0.3 | 0         |
| 195 | Response to JNC-22-024-LE. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2198.   | 1.4 | 0         |
| 196 | 18F-FDG PET/CT Demonstrating Crossed Cerebellar Diaschisis Due to Germ Cell Tumor of the Basal Ganglia. <i>Clinical Nuclear Medicine</i> , 2022, Publish Ahead of Print, e455-e456.   | 0.7 | 0         |
| 197 | Incidental double neurinoma detected by 18F-choline PET/CT scan in a prostate cancer patient. <i>Nuclear Medicine Review</i> , 2020, 23, 40-41.   | 0.3 | 0         |