

# Raffaele Giubbini

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9228450/publications.pdf>

Version: 2024-02-01

197  
papers

4,706  
citations

117453

34  
h-index

123241

61  
g-index

201  
all docs

201  
docs citations

201  
times ranked

5184  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reproducibility of global LV function and dyssynchrony parameters derived from phase analysis of gated myocardial perfusion SPECT: A multicenter comparison with core laboratory setting. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 952-961.	1.4	9
2	Incidental thymoma detection during myocardial perfusion imaging by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 866-870.	1.4	0
3	Clinical and gated SPECT MPI parameters associated with super-response to cardiac resynchronization therapy. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1166-1174.	1.4	14
4	Anomalous origin of the left coronary artery in patient with reduction of right coronary artery flow reserve detected by CZT camera. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 367-369.	1.4	0
5	Comparison of left ventricle mechanical dyssynchrony parameters in ischemic and non-ischemic patients using <sup>13</sup> N-NH <sub>3</sub> PET/CT. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 1248-1253.	1.4	0
6	Incidental radioiodine uptake at whole body scan due to Primary Sjogren Syndrome in a patient with differentiated Thyroid cancer. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2022, 41, 47-49.	0.1	1
7	Cardiac lymphoma with early response to chemotherapy: A case report and review of the literature. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 3044-3056.	1.4	4
8	New criteria for the diagnosis of infective endocarditis using <sup>18</sup> F-FDG PET/CT imaging. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2188-2194.	1.4	12
9	Clinical and prognostic <sup>18</sup> F-FDG PET/CT role in recurrent vulvar cancer: a multicentric experience. <i>Japanese Journal of Radiology</i> , 2022, 40, 66-74.	1.0	10
10	COVID-19 Vaccination Manifesting as Unilateral Lymphadenopathies Detected by <sup>18</sup> F-Choline PET/CT. <i>Clinical Nuclear Medicine</i> , 2022, 47, e187-e189.	0.7	8
11	Prognostic factors in children and adolescents with differentiated thyroid carcinoma treated with total thyroidectomy and RAI: a real-life multicentric study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 1374-1385.	3.3	16
12	Prognostic Role of "Radiological" Sarcopenia in Lymphoma: A Systematic Review. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, e340-e349.	0.2	7
13	Comparison between Two Different Scanners for the Evaluation of the Role of <sup>18</sup> F-FDG PET/CT Semiquantitative Parameters and Radiomics Features in the Prediction of Final Diagnosis of Thyroid Incidentalomas. <i>Journal of Clinical Medicine</i> , 2022, 11, 615.	1.0	13
14	Different glucose metabolism behavior relating to histotypes in synchronous breast cancers evaluated by [ <sup>18</sup> F]FDG PET-CT. <i>Nuclear Medicine Review</i> , 2022, 25, 64-65.	0.3	1
15	Prognostic Role of Pre-Treatment Metabolic Parameters and Sarcopenia Derived by 2-[ <sup>18</sup> F]-FDG PET/CT in Elderly Mantle Cell Lymphoma. <i>Journal of Clinical Medicine</i> , 2022, 11, 1210.	1.0	9
16	Response to JNC-22-024-LE. <i>Journal of Nuclear Cardiology</i> , 2022, 29, 2198.	1.4	0
17	<sup>18</sup> F-FDG PET/CT Demonstrating Crossed Cerebellar Diaschisis Due to Germ Cell Tumor of the Basal Ganglia. <i>Clinical Nuclear Medicine</i> , 2022, Publish Ahead of Print, e455-e456.	0.7	0
18	Comparison between <sup>13</sup> NH <sub>3</sub> -PET and <sup>99m</sup> Tc-Tetrofosmin-CZT SPECT in the evaluation of absolute myocardial blood flow and flow reserve. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 1906-1918.	1.4	60

#	ARTICLE	IF	CITATIONS
19	Myocardial blood flow reserve and absolute myocardial blood flow for the assessment of patients with coronary artery disease with or without microvascular dysfunction. <i>Journal of Nuclear Cardiology</i> , 2021, 28, 3007-3009.	1.4	1
20	Real-World Performance of the American Thyroid Association Risk Estimates in Predicting 1-Year Differentiated Thyroid Cancer Outcomes: A Prospective Multicenter Study of 2000 Patients. <i>Thyroid</i> , 2021, 31, 264-271.	2.4	40
21	Tumor markers and 18F-FDG PET/CT after orchiectomy in seminoma: Is there any correlation?. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 287-292.	0.1	3
22	2-[18F]-FDG PET/CT Role in Detecting Richter Transformation of Chronic Lymphocytic Leukemia and Predicting Overall Survival. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e277-e283.	0.2	14
23	18F-FDG-PET/CT in laryngeal cancer: comparison with conventional imaging and prognostic role. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 40, 229-238.	0.1	1
24	Thyroglobulin doubling time offers a better threshold than thyroglobulin level for selecting optimal candidates to undergo localizing [18F]FDG PET/CT in non-iodine avid differentiated thyroid carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 461-468.	3.3	16
25	Prevalence of interstitial pneumonia suggestive of COVID-19 at 18F-FDG PET/CT in oncological asymptomatic patients in a high prevalence country during pandemic period: a national multi-centric retrospective study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 2871-2882.	3.3	11
26	68Ga-DOTATOC PET/CT and MR in the Evaluation of Meningeal Metastasis From Esthesioneuroblastoma. <i>Clinical Nuclear Medicine</i> , 2021, Publish Ahead of Print, e378-e380.	0.7	1
27	Thyroid metastasis from lung carcinoid detected by 68Ga-DOTATOC PET/CT. <i>Endocrine</i> , 2021, 74, 202-203.	1.1	0
28	Prognostic Impact of Pretreatment 2-[18F]-FDG PET/CT Parameters in Primary Gastric DLBCL. <i>Medicina (Lithuania)</i> , 2021, 57, 498.	0.8	5
29	The prognostic power of 18F-FDG PET/CT extends to estimating systemic treatment response duration in metastatic castration-resistant prostate cancer (mCRPC) patients. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 1198-1207.	2.0	24
30	Correlation between brain glucose metabolism (18F-FDG) and cerebral blood flow with amyloid tracers (18F-Florbetapir) in clinical routine: Preliminary evidences. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2021, 41, 146-152.	0.1	2
31	The role of Tg kinetics in predicting 2-[18F]-FDG PET/CT results and overall survival in patients affected by differentiated thyroid carcinoma with detectable Tg and negative 131I-scan. <i>Endocrine</i> , 2021, 74, 332-339.	1.1	7
32	Role of 18F-FDG PET/CT in the Management of Patients Affected by HHV-8-Associated Multicentric Castleman's Disease. <i>Hemato</i> , 2021, 2, 383-391.	0.2	1
33	The role of Hashimoto thyroiditis in predicting radioiodine ablation efficacy and prognosis of low to intermediate risk differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2021, 35, 1089-1099.	1.2	5
34	Comparison between skeletal muscle and adipose tissue measurements with high-dose CT and low-dose attenuation correction CT of <sup>18</sup> F-FDG PET/CT in elderly Hodgkin lymphoma patients: a two-centre validation. <i>British Journal of Radiology</i> , 2021, 94, 20200672.	1.0	15
35	Impact of the COVID-19 pandemic on nuclear medicine departments in Europe. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 3361-3364.	3.3	6
36	Value of [18F]FDG PET-CT in the follow-up of surgically treated oral tongue squamous cell carcinoma: single centre cohort analysis on 87 patients. <i>Nuclear Medicine Review</i> , 2021, 24, 58-62.	0.3	1

#	ARTICLE	IF	CITATIONS
37	18F-FDG PET and PET/CT for the evaluation of gastric signet ring cell carcinoma: a systematic review. Nuclear Medicine Communications, 2021, 42, 1293-1300.	0.5	10
38	Incidental uterine fibroid detected by 68Ga-DOTATOC PET/CT scan in patient with ileal neuroendocrine tumor. Revista Espanola De Medicina Nuclear E Imagen Molecular, 2021, 40, 334-336.	0.1	1
39	Reduction of cardiac imaging tests during the COVID-19 pandemic: The case of Italy. Findings from the IAEA Non-invasive Cardiology Protocol Survey on COVID-19 (INCAPS COVID). International Journal of Cardiology, 2021, 341, 100-106.	0.8	10
40	Role of 18F-FDG PET/CT Radiomics Features in the Differential Diagnosis of Solitary Pulmonary Nodules: Diagnostic Accuracy and Comparison between Two Different PET/CT Scanners. Journal of Clinical Medicine, 2021, 10, 5064.	1.0	23
41	PET in idiopathic retroperitoneal fibrosis. , 2021, , .		0
42	18F-FDG PET/CT in the Diagnosis and Follow-up of Balint Syndrome. Clinical Nuclear Medicine, 2021, 46, e90-e93.	0.7	0
43	Clinical Meaning of 18F-FDG PET/CT Incidental Gynecological Uptake: An 8-Year Retrospective Analysis. Indian Journal of Gynecologic Oncology, 2021, 19, 1.	0.1	8
44	Sub-endocardial and sub-epicardial measurement of myocardial blood flow using 13NH3 PET in man. Journal of Nuclear Cardiology, 2020, 27, 1665-1674.	1.4	6
45	Inter-reader variability of SPECT MPI readings in low- and middle-income countries: Results from the IAEA-MPI Audit Project (I-MAP). Journal of Nuclear Cardiology, 2020, 27, 465-478.	1.4	6
46	Is physiology of coronary blood flow different in men and women?. Journal of Nuclear Cardiology, 2020, 27, 171-172.	1.4	0
47	18F-FDG PET/CT or PET Role in MALT Lymphoma: An Open Issue not Yet Solvedâ€”A Critical Review. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, 137-146.	0.2	35
48	Role of 18F-FDG PET/CT in restaging and follow-up of patients with GIST. Abdominal Radiology, 2020, 45, 644-651.	1.0	9
49	Cardiac amyloidosis incidentally detected by 18F-FDG PET/CT. Journal of Nuclear Cardiology, 2020, 27, 2429-2431.	1.4	3
50	18F-Fluciclovine (18F-FACBC) PET/CT or PET/MRI in gliomas/glioblastomas. Annals of Nuclear Medicine, 2020, 34, 81-86.	1.2	22
51	Clinical and Prognostic Role of 18F-FDG PET/CT in Pediatric Ewing Sarcoma. Journal of Pediatric Hematology/Oncology, 2020, 42, e79-e86.	0.3	12
52	Efficacy of low radioiodine activity versus intermediate-high activity in the ablation of low-risk differentiated thyroid cancer. Endocrine, 2020, 68, 124-131.	1.1	19
53	Potential of Radiolabeled PSMA PET/CT or PET/MRI Diagnostic Procedures in Gliomas/Glioblastomas. Current Radiopharmaceuticals, 2020, 13, 94-98.	0.3	19
54	Improvement of diagnostic accuracy of 18fluorine-fluorodeoxyglucose PET/computed tomography in detection of infective endocarditis using a 72-h low carbs protocol. Nuclear Medicine Communications, 2020, 41, 753-758.	0.5	3

#	ARTICLE	IF	CITATIONS
55	Response to the letter to the editor "18F-FDG-PET/CT indication in patients affected by differentiated thyroid cancer with elevated serum thyroglobulin and negative whole-body scanning after therapy with 131I", European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2952-2953.	3.3	0
56	18F-FDG PET or PET/CT in Mantle Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, 422-430.	0.2	17
57	Prognostic Value of 18F-FDG PET/CT Metabolic Parameters in Splenic Marginal Zone Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e897-e904.	0.2	7
58	Clinical and prognostic role of interim 18F-FDG PET/CT in elderly Hodgkin lymphoma: a dual-center experience. Leukemia and Lymphoma, 2020, 61, 3209-3216.	0.6	6
59	Radiolabelled PSMA PET/CT or PET/MRI in hepatocellular carcinoma (HCC): a systematic review. Clinical and Translational Imaging, 2020, 8, 461-467.	1.1	12
60	Metabolic behavior and prognostic role of pretreatment 18F-FDG PET/CT in gist. Asia-Pacific Journal of Clinical Oncology, 2020, 16, e207-e215.	0.7	10
61	Three years' clinical practice of Radium-223 therapy in patients with symptomatic bone metastases from metastatic castrate-resistant prostate cancer. Nuclear Medicine Communications, 2020, 41, 300-307.	0.5	5
62	Detection of thyroiditis on PET/CT imaging: a systematic review. Hormones, 2020, 19, 341-349.	0.9	11
63	18F-FDG PET/CT role in Burkitt lymphoma. Clinical and Translational Imaging, 2020, 8, 39-45.	1.1	4
64	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in elderly HL: a two-center experience in 123 patients. Annals of Hematology, 2020, 99, 1321-1330.	0.8	30
65	Incidental Findings Suggestive of COVID-19 in Asymptomatic Patients Undergoing Nuclear Medicine Procedures in a High-Prevalence Region. Journal of Nuclear Medicine, 2020, 61, 632-636.	2.8	154
66	Comparison of visual criteria for amyloid-PET reading: could criteria merging reduce inter-rater variability?. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2020, 64, 414-421.	0.4	5
67	Primary nasal-ethmoid choriocarcinoma detected by 18F-FDG PET/CT: a rare tumor with complete remission. Nuclear Medicine Review, 2020, 23, 105-107.	0.3	3
68	Radiolabelled PSMA PET/CT in breast cancer. A systematic review. Nuclear Medicine Review, 2020, 23, 32-35.	0.3	7
69	Incidental double neurinoma detected by 18F-choline PET/CT scan in a prostate cancer patient. Nuclear Medicine Review, 2020, 23, 40-41.	0.3	0
70	Metabolic behavior and prognostic value of early and end of treatment 18F-FDG PET/CT in adult Burkitt's lymphoma: the role of Deauville and IHP criteria. Leukemia and Lymphoma, 2019, 60, 326-333.	0.6	12
71	Clinical and prognostic role of detection timing of distant metastases in patients with differentiated thyroid cancer. Endocrine, 2019, 63, 79-86.	1.1	33
72	Non-typhoidal Salmonella aortitis. Infection, 2019, 47, 1059-1063.	2.3	8

#	ARTICLE	IF	CITATIONS
73	13N-NH3 PET/CT in oncological disease. Japanese Journal of Radiology, 2019, 37, 799-807.	1.0	6
74	Body mass index predicts resistance to active vitamin D in patients with hypoparathyroidism. Endocrine, 2019, 66, 699-700.	1.1	18
75	Risk of vertebral fractures in hypoparathyroidism. Reviews in Endocrine and Metabolic Disorders, 2019, 20, 295-302.	2.6	21
76	Diagnostic and Clinical Impact of Staging 18F-FDG PET/CT in Mantle-Cell Lymphoma: A Two-Center Experience. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e457-e464.	0.2	11
77	68Ga-PSMA PET thyroid incidentalomas. Hormones, 2019, 18, 145-149.	0.9	31
78	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in mantle cell lymphoma. Annals of Nuclear Medicine, 2019, 33, 449-458.	1.2	48
79	Thyroid metastasis from breast cancer detected by 18F-FDG PET/CT. Endocrine, 2019, 64, 424-425.	1.1	4
80	Prognostic role of $^{18}\text{F}$ MTV and $^{18}\text{F}$ TLG in Burkitt lymphoma. Annals of Nuclear Medicine, 2019, 33, 280-287.	1.2	8
81	Radioguided lung lesion localization. Nuclear Medicine Communications, 2019, 40, 597-603.	0.5	9
82	18F-choline PET/CT incidental thyroid uptake in patients studied for prostate cancer. Endocrine, 2019, 63, 531-536.	1.1	15
83	F18-choline/C11-choline PET/CT thyroid incidentalomas. Endocrine, 2019, 64, 203-208.	1.1	11
84	Cardiac amyloidosis. Clinical and Translational Imaging, 2019, 7, 21-32.	1.1	6
85	Prognostic role of baseline $^{18}\text{F}$ -FDG PET/CT parameters in MALT lymphoma. Hematological Oncology, 2019, 37, 39-46.	0.8	33
86	Prognostic role of baseline 18F-FDG PET/CT metabolic parameters in Burkitt lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 87-96.	3.3	59
87	High Prevalence of Radiological Vertebral Fractures in Women on Thyroid-Stimulating Hormone- $\alpha$ 1 Suppressive Therapy for Thyroid Carcinoma. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 956-964.	1.8	39
88	18F-FDG PET/CT in splenic marginal zone lymphoma. Abdominal Radiology, 2018, 43, 2721-2727.	1.0	20
89	Diagnostic accuracy of bone scintigraphy in the assessment of cardiac transthyretin-related amyloidosis: a bivariate meta-analysis. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 1945-1955.	3.3	96
90	Attenuation correction in myocardial perfusion imaging affects the assessment of infarct size in women with previous inferior infarct. Nuclear Medicine Communications, 2018, 39, 290-296.	0.5	4

#	ARTICLE	IF	CITATIONS
91	Left ventricular function during hyperemia: A dive into the unknown. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 807-808.	1.4	1
92	Comparison between the summed difference score and myocardial blood flow measured by <sup>13</sup> N-ammonia. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1621-1628.	1.4	21
93	<sup>18</sup> F- <sup>18</sup> F-FDG PET/CT in solitary plasmacytoma: metabolic behavior and progression to multiple myeloma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018, 45, 77-84.	3.3	37
94	<sup>18</sup> F-FDG PET/CT in primary brain lymphoma. <i>Journal of Neuro-Oncology</i> , 2018, 136, 577-583.	1.4	30
95	Treatment of hypoparathyroidism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2018, 32, 955-964.	2.2	22
96	Value of gated-SPECT MPI for ischemia-guided PCI of non-culprit vessels in STEMI patients with multivessel disease after primary PCI. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 1616-1620.	1.4	6
97	Prognostic role of pretreatment <sup>18</sup> F-FDG PET/CT in primary brain lymphoma. <i>Annals of Nuclear Medicine</i> , 2018, 32, 532-541.	1.2	40
98	Possible delayed diagnosis and treatment of metastatic differentiated thyroid cancer by adopting the 2015 ATA guidelines. <i>European Journal of Endocrinology</i> , 2018, 179, 143-151.	1.9	39
99	<sup>18</sup> F-FDG PET/CT and extragastric MALT lymphoma: role of Ki-67 score and plasmacytic differentiation. <i>Leukemia and Lymphoma</i> , 2017, 58, 2328-2334.	0.6	38
100	Early and late adverse effects of radioiodine for pediatric differentiated thyroid cancer. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26595.	0.8	42
101	Are Evidence-Based Guidelines Reflected in Clinical Practice? An Analysis of Prospectively Collected Data of the Italian Thyroid Cancer Observatory. <i>Thyroid</i> , 2017, 27, 1490-1497.	2.4	52
102	Pulmonary mucosa-associated lymphoid tissue lymphoma: <sup>18</sup> F-FDG PET/CT and CT findings in 28 patients. <i>British Journal of Radiology</i> , 2017, 90, 20170311.	1.0	42
103	Role of <sup>18</sup> F-FDG PET/CT in patients affected by Langerhans cell histiocytosis. <i>Japanese Journal of Radiology</i> , 2017, 35, 574-583.	1.0	46
104	Differentiated thyroid carcinoma: Incremental diagnostic value of <sup>131</sup> I SPECT/CT over planar whole body scan after radioiodine therapy. <i>Endocrine</i> , 2017, 56, 551-559.	1.1	34
105	Is subclinical hyperthyroidism a real syndrome, different from overt hyperthyroidism?. <i>Endocrine</i> , 2017, 56, 229-230.	1.1	0
106	<sup>18</sup> F-FDG PET/CT in gastric MALT lymphoma: a bicentric experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 589-597.	3.3	51
107	The strange case of the [ <sup>13</sup> N]NH <sub>3</sub> . <i>Nuclear Medicine Communications</i> , 2016, 37, 412-421.	0.5	6
108	<sup>18</sup> F-FDG PET/CT and primary hepatic MALT: a case series. <i>Abdominal Radiology</i> , 2016, 41, 1956-1959.	1.0	22

#	ARTICLE	IF	CITATIONS
109	The dark side of the moon of coronary vasodilation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1491-1492.	3.3	0
110	1-23I-MIBG thyroid uptake: Implications for MIBG imaging of the heart. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1335-1339.	1.4	13
111	Treatment of hypothyroidism: all that glitters is gold?. <i>Endocrine</i> , 2016, 52, 411-413.	1.1	14
112	The time for radionuclide ventriculography resurrection is coming. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1139-1141.	1.4	2
113	Diagnostic and Prognostic Value of 18F-FDG PET/CT in Male Breast Cancer: Results From a Bicentric Population. <i>Current Radiopharmaceuticals</i> , 2016, 9, 169-177.	0.3	6
114	18F-FDG-PET/CT in Patients Affected by Differentiated Thyroid Carcinoma with Positive Thyroglobulin Level and Negative 131I Whole Body Scan. It's Value Confirmed by a Bicentric Experience. <i>Current Radiopharmaceuticals</i> , 2016, 9, 228-234.	0.3	15
115	Multicentric study on 18F-FDG-PET/CT breast incidental uptake in patients studied for non-breast malignant purposes. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015, 34, 24-29.	0.0	5
116	Multicentre study of 18F-FDG-PET/CT prostate incidental uptake. <i>Japanese Journal of Radiology</i> , 2015, 33, 538-546.	1.0	12
117	Detection of post-exercise stunning by early gated SPECT myocardial perfusion imaging: Results from the IAEA multi-center study. <i>Journal of Nuclear Cardiology</i> , 2014, 21, 1168-1176.	1.4	34
118	Nuclear medicine in the management of patients with heart failure. <i>Nuclear Medicine Communications</i> , 2014, 35, 818-823.	0.5	22
119	An Unusual Orbital Localization of Wegener Granulomatosis Detected by 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014, 39, 711-712.	0.7	7
120	Molecular imaging in acromegaly. <i>Nuclear Medicine Communications</i> , 2014, 35, 897-899.	0.5	1
121	99mTc-MIBI imaging in thyroid nodules: Is it useful?. <i>Endocrine</i> , 2014, 46, 1-2.	1.1	0
122	Prevalence and clinical significance of incidental F18-FDG breast uptake: a systematic review and meta-analysis. <i>Japanese Journal of Radiology</i> , 2014, 32, 59-68.	1.0	41
123	Positron Emission Tomography/Computed Tomography for Diagnosis of Prosthetic Valve Endocarditis. <i>Journal of the American College of Cardiology</i> , 2014, 63, 378-379.	1.2	4
124	Diagnostic role of radiolabelled choline PET or PET/CT in hepatocellular carcinoma: a systematic review and meta-analysis. <i>Hepatology International</i> , 2014, 8, 493-500.	1.9	51
125	Cardiovascular Risk in Adult Patients With Growth Hormone (GH) Deficiency and Following Substitution With GH: An Update. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, 18-29.	1.8	126
126	Incidental 11C-Choline PET/CT Uptake Due to Esophageal Carcinoma in a Patient Studied for Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2014, 39, e442-e444.	0.7	5



#	ARTICLE	IF	CITATIONS
127	90Yttrium-Ibritumomab Tiuxetan for Non-Hodgkin Lymphoma: Results after a Median Follow-up of 5 Years in a Single Institution. <i>Blood</i> , 2014, 124, 4455-4455.	0.6	0
128	Unsuspected Active Sarcoidosis Diagnosed by 18F-FDG PET/CT During the Search for a Primary Tumour in a Patient with Bone Lesions. <i>Nuclear Medicine and Molecular Imaging</i> , 2013, 47, 205-207.	0.6	11
129	F18-FDG-PET/CT for evaluation of intraductal papillary mucinous neoplasms (IPMN): a review of the literature. <i>Japanese Journal of Radiology</i> , 2013, 31, 229-236.	1.0	21
130	Emerging role of Fluorine-18-fluorodeoxyglucose positron emission tomography in patients with retroperitoneal fibrosis: a systematic review. <i>Rheumatology International</i> , 2013, 33, 549-555.	1.5	19
131	18F-FDG PET/CT could Precisely Localize Hypermetabolic Cervical Muscles in a Patient Affected by Idiopathic Cervical Dystonia. <i>Journal of Musculoskeletal Pain</i> , 2013, 21, 67-70.	0.3	1
132	The role of F-18-fluorothymidine PET in oncology. <i>Clinical and Translational Imaging</i> , 2013, 1, 77-97.	1.1	19
133	Exercise Stress Tests for Detecting Myocardial Ischemia in Asymptomatic Patients With Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2013, 112, 14-20.	0.7	20
134	Production and quality control of [90Y]DOTATOC for treatment of metastatic neuroendocrine tumors. <i>Nuclear Medicine Communications</i> , 2013, 34, 265-270.	0.5	2
135	Incidental 11C-Choline PET/CT Brain Uptake due to Meningioma in a Patient Studied for Prostate Cancer. <i>Clinical Nuclear Medicine</i> , 2013, 38, e435-e437.	0.7	12
136	Role of F18-FDG-PET/CT in restaging patients affected by renal carcinoma. <i>Nuclear Medicine Review</i> , 2013, 16, 3-8.	0.3	31
137	Peptide Receptor Radionuclide Therapy (PRRT) in a Patient Affected by Metastatic Breast Cancer with Neuroendocrine Differentiation. <i>Breast Care</i> , 2012, 7, 408-410.	0.8	31
138	18F-FDG PET/CT in a Patient Affected by Renal Collecting Duct (Bellini) Carcinoma. <i>Clinical Nuclear Medicine</i> , 2012, 37, 986-988.	0.7	0
139	Absence of Urine Production Due to Renal Failure Enables Clear Visualization of Primary Urinary Bladder Carcinoma on 18F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2012, 37, 611-613.	0.7	1
140	Possible role of F18-FDG-PET/CT in the diagnosis of endocarditis: preliminary evidence from a review of the literature. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1417-1425.	0.7	33
141	F18-FDG-PET/CT standardised uptake value threshold in discriminating benign vs. malignant lesions. Doubts and certainties in the era of evidence-based medicine. <i>Acta Oncologica</i> , 2012, 51, 122-144.	0.8	1
142	Searching for Indicators of Malignancy in Pancreatic Intraductal Papillary Mucinous Neoplasms: The Value of 18FDG-PET Confirmed. <i>Annals of Surgical Oncology</i> , 2012, 19, 3574-3580.	0.7	37
143	Diagnostic and Clinical Significance of F-18-FDG-PET/CT Thyroid Incidentalomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3866-3875.	1.8	145
144	[18F]FDG-PET/CT in patients affected by retroperitoneal fibrosis: a bicentric experience. <i>Japanese Journal of Radiology</i> , 2012, 30, 415-421.	1.0	13

#	ARTICLE	IF	CITATIONS
145	Final results of a phase 2A study for the treatment of metastatic neuroendocrine tumors with a fixed activity of $^{90}\text{Y}$ -DOTA-Phe $^{1}$ -Tyr $^3$ octreotide. <i>Cancer</i> , 2012, 118, 2915-2924.	2.0	17
146	Primary breast non-Hodgkin lymphoma. A report of an unusual case. <i>Nuclear Medicine Review</i> , 2012, 15, 149-52.	0.3	1
147	$^{99\text{mTc}}$ -MAA lung scan can be an alternative in detection and follow-up of patent foramen ovale. <i>International Journal of Cardiology</i> , 2011, 147, 296-298.	0.8	1
148	Fluorodeoxyglucose positron emission tomography/computed tomography standardized uptake value in discriminating benign versus malignant lesions. <i>Nuclear Medicine Communications</i> , 2011, 32, 542-543.	0.5	0
149	An Unusual Muscular Metastasis in a Patient Affected by Ileal Carcinoid Imaged With a $^{111\text{In}}$ -Pentetreotide SPECT/CT Scan and Confirmed by Biopsy. <i>Clinical Nuclear Medicine</i> , 2011, 36, 696-697.	0.7	10
150	Two Sequential Tc- $^{99\text{m}}$ ECD SPECT Studies in a Case of Sporadic Creutzfeldt-Jakob Disease Confirmed at Autopsy. <i>Clinical Nuclear Medicine</i> , 2011, 36, 669-671.	0.7	2
151	Congenital Triple Kidney in a Patient Evaluated by F-18 FDG PET/CT for Oncologic Reason. <i>Clinical Nuclear Medicine</i> , 2011, 36, 937-938.	0.7	1
152	Incremental Diagnostic Value of F-18 FDG PET/CT Over MRI in a Pediatric Patient With Suspected Hepatoblastoma and Histologic Diagnosis of Focal Nodular Hyperplasia. <i>Clinical Nuclear Medicine</i> , 2011, 36, 305-308.	0.7	3
153	Financial and Clinical Implications of Low-Energy CT Combined with $^{99\text{mTc}}$ -Sestamibi SPECT for Primary Hyperparathyroidism. <i>Annals of Surgical Oncology</i> , 2011, 18, 2555-2563.	0.7	23
154	Is $^{99\text{mTc}}$ -HMPAO granulocyte scan an alternative to endoscopy in pediatric chronic inflammatory bowel disease (IBD)? <i>European Journal of Pediatrics</i> , 2011, 170, 51-57.	1.3	9
155	Possible Role of F-18-FDG PET/CT in Differentiating Benign Lesions versus Malignant after Indeterminate Fine-needle Aspiration Cytology. A Wider and Still Controversial Issue. <i>World Journal of Surgery</i> , 2011, 35, 1146-1147.	0.8	0
156	F-18-FDG-PET/CT thyroid incidentalomas and their benign or malignant nature: a critical and debated issue. <i>Annals of Nuclear Medicine</i> , 2011, 25, 151-152.	1.2	6
157	Yttrium-90 DOTATOC therapy in GEP-NET and other SST2 expressing tumors: a selected review. <i>Annals of Nuclear Medicine</i> , 2011, 25, 75-85.	1.2	38
158	Two Distant Muscular Metastases from Papillary Carcinoma of the Thyroid Demonstrated by $^{18\text{F}}$ -FDG PET/CT and Confirmed by Biopsy. <i>Nuclear Medicine and Molecular Imaging</i> , 2011, 45, 324-325.	0.6	6
159	Role of $^{11\text{C}}$ -choline positron emission tomography/computed tomography in evaluating patients affected by prostate cancer with suspected relapse due to prostate-specific antigen elevation. <i>Japanese Journal of Radiology</i> , 2011, 29, 394-404.	1.0	30
160	To the Editor: Long-term Follow-up of Patients with Metastatic Differentiated Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2010, 34, 1988-1989.	0.8	1
161	$^{18\text{F}}$ -Fluorodeoxyglucose positron emission tomography/computed tomography findings in a patient with human immunodeficiency virus-associated Castleman's disease and Kaposi sarcoma, disorders associated with human herpes virus 8 infection. <i>Japanese Journal of Radiology</i> , 2010, 28, 231-234.	1.0	9
162	Role of $^{18\text{F}}$ -fluorodeoxyglucose positron emission tomography/computed tomography for therapy evaluation of patients with large-vessel vasculitis. <i>Japanese Journal of Radiology</i> , 2010, 28, 199-204.	1.0	42

#	ARTICLE	IF	CITATIONS
163	Role of 18F-fluorodeoxyglucose positron emission tomography/computed tomography in patients affected by differentiated thyroid carcinoma, high thyroglobulin level, and negative 131I scan: review of the literature. <i>Japanese Journal of Radiology</i> , 2010, 28, 629-636.	1.0	22
164	Role of Beta-Adrenergic Receptor Gene Polymorphisms in the Long-Term Effects of Beta-Blockade with Carvedilol in Patients with Chronic Heart Failure. <i>Cardiovascular Drugs and Therapy</i> , 2010, 24, 49-60.	1.3	59
165	Effect of Spironolactone on Left Ventricular Ejection Fraction and Volumes in Patients With Class I or II Heart Failure. <i>American Journal of Cardiology</i> , 2010, 106, 1292-1296.	0.7	63
166	(18)F-FDG-PET/CT findings in patients affected by spondylodiscitis. <i>Hellenic Journal of Nuclear Medicine</i> , 2010, 13, 166-8.	0.2	4
167	Incidental congenital renal and ureteric anomalies in patients studied for neoplastic diseases. <i>Hellenic Journal of Nuclear Medicine</i> , 2010, 13, 177-8.	0.2	0
168	Malignant transformation to schwannoma in a patient affected by type 1 neurofibromatosis as demonstrated by F-18-FDG-PET/CT. <i>Nuclear Medicine Review</i> , 2010, 13, 15-7.	0.3	2
169	Role of F-18-FDG-PET/CT in restaging of patients affected by gastrointestinal stromal tumours (GIST). <i>Nuclear Medicine Review</i> , 2010, 13, 76-80.	0.3	6
170	F18-FDG-PET/CT in a patient affected by Lynch syndrome. <i>Nuclear Medicine Review</i> , 2010, 13, 87-9.	0.3	0
171	Plurifocal malignant peripheral nerve sheath tumor demonstrated by 18F-fluorodeoxyglucose positron emission tomography/computed tomography. <i>Japanese Journal of Radiology</i> , 2009, 27, 320-323.	1.0	5
172	Massive bilateral adrenal gland metastases from melanoma diagnosed by F18-FDG-PET/CT. <i>Japanese Journal of Radiology</i> , 2009, 27, 392-393.	1.0	3
173	Assessing the need for nuclear cardiology and other advanced cardiac imaging modalities in the developing world. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 956-961.	1.4	64
174	Nuclear cardiology and heart failure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 2068-2080.	3.3	9
175	F-18 FDG-PET/CT Evaluation of Patients With Differentiated Thyroid Cancer With Negative I-131 Total Body Scan and High Thyroglobulin Level. <i>Clinical Nuclear Medicine</i> , 2009, 34, 756-761.	0.7	60
176	Residual brain viability, evaluated by 99mTc-ECD SPECT, in patients with suspected brain death and with confounding clinical factors. <i>Nuclear Medicine Communications</i> , 2009, 30, 815-821.	0.5	20
177	Massive thyroid involvement by marginal zone B cell NHL as demonstrated by 18F-FDG-PET/CT. <i>Hellenic Journal of Nuclear Medicine</i> , 2009, 12, 63.	0.2	3
178	A patient with medullary thyroid carcinoma and right ventricular cardiac metastasis treated by (90)Y-Dotatoc. <i>Hellenic Journal of Nuclear Medicine</i> , 2009, 12, 161-4.	0.2	6
179	Incidental inflammatory findings in nerves and in patients with neoplastic diseases evaluated by 18F-FDG-PET/CT. <i>Hellenic Journal of Nuclear Medicine</i> , 2009, 12, 279-80.	0.2	8
180	Incidental thyroid Tc-99m methylene diphosphonate (MDP) uptake in a patient affected by polynodular goiter at bone scintigraphy. <i>Nuclear Medicine Review</i> , 2009, 12, 81-2.	0.3	2

#	ARTICLE	IF	CITATIONS
181	Feasibility and Diagnostic Accuracy of a Gated SPECT Early-Imaging Protocol: A Multicenter Study of the Myoview Imaging Optimization Group. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1670-1675.	2.8	45
182	Sensitivity and specificity of dopamine transporter imaging with 123I-FP-CIT SPECT in dementia with Lewy bodies: a phase III, multicentre study. <i>Lancet Neurology</i> , The, 2007, 6, 305-313.	4.9	598
183	Pre-clinical diagnosis of Alzheimer disease combining platelet amyloid precursor protein ratio and rCBF spect analysis. <i>Journal of Neurology</i> , 2005, 252, 1359-1362.	1.8	34
184	Marked improvement in left ventricular ejection fraction during long-term $\beta$ -blockade in patients with chronic heart failure: Clinical correlates and prognostic significance. <i>American Heart Journal</i> , 2003, 145, 292-299.	1.2	104
185	Single-point cardiac troponin T at coronary care unit discharge after myocardial infarction correlates with infarct size and ejection fraction. <i>Clinical Chemistry</i> , 2002, 48, 1432-6.	1.5	30
186	Electrocardiographic evolution after Q-wave anterior myocardial infarction: Correlations between QRS score and changes in left ventricular perfusion and function. <i>Journal of Nuclear Cardiology</i> , 2001, 8, 561-567.	1.4	6
187	Differential Effects of $\beta$ -Blockers in Patients With Heart Failure. <i>Circulation</i> , 2000, 102, 546-551.	1.6	317
188	A cost-effective sestamibi protocol in the managed health care era <sup>1</sup> . <i>Journal of Nuclear Cardiology</i> , 1997, 4, 509-514.	1.4	4
189	Prognostic value of tomographic rest-redistribution thallium 201 imaging in medically treated patients with coronary artery disease and left ventricular dysfunction <sup>1, 2</sup> . <i>Journal of Nuclear Cardiology</i> , 1996, 3, 150-156.	1.4	62
190	Nuclear cardiology news update. <i>Journal of Nuclear Cardiology</i> , 1995, 2, 194-196.	1.4	0
191	Effects of short- and long-term carvedilol administration on rest and exercise hemodynamic variables, exercise capacity and clinical conditions in patients with idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1994, 24, 1678-1687.	1.2	303
192	Sensitivity of 99mTc Hexakis 2-Methoxyisobutyl Isonitrile (99mTc-Sestamibi) at Rest and during Exercise for Detection of Coronary Artery Disease and Comparison with 201Tl: A Multicenter Study. <i>American Journal of Noninvasive Cardiology</i> , 1992, 6, 285-290.	0.1	5
193	Accuracy and safety of technetium-99m hexakis 2-methoxy-2-isobutyl isonitrile (Sestamibi) myocardial scintigraphy with high dose dipyridamole test in patients with effort angina pectoris: A multicenter study. <i>Journal of the American College of Cardiology</i> , 1991, 18, 1439-1444.	1.2	51
194	Transient Prolonged Postischemic Ventricular Dilatation Documented by 99mTc MIBI Scan. <i>Chest</i> , 1991, 99, 1536-1538.	0.4	3
195	Silent Ischemia during Mental Stress: Scintigraphic Evidence and Electrocardiographic Patterns. <i>Advances in Cardiology</i> , 1990, 37, 53-66.	2.6	5
196	Diagnosis of acute myocardial infarction by indium-111 antimyosin antibodies and correlation with the traditional techniques for the evaluation of extent and localization. <i>American Journal of Cardiology</i> , 1989, 63, 7-13.	0.7	51
197	Diagnostic accuracy of rest-exercise first pass ventriculography with a fast single crystal gamma camera in detecting coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1987, 13, 213-220.	2.2	3