
Annamaria Bevivino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9229585/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Development of a predictive model of the microbial inactivation of L. monocytogenes during low thermal treatment of fruit juices in combination with carvacrol as aroma compound. Current Research in Food Science, 2022, 5, 374-381.	2.7	3
2	Effects of Multi-Species Microbial Inoculants on Early Wheat Growth and Litterbag Microbial Activity. Agronomy, 2022, 12, 899.	1.3	9
3	Designing a Waste-Based Culture Medium for the Production of Plant Growth Promoting Microorganisms Based on Cladodes Juice from Opuntia ficus-indica Pruning. Fermentation, 2022, 8, 225.	1.4	6
4	Synergistic Action of Mild Heat and Essential Oil Treatments on Culturability and Viability of Escherichia coli ATCC 25922 Tested In Vitro and in Fruit Juice. Foods, 2022, 11, 1615.	1.9	4
5	Identification of Beneficial Microbial Consortia and Bioactive Compounds with Potential as Plant Biostimulants for a Sustainable Agriculture. Microorganisms, 2021, 9, 426.	1.6	37
6	Lung and Gut Microbiota Changes Associated with Pseudomonas aeruginosa Infection in Mouse Models of Cystic Fibrosis. International Journal of Molecular Sciences, 2021, 22, 12169.	1.8	7
7	Does the Introduction of N2-Fixing Trees in Forest Plantations on Tropical Soils Ameliorate Low Fertility and Enhance Carbon Sequestration via Interactions Between Biota and Nutrient Availability? Case Studies From Central Africa and South America. Frontiers in Soil Science, 2021, 1, .	0.8	6
8	Phenotyping of Different Italian Durum Wheat Varieties in Early Growth Stage With the Addition of Pure or Digestate-Activated Biochars. Frontiers in Plant Science, 2021, 12, 782072.	1.7	4
9	Untargeted Metagenomic Investigation of the Airway Microbiome of Cystic Fibrosis Patients with Moderate-Severe Lung Disease. Microorganisms, 2020, 8, 1003.	1.6	23
10	Influence of Acacia mangium on Soil Fertility and Bacterial Community in Eucalyptus Plantations in the Congolese Coastal Plains. Sustainability, 2020, 12, 8763.	1.6	13
11	Organic matter quality of forest floor as a driver of C and P dynamics in acacia and eucalypt plantations established on a Ferralic Arenosols, Congo. Forest Ecosystems, 2020, 7, .	1.3	19
12	The Best Approach for Early Detection of Fungi in Tomato Sauce. Lecture Notes in Electrical Engineering, 2020, , 239-246.	0.3	0
13	Deciphering the Ecology of Cystic Fibrosis Bacterial Communities: Towards Systems-Level Integration. Trends in Molecular Medicine, 2019, 25, 1110-1122.	3.5	47
14	Impact of clonally-related Burkholderia contaminans strains in two patients attending an Italian cystic fibrosis centre: a case report. BMC Pulmonary Medicine, 2019, 19, 164.	0.8	2
15	The Impact of Soil-Applied Biochars From Different Vegetal Feedstocks on Durum Wheat Plant Performance and Rhizospheric Bacterial Microbiota in Low Metal-Contaminated Soil. Frontiers in Microbiology, 2019, 10, 2694.	1.5	27
16	Soil organic matter quality along rotations in acacia and eucalypt plantations in the Congolese coastal plains. Forest Ecosystems, 2019, 6, .	1.3	13
17	Omics approaches on freshâ€cut lettuce reveal global molecular responses to sodium hypochlorite and peracetic acid treatment. Journal of the Science of Food and Agriculture, 2018, 98, 737-750.	1.7	6
18	How to Process Sputum Samples and Extract Bacterial DNA for Microbiota Analysis. International Journal of Molecular Sciences, 2018, 19, 3256.	1.8	28

Annamaria Bevivino

#	Article	IF	CITATIONS
19	Belowground Microbiota and the Health of Tree Crops. Frontiers in Microbiology, 2018, 9, 1006.	1.5	118
20	Impact of Agricultural Land Management on Soil Bacterial Community: A Case Study in the Mediterranean Area. , 2017, , 77-95.		7
21	Environmental Burkholderia cenocepacia Strain Enhances Fitness by Serial Passages during Long-Term Chronic Airways Infection in Mice. International Journal of Molecular Sciences, 2017, 18, 2417.	1.8	9
22	A Different Microbiome Gene Repertoire in the Airways of Cystic Fibrosis Patients with Severe Lung Disease. International Journal of Molecular Sciences, 2017, 18, 1654.	1.8	39
23	Bacterial community and proteome analysis of fresh-cut lettuce as affected by packaging. FEMS Microbiology Letters, 2016, 363, fnv209.	0.7	10
24	Pyrosequencing Unveils Cystic Fibrosis Lung Microbiome Differences Associated with a Severe Lung Function Decline. PLoS ONE, 2016, 11, e0156807.	1.1	29
25	Changes in Cystic Fibrosis Airway Microbial Community Associated with a Severe Decline in Lung Function. PLoS ONE, 2015, 10, e0124348.	1.1	59
26	Analysis of a Pool of Small Plasmids from Soil Heterotrophic Cultivable Bacterial Communities. Open Microbiology Journal, 2015, 9, 98-109.	0.2	1
27	Soil Bacterial Community Response to Differences in Agricultural Management along with Seasonal Changes in a Mediterranean Region. PLoS ONE, 2014, 9, e105515.	1.1	89
28	Vertical distribution of bacterioplankton in Lake Averno in relation to water chemistry. FEMS Microbiology Ecology, 2013, 84, 176-188.	1.3	14
29	Interaction of environmental Burkholderia cenocepacia strains with cystic fibrosis and non-cystic fibrosis bronchial epithelial cells in vitro. Microbiology (United Kingdom), 2012, 158, 1325-1333.	0.7	13
30	Modelling Co-Infection of the Cystic Fibrosis Lung by Pseudomonas aeruginosa and Burkholderia cenocepacia Reveals Influences on Biofilm Formation and Host Response. PLoS ONE, 2012, 7, e52330.	1.1	91
31	Genetic relationships among Italian and Mexican maize-rhizosphere Burkholderia cepacia complex (BCC) populations belonging to Burkholderia cenocepacia IIIB and BCC6 group. BMC Microbiology, 2011, 11, 228.	1.3	5
32	Application of multiplex single nucleotide primer extension (mSNuPE) to the identification of bacteria: The Burkholderia cepacia complex case. Journal of Microbiological Methods, 2010, 80, 251-256.	0.7	12
33	<i>RecA</i> gene sequence and Multilocus Sequence Typing for species-level resolution of <i>Burkholderia cepacia</i> complex isolates. Letters in Applied Microbiology, 2009, 49, 580-588.	1.0	32
34	Use of the gyrB gene to discriminate among species of the Burkholderia cepacia complex. FEMS Microbiology Letters, 2008, 281, 175-182.	0.7	20
35	<i>Burkholderia cenocepacia</i> strains isolated from cystic fibrosis patients are apparently more invasive and more virulent than rhizosphere strains. Environmental Microbiology, 2008, 10, 2773-2784.	1.8	30
36	InvestigatingBurkholderia cepaciacomplex populations recovered from Italian maize rhizosphere by multilocus sequence typing. Environmental Microbiology, 2007, 9, 1632-1639.	1.8	35

Annamaria Bevivino

#	Article	IF	CITATIONS
37	Burkholderia cepacia complex species: health hazards and biotechnological potential. Trends in Microbiology, 2006, 14, 277-286.	3.5	176
38	Perturbation of maize rhizosphere microflora following seed bacterization with Burkholderia cepacia MCI 7. FEMS Microbiology Ecology, 2006, 23, 183-193.	1.3	60
39	Detection of cultured and uncultured Burkholderia cepacia complex bacteria naturally occurring in the maize rhizosphere. Environmental Microbiology, 2005, 7, 1734-1742.	1.8	28
40	Metabolic Profiling of Burkholderia cenocepacia, Burkholderia ambifaria, and Burkholderia pyrrocinia Isolates from Maize Rhizosphere. Microbial Ecology, 2005, 50, 385-395.	1.4	24
41	Efficacy of species-specificrecAPCR tests in the identification ofBurkholderia cepaciacomplex environmental isolates. FEMS Microbiology Letters, 2005, 246, 39-45.	0.7	24
42	Effect of Fusarium verticillioides on maize-root-associated Burkholderia cenocepacia populations. Research in Microbiology, 2005, 156, 974-983.	1.0	28
43	Epidemiology and Clinical Course of Burkholderia cepacia Complex Infections, Particularly Those Caused by Different Burkholderia cenocepacia Strains, among Patients Attending an Italian Cystic Fibrosis Center. Journal of Clinical Microbiology, 2004, 42, 1491-1497.	1.8	59
44	Exopolysaccharides produced by Burkholderia cenocepacia recA lineages IIIA and IIIB. Journal of Cystic Fibrosis, 2004, 3, 165-172.	0.3	46
45	A rhizospheric Burkholderia cepacia complex population: genotypic and phenotypic diversity of Burkholderia cenocepacia and Burkholderia ambifaria. FEMS Microbiology Ecology, 2003, 46, 179-187.	1.3	24
46	Burkholderia cepacia Complex Bacteria from Clinical and Environmental Sources in Italy: Genomovar Status and Distribution of Traits Related to Virulence and Transmissibility. Journal of Clinical Microbiology, 2002, 40, 846-851.	1.8	87
47	Effects of two different application methods of Burkholderia ambifaria MCI 7 on plant growth and rhizospheric bacterial diversity. Environmental Microbiology, 2002, 4, 238-245.	1.8	69
48	Burkholderia cepacia complex: distribution of genomovars among isolates from the maize rhizosphere in Italy. Environmental Microbiology, 2001, 3, 137-143.	1.8	74
49	Different portions of the maize root system host Burkholderia cepacia populations with different degrees of genetic polymorphism. Environmental Microbiology, 2000, 2, 111-118.	1.8	19
50	Efficacy of Burkholderia cepacia MCI 7 in disease suppression and growth promotion of maize. Biology and Fertility of Soils, 2000, 31, 225-231.	2.3	54
51	Soil Type and Maize Cultivar Affect the Genetic Diversity of Maize Root–Associated Burkholderia cepacia Populations. Microbial Ecology, 1999, 38, 273-284.	1.4	131
52	Characterization of a free-living maize-rhizosphere population of Burkholderia cepacia: effect of seed treatment on disease suppression and growth promotion of maize. FEMS Microbiology Ecology, 1998, 27, 225-237.	1.3	117
53	Inoculation of Burkholderia cepacia, Pseudomonas fluorescens and Enterobacter sp. on Sorghum bicolor: Root colonization and plant growth promotion of dual strain inocula. Soil Biology and Biochemistry, 1998, 30, 81-87.	4.2	70
54	Influence of plant development, cultivar and soil type on microbial colonization of maize roots. Applied Soil Ecology, 1998, 8, 11-18.	2.1	98

#	Article	IF	CITATIONS
55	Perturbation of maize rhizosphere microflora following seed bacterization with Burkholderia cepacia MCI 7. FEMS Microbiology Ecology, 1997, 23, 183-193.	1.3	7
56	Biodiversity of a Burkholderia cepacia population isolated from the maize rhizosphere at different plant growth stages. Applied and Environmental Microbiology, 1997, 63, 4485-4493.	1.4	259
57	Molecular characterization of rhizosphere and clinical isolates of Burkholderia cepacia. Research in Microbiology, 1995, 146, 531-542.	1.0	32