

# Eun Ju Cho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9231801/publications.pdf>

Version: 2024-02-01

112  
papers

1,550  
citations

279487

23  
h-index

433756

31  
g-index

112  
all docs

112  
docs citations

112  
times ranked

2192  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cirsium japonicum var. Maackii Improves Cognitive Impairment under Amyloid Beta <sub>25-35</sub> -Induced Alzheimer's Disease Model. BioMed Research International, 2022, 2022, 1-11.	0.9	7
2	Herbal Mixture of Carthamus tinctorius L. Seed and Taraxacum coreanum Attenuates Amyloid Beta-Induced Cognitive Dysfunction In Vivo. Foods, 2022, 11, 142.	1.9	3
3	Protective effects of <i>Populus tomentiglandulosa</i> against cognitive impairment by regulating oxidative stress in an amyloid beta <sub>25-35</sub> -induced Alzheimer's disease mouse model. Nutrition Research and Practice, 2022, 16, 173.	0.7	2
4	Neuroprotective effects of paeoniflorin against neuronal oxidative stress and neuroinflammation induced by lipopolysaccharide in mice. Journal of Applied Biological Chemistry, 2022, 65, 23-31.	0.2	1
5	Protective effects of <i>Aster yomena</i> (Kitam.) Honda from cognitive dysfunction induced by high-fat diet. Journal of Food Biochemistry, 2022, 46, e14138.	1.2	1
6	Membrane-Free Stem Cells and Pyridoxal 5-Phosphate Synergistically Enhance Cognitive Function in Alzheimer's Disease Mouse Model. Antioxidants, 2022, 11, 601.	2.2	4
7	Mulberry vinegar attenuates lipopolysaccharide and interferon gamma-induced inflammatory responses in C6 glial cells. Journal of Food Biochemistry, 2022, , e14197.	1.2	2
8	Hesperidin and Hesperetin Protect against Oxidative Stress on Hepatic Toxicity in Rats. Journal of Korean Medicine for Obesity Research, 2022, 22, 1-10.	0.7	0
9	Caterpillar Medicinal Mushroom, Cordyceps militaris (Ascomycota), Attenuates A $\beta$ <sub>25-35</sub> -Induced Amyloidogenesis and Inflammatory Response by Suppressing Amyloid Precursor Protein Progression and p38 MAPK/JNK Activation. International Journal of Medicinal Mushrooms, 2021, 23, 71-83.	0.9	4
10	Effects of the fermented <i>Zizyphus jujuba</i> in the amyloid $\beta$ <sub>25-35</sub> -induced Alzheimer's disease mouse model. Nutrition Research and Practice, 2021, 15, 173.	0.7	8
11	Protective Effect of Processed Polygoni multiflori Radix and Its Major Substance during Scopolamine-Induced Cognitive Dysfunction. Processes, 2021, 9, 342.	1.3	1
12	Neuroprotective Effect of Membrane-Free Stem Cell Extract against Amyloid Beta 25-35-Induced Neurotoxicity in SH-SY5Y Cells. Applied Sciences (Switzerland), 2021, 11, 2219.	1.3	9
13	Protective effects of <i>Carthamus tinctorius</i> L. seed on C6 glial cells treated with ethanol. Journal of Applied Biological Chemistry, 2021, 64, 69-74.	0.2	1
14	Protective effects of krill oil on high fat diet-induced cognitive impairment by regulation of oxidative stress. Free Radical Research, 2021, 55, 700-710.	1.5	1
15	Apigenin Ameliorates Oxidative Stress-induced Neuronal Apoptosis in SH-SY5Y Cells. Microbiology and Biotechnology Letters, 2021, 49, 138-147.	0.2	5
16	Protective Effect of Membrane-Free Stem Cells against Lipopolysaccharide and Interferon-Gamma-Stimulated Inflammatory Responses in RAW 264.7 Macrophages. International Journal of Molecular Sciences, 2021, 22, 6894.	1.8	10
17	Neuroprotective effects of <i>Paeonia lactiflora</i> and its active compound paeoniflorin against A $\beta$ <sub>25-35</sub> -induced neurotoxicity in SH-SY5Y cells. Journal of Applied Biological Chemistry, 2021, 64, 105-112.	0.2	0
18	Apigenin Ameliorates Scopolamine-Induced Cognitive Dysfunction and Neuronal Damage in Mice. Molecules, 2021, 26, 5192.	1.7	21

#	ARTICLE	IF	CITATIONS
19	Cognitive improvement effects of <i>Momordica charantia</i> in amyloid beta-induced Alzheimer's disease mouse model. <i>Journal of Applied Biological Chemistry</i> , 2021, 64, 299-307.	0.2	1
20	Effect of <i>Vigna angularis</i> on High-Fat Diet-Induced Memory and Cognitive Impairments. <i>Journal of Medicinal Food</i> , 2020, 23, 1155-1162.	0.8	10
21	Protective effects of protocatechuic acid against cognitive impairment in an amyloid beta-induced Alzheimer's disease mouse model. <i>Food and Chemical Toxicology</i> , 2020, 144, 111571.	1.8	21
22	Antioxidant Activity and Acteoside Analysis of <i>Abeliophyllum distichum</i> . <i>Antioxidants</i> , 2020, 9, 1148.	2.2	15
23	Krill Oil Attenuates Cognitive Impairment by the Regulation of Oxidative Stress and Neuronal Apoptosis in an Amyloid $\beta$ -Induced Alzheimer's Disease Mouse Model. <i>Molecules</i> , 2020, 25, 3942.	1.7	16
24	Amelioration effects of <i>Cirsium japonicum</i> var. <i>maackii</i> extract/fractions on amyloid beta $_{25-35}$ -induced neurotoxicity in SH-SY5Y cells and identification of the main bioactive compound. <i>Food and Function</i> , 2020, 11, 9651-9661.	2.1	10
25	The Protective Effects of <i>Acer okamotoanum</i> and Isoquercitrin on Obesity and Amyloidosis in a Mouse Model. <i>Nutrients</i> , 2020, 12, 1353.	1.7	6
26	Combination of <i>Carthamus tinctorius</i> L. seed and <i>Taraxacum coreanum</i> exerts synergistic effects on learning and memory function by regulating metabolism of amyloid beta in mice. <i>Journal of Functional Foods</i> , 2020, 72, 104048.	1.6	9
27	Effects of collagen peptides from skate ( <i>Raja kenoue</i> ) skin on improvements of the insulin signaling pathway via attenuation of oxidative stress and inflammation. <i>Food and Function</i> , 2020, 11, 2017-2025.	2.1	24
28	Flavonoids from <i>Acer okamotoanum</i> Inhibit Adipocyte Differentiation and Promote Lipolysis in the 3T3-L1 Cells. <i>Molecules</i> , 2020, 25, 1920.	1.7	19
29	Beneficial effect of black rice ( <i>Oryza sativa</i> L.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 model. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 1-1.	0.8	11
30	Skate cartilage extracts containing chondroitin sulfate ameliorates hyperlipidemia-induced inflammation and oxidative stress in high cholesterol diet-fed LDL receptor knockout mice in comparison with shark chondroitin sulfate. <i>Nutrition Research and Practice</i> , 2020, 14, 175.	0.7	5
31	Protective Effects of Combination of <i>Carthamus tinctorius</i> L. Seed and <i>Taraxacum coreanum</i> on Scopolamine-induced Memory Impairment in Mice. <i>Korean Journal of Medicinal Crop Science</i> , 2020, 28, 85-94.	0.1	6
32	<i>Acer okamotoanum</i> inhibits adipocyte differentiation by the regulation of adipogenesis and lipolysis in 3T3-L1 cells. <i>International Journal of Molecular Medicine</i> , 2020, 45, 589-596.	1.8	3
33	Paeoniflorin ameliorates $\text{A}\beta$ -stimulated neuroinflammation via regulation of NF- $\kappa$ B signaling pathway and $\text{A}\beta$ degradation in C6 glial cells. <i>Nutrition Research and Practice</i> , 2020, 14, 593.	0.7	6
34	Protective role of paeoniflorin from hydrogen peroxide-mediated oxidative damage in C6 glial cells. <i>Journal of Applied Biological Chemistry</i> , 2020, 63, 137-145.	0.2	0
35	Protective Effect of Protocatechuic Acid, Phenolic Compound of <i>Momordica Charantia</i> , against Oxidative Stress and Neuroinflammation in C6 Glial Cell. <i>Journal of Korean Medicine for Obesity Research</i> , 2020, 20, 10-19.	0.7	1
36	Protective role of <i>Populus tomentiglandulosa</i> against hydrogen peroxide-induced oxidative stress in SH-SY5Y neuronal cells. <i>Journal of Applied Biological Chemistry</i> , 2020, 63, 357-363.	0.2	1

#	ARTICLE	IF	CITATIONS
37	Free radical scavenging activity and protective effect of threegylycrrhizavarieties against hydrogen peroxide-induced oxidative stress in C6 glial cells. <i>Journal of Applied Biological Chemistry</i> , 2020, 63, 327-334.	0.2	0
38	Caterpillar Medicinal Mushroom, <i>Cordyceps militaris</i> (Ascomycetes), Protects A $\beta$ <sup>21-42</sup> -Induced Neurologic Damage in C6 Glial Cells. <i>International Journal of Medicinal Mushrooms</i> , 2020, 22, 1203-1213.	0.9	2
39	Neuroprotective effect of <i>Aster yomena</i> (Kitam.) Honda against hydrogen peroxide-induced oxidative stress in SH-SY5Y cells. <i>Journal of Applied Biological Chemistry</i> , 2020, 63, 283-290.	0.2	2
40	Protective Effect of Protocatechuic Acid, Phenolic Compound of <i>Momordica Charantia</i> , against Oxidative Stress and Neuroinflammation in C6 Glial Cell. <i>Journal of Korean Medicine for Obesity Research</i> , 2020, 20, 10-19.	0.7	0
41	<i>Acer okamotoanum</i> protects SH-SY5Y neuronal cells against hydrogen peroxide-induced oxidative stress. <i>Food Science and Biotechnology</i> , 2019, 28, 191-200.	1.2	9
42	<i>Acer okamotoanum</i> and isoquercitrin improve cognitive function via attenuation of oxidative stress in high fat diet- and amyloid beta-induced mice. <i>Food and Function</i> , 2019, 10, 6803-6814.	2.1	22
43	Preventive effect of oligonol on nitric oxide and reactive oxygen species production through regulation of nuclear factor kappa B signaling pathway in RAW 264.7 macrophage cells against sodium nitroprusside. <i>RSC Advances</i> , 2019, 9, 3987-3993.	1.7	4
44	Safflower ( <i>Carthamus tinctorius</i> L.) seed attenuates memory impairment induced by scopolamine in mice via regulation of cholinergic dysfunction and oxidative stress. <i>Food and Function</i> , 2019, 10, 3650-3659.	2.1	37
45	Protective Effects of Serotonin and its Derivatives, <i>N</i> -Feruloylserotonin and <i>N</i> -( <i>p</i> -Coumaroyl) Serotonin, Against Cisplatin-Induced Renal Damage in Mice. <i>The American Journal of Chinese Medicine</i> , 2019, 47, 369-383.	1.5	10
46	Attenuation of hydrogen peroxide-induced oxidative stress in SH-SY5Y cells by three flavonoids from <i>Acer okamotoanum</i> . <i>Chemical Papers</i> , 2019, 73, 1135-1144.	1.0	11
47	Protective role of <i>Cordyceps militaris</i> in A $\beta$ <sup>21-42</sup> -induced Alzheimer's disease in vivo. <i>Food Science and Biotechnology</i> , 2019, 28, 865-872.	1.2	16
48	Anti-oxidant activity of avicularin and isovitexin from <i>Lespedeza cuneata</i> . <i>Journal of Applied Biological Chemistry</i> , 2019, 62, 143-147.	0.2	9
49	Protective effect of <i>Cordyceps militaris</i> against hydrogen peroxide-induced oxidative stress in vitro. <i>Nutrition Research and Practice</i> , 2019, 13, 279.	0.7	18
50	Protective effects of kaempferol, quercetin, and its glycosides on amyloid beta-induced neurotoxicity in C6 glial cell. <i>Journal of Applied Biological Chemistry</i> , 2019, 62, 327-332.	0.2	3
51	Neuroprotective Effect of Alpha-Linolenic Acid against A $\beta$ -Mediated Inflammatory Responses in C6 Glial Cell. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 4853-4861.	2.4	29
52	Improvement of nutritional components and in vitro antioxidative properties of soy-powder yogurts using <i>Lactobacillus plantarum</i> . <i>Journal of Food and Drug Analysis</i> , 2018, 26, 1054-1065.	0.9	35
53	Protective Effect of Safflower Seed on Cisplatin-Induced Renal Damage in Mice via Oxidative Stress and Apoptosis-Mediated Pathways. <i>The American Journal of Chinese Medicine</i> , 2018, 46, 157-174.	1.5	25
54	Bioactive Compounds of Kimchi Inhibit Apoptosis by Attenuating Endoplasmic Reticulum Stress in the Brain of Amyloid $\beta$ -Injected Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 4883-4890.	2.4	21

#	ARTICLE	IF	CITATIONS
55	Determination of flavonoids in <i>Acer okamotoanum</i> and their aldose reductase inhibitory activities. <i>Horticulture Environment and Biotechnology</i> , 2018, 59, 131-137.	0.7	13
56	Alpha-linolenic acid regulates amyloid precursor protein processing by mitogen-activated protein kinase pathway and neuronal apoptosis in amyloid beta-induced SH-SY5Y neuronal cells. <i>Applied Biological Chemistry</i> , 2018, 61, 61-71.	0.7	9
57	Content Analysis of Rutin in the Leaves of <i>Boehmeria nivea</i> Harvested in Different Regions of South Korea by HPLC-UV. <i>Natural Product Sciences</i> , 2018, 24, 36.	0.2	2
58	<i>Acer okamotoanum</i> Inhibit the Hydrogen Peroxide-Induced Oxidative Stress in C6 Glial Cells. <i>Natural Product Sciences</i> , 2018, 24, 148.	0.2	4
59	Protective effect of <i>Carthamus tinctorius</i> L. seed on oxidative stress and cognitive impairment induced by chronic alcohol consumption in mice. <i>Food Science and Biotechnology</i> , 2018, 27, 1475-1484.	1.2	17
60	Protective effects of perilla oil and alpha linolenic acid on SH-SY5Y neuronal cell death induced by hydrogen peroxide. <i>Nutrition Research and Practice</i> , 2018, 12, 93.	0.7	22
61	Comparison of the effect of three licorice varieties on cognitive improvement via an amelioration of neuroinflammation in lipopolysaccharide-induced mice. <i>Nutrition Research and Practice</i> , 2018, 12, 191.	0.7	24
62	Simultaneous determination of methoxyflavones in selected Korean thistles. <i>Journal of Applied Biological Chemistry</i> , 2018, 61, 227-232.	0.2	1
63	Alpha-Linolenic Acid from <i>Perilla frutescens</i> var. <i>japonica</i> Oil Protects A $\beta$ -Induced Cognitive Impairment through Regulation of APP Processing and A $\beta$ Degradation. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10719-10729.	2.4	34
64	<i>Acer okamotoanum</i> improves cognition and memory function in A $\beta$ <sub>25-35</sub> -induced Alzheimer's mice model. <i>Applied Biological Chemistry</i> , 2017, 60, 1-9.	0.7	17
65	Anti-obesity Effect of Steamed Soybean and Fermented Steamed Soybean in High-fat Diet-induced Obese ICR Mice. <i>Natural Product Sciences</i> , 2017, 23, 61.	0.2	2
66	Quantitative Determination of Bakkenolide D in <i>Petasites japonicus</i> and <i>Farfugium japonicum</i> by HPLC/UV. <i>Natural Product Sciences</i> , 2017, 23, 270.	0.2	1
67	Protective effect of <i>Acer okamotoanum</i> from oxidative stress in C6 glial cells. <i>Journal of Applied Biological Chemistry</i> , 2017, 60, 141-147.	0.2	8
68	Phytochemical Identification from <i>Boehmeria nivea</i> Leaves and Analysis of (â€)-Loliolide by HPLC. <i>Natural Product Sciences</i> , 2016, 22, 134.	0.2	7
69	<i>Perilla frutescens</i> var. <i>japonica</i> and rosmarinic acid improve amyloid- $\beta$ <sub>25-35</sub> induced impairment of cognition and memory function. <i>Nutrition Research and Practice</i> , 2016, 10, 274.	0.7	36
70	Quercetin and quercetin-3- $\beta$ -D-glucoside improve cognitive and memory function in Alzheimer's disease mouse. <i>Applied Biological Chemistry</i> , 2016, 59, 721-728.	0.7	26
71	Effects of Vegetable Oils with Different Fatty Acid Compositions on Cognition and Memory Ability in A $\beta$ <sub>25-35</sub> -Induced Alzheimer's Disease Mouse Model. <i>Journal of Medicinal Food</i> , 2016, 19, 912-921.	0.8	35
72	High-yield methods for purification of $\gamma$ -linolenic acid from <i>Perilla frutescens</i> var. <i>japonica</i> oil. <i>Applied Biological Chemistry</i> , 2016, 59, 89-94.	0.7	17

#	ARTICLE	IF	CITATIONS
73	Malvidin Protects WI-38 Human Fibroblast Cells Against Stress-induced Premature Senescence. <i>Journal of Cancer Prevention</i> , 2016, 21, 32-40.	0.8	19
74	Cytotoxic Effects of Strawberry, Korean Raspberry, and Mulberry Extracts on Human Ovarian Cancer A2780 Cells. <i>Preventive Nutrition and Food Science</i> , 2016, 21, 384-388.	0.7	6
75	The Neuro-Protective Effect of the Methanolic Extract of <i>Perilla frutescens</i> var. <i>japonica</i> and Rosmarinic Acid against H <sub>2</sub> O <sub>2</sub> -Induced Oxidative Stress in C6 Glial Cells. <i>Biomolecules and Therapeutics</i> , 2016, 24, 338-345.	1.1	24
76	Protective role of oligonol from oxidative stress-induced inflammation in C6 glial cell. <i>Nutrition Research and Practice</i> , 2015, 9, 123.	0.7	11
77	Protective role of caffeic acid in an A $\beta$ <sup>25-35</sup> -induced Alzheimer's disease model. <i>Nutrition Research and Practice</i> , 2015, 9, 480.	0.7	60
78	Comparative Study on Antioxidant Activity of Vegetable Oils under in vitro and Cellular System. <i>Journal of Agricultural Science</i> , 2015, 7, .	0.1	8
79	Tartary buckwheat on nitric oxide-induced inflammation in RAW264.7 macrophage cells. <i>Food and Function</i> , 2015, 6, 2664-2670.	2.1	24
80	The n-Butanol Fraction and Rutin from Tartary Buckwheat Improve Cognition and Memory in an In Vivo Model of Amyloid- $\beta$ -Induced Alzheimer's Disease. <i>Journal of Medicinal Food</i> , 2015, 18, 631-641.	0.8	45
81	Free Radical Scavenging Effect and Oxidative Stress Protective Activity of Domestic Processed <i>Polygoni Multiflori Radix</i> . <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2015, 44, 809-815.	0.2	8
82	Antioxidative effects of Kimchi under different fermentation stage on radical-induced oxidative stress. <i>Nutrition Research and Practice</i> , 2014, 8, 638.	0.7	30
83	Oligonol improves memory and cognition under an amyloid $\beta$ <sup>25-35</sup> -induced Alzheimer's mouse model. <i>Nutrition Research</i> , 2014, 34, 595-603.	1.3	29
84	Protective Effect of Kimchi against A $\beta$ <sup>25-35</sup> -induced Impairment of Cognition and Memory. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2014, 43, 360-366.	0.2	11
85	Protective Effects of <i>Zizyphus jujuba</i> and Fermented <i>Zizyphus jujuba</i> from Free Radicals and Hair Loss. <i>Journal of the Korean Society of Food Science and Nutrition</i> , 2014, 43, 1174-1180.	0.2	6
86	Phloroglucinol Attenuates Free Radical-induced Oxidative Stress. <i>Preventive Nutrition and Food Science</i> , 2014, 19, 129-135.	0.7	31
87	Antibacterial activity and protective effect against gastric cancer by <i>Anthriscus sylvestris</i> fractions. <i>Horticulture Environment and Biotechnology</i> , 2013, 54, 326-330.	0.7	4
88	Tartary buckwheat improves cognition and memory function in an in vivo amyloid- $\beta$ -induced Alzheimer model. <i>Food and Chemical Toxicology</i> , 2013, 53, 105-111.	1.8	48
89	Analysis of phenolic compounds in chwinamul by HPLC/UV. <i>Horticulture Environment and Biotechnology</i> , 2013, 54, 183-189.	0.7	1
90	The Butanol Fraction of Bitter Melon ( <i>Momordica charantia</i> ) Scavenges Free Radicals and Attenuates Oxidative Stress. <i>Preventive Nutrition and Food Science</i> , 2013, 18, 18-22.	0.7	10

#	ARTICLE	IF	CITATIONS
91	Antioxidant activities of the EtOAc fraction and active compounds from <i>Taraxacum coreanum</i> under cellular system and in vivo. <i>FASEB Journal</i> , 2013, 27, 862.24.	0.2	1
92	Protective effect of protocatechuic acid of <i>Momordica charantia</i> from memory impairment induced by amyloid $\beta$ . <i>FASEB Journal</i> , 2013, 27, 661.6.	0.2	1
93	Isolation of antibacterial compounds from <i>Parasenecio pseudotaimingasa</i> . <i>Horticulture Environment and Biotechnology</i> , 2012, 53, 561-564.	0.7	13
94	Antioxidant activity of the methanolic extract of the newly generated vegetable, <i>baemuchae</i> ( <i>xBrassicoraphanus</i> ). <i>Food and Chemical Toxicology</i> , 2012, 50, 848-853.	1.8	3
95	Protective Effects of Purple Sweet Potato Added to <i>Bacillus subtilis</i> -Fermented Soymilk against Amyloid beta-Induced Memory Impairment. <i>Journal of Agricultural Science</i> , 2012, 4, .	0.1	1
96	Chemometric Approach to Fatty Acid Profiles in Soybean Cultivars by Principal Component Analysis (PCA). <i>Preventive Nutrition and Food Science</i> , 2012, 17, 184-191.	0.7	27
97	Protective effect of arabinose and sugar beet pulp against high glucose-induced oxidative stress in LLC-PK1 cells. <i>Food Chemistry</i> , 2012, 134, 189-194.	4.2	17
98	Anti-aging effects and mechanisms of kimchi during fermentation under stress-induced premature senescence cellular system. <i>Food Science and Biotechnology</i> , 2011, 20, 643-649.	1.2	28
99	Anti-aging effects of oligomeric proanthocyanidins isolated from persimmon fruits. <i>Drug Discoveries and Therapeutics</i> , 2011, 5, 109-118.	0.6	24
100	Anti-aging Effects of Cyanidin under a Stress-Induced Premature Senescence Cellular System. <i>Biological and Pharmaceutical Bulletin</i> , 2010, 33, 421-426.	0.6	35
101	Protective role of <i>Coptidis Rhizoma</i> alkaloids against peroxynitrite-induced damage to renal tubular epithelial cells. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 367-374.	1.2	54
102	Protective effect of Chinese prescription <i>Kangen-karyu</i> and its crude drug <i>Tanjin</i> against age-related lipidosis in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 687-694.	1.2	3
103	Therapeutic efficacy of <i>Kangen-karyu</i> against H <sub>2</sub> O <sub>2</sub> -induced premature senescence. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 60, 1537-1544.	1.2	5
104	Novel action of 7-O-galloyl-sedoheptulose isolated from <i>Corni Fructus</i> as a hypertriglyceridaemic agent. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 61, 653-661.	1.2	17
105	Protective activity of purple sweet potato extract-added soymilk fermented by <i>Bacillus subtilis</i> against oxidative stress. <i>Food Science and Biotechnology</i> , 2010, 19, 457-462.	1.2	7
106	Preparation, digestibility, and glucose response in mice of rice coated with resistant starch type 4 using locust bean gum and agar. <i>International Journal of Food Science and Technology</i> , 2010, 45, 2612-2621.	1.3	21
107	The mechanisms underlying the anti-aging activity of the Chinese prescription <i>Kangen-karyu</i> in hydrogen peroxide-induced human fibroblasts. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 1335-1343.	1.2	17
108	Antioxidative activity of geranium ( <i>Pelargonium inquinans</i> Ait) and its active component, 1,2,3,4,6-penta-O-galloyl- $\beta$ -D-glucose. <i>Phytotherapy Research</i> , 2008, 22, 534-538.	2.8	32



#	ARTICLE	IF	CITATIONS
109	Therapeutic efficacy of Kangen-karyu against H <sub>2</sub> O <sub>2</sub> -induced premature senescence. <i>Journal of Pharmacy and Pharmacology</i> , 2008, 60, 1537-1544.	1.2	6
110	Protective Effects of Broccoli ( <i>Brassica oleracea</i> ) against Oxidative Damage in Vitro and in Vivo. <i>Journal of Nutritional Science and Vitaminology</i> , 2006, 52, 437-444.	0.2	31
111	Protective Effects of Broccoli ( <i>Brassica oleracea</i> ) and Its Active Components against Radical-Induced Oxidative Damage. <i>Journal of Nutritional Science and Vitaminology</i> , 2005, 51, 142-147.	0.2	25
112	Antioxidative effects related to the potential anti-aging properties of the Chinese prescription Kangen-karyu and Carthami Flos in senescence-accelerated mice. <i>Archives of Gerontology and Geriatrics</i> , 2004, 39, 69-82.	1.4	35