RevmatoloÅ3/4ka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9232664/publications.pdf

Version: 2024-02-01

1307366 1474057 22 172 7 9 citations g-index h-index papers 22 22 22 281 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Serum calprotectin (S100A8/9): an independent predictor of ultrasound synovitis in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2015, 17, 252.	1.6	60
2	Relationship between serum calprotectin (S100A8/9) and clinical, laboratory and ultrasound parameters of disease activity in rheumatoid arthritis: A large cohort study. PLoS ONE, 2017, 12, e0183420.	1.1	32
3	Lower serum clusterin levels in patients with erosive hand osteoarthritis are associated with more pain. BMC Musculoskeletal Disorders, 2018, 19, 264.	0.8	20
4	The relationship between synovitis quantified by an ultrasound 7-joint inflammation score and physical disability in rheumatoid arthritis – a cohort study. Arthritis Research and Therapy, 2017, 19, 5.	1.6	15
5	Serum Calprotectin Discriminates Subclinical Disease Activity from Ultrasound-Defined Remission in Patients with Rheumatoid Arthritis in Clinical Remission. PLoS ONE, 2016, 11, e0165498.	1.1	14
6	High levels of metastasis-inducing S100A4 protein and treatment outcome in early rheumatoid arthritis: data from the PERAC cohort. Biomarkers, 2015, 20, 47-51.	0.9	12
7	The effect of a 24-week training focused on activities of daily living, muscle strengthening, and stability in idiopathic inflammatory myopathies: a monocentric controlled study with follow-up. Arthritis Research and Therapy, 2021, 23, 173.	1.6	8
8	Real-world Management of Women with Postmenopausal Osteoporosis Treated with Denosumab: A Prospective Observational Study in the Czech Republic and Slovakia. Advances in Therapy, 2018, 35, 1713-1728.	1.3	5
9	Chemokine and Cytokine Profiles in Patients with Hand Osteoarthritis. Biomolecules, 2021, 11, 4.	1.8	5
10	The effect of a 24-week physiotherapy and occupational therapy program in systemic sclerosis: a monocentric controlled study with follow-up. Clinical and Experimental Rheumatology, 0, , .	0.4	1
11	Metastasis-inducing S100A4 protein is associated with treatment response in patients with recent-onset rheumatoid arthritis. Annals of the Rheumatic Diseases, 2012, 71, A15.2-A15.	0.5	O
12	AB0818â€Bone Mineral Density and Metabolic Risk Factors in Patients with Non-Erosive and Erosive Hand Osteoarthritis. Annals of the Rheumatic Diseases, 2014, 73, 1073.3-1074.	0.5	0
13	SAT0466 Progression of Pain and Ultrasound Detected Synovitis in Patients with Erosive Hand Osteoarthritis over One Year. Annals of the Rheumatic Diseases, 2016, 75, 839.3-840.	0.5	O
14	AB0952â€Serum Visfatin and Resistin, but Not Adiponectin or Leptin, Are Associated with Ultrasound Synovitis in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 1227.1-1227.	0.5	0
15	FRIO544 Impact of Education in Musculoskeletal Ultrasonography: Good To Excellent Reliability Results in Modified US7 Scoring System after One Year of Continuing Education since Basic or Intermediate Level of Training. Annals of the Rheumatic Diseases, 2016, 75, 637.1-637.	0.5	O
16	08.48â€Increased body fat but decreased lean body mass and bone mineral density in myositis patients are associated with disease duration, inflammatory status, skeletal muscle involvement and physical activity. , 2017, , .		0
17	08.49â€Efficacy of an intensive 24-week physiotherapy programme in scleroderma patients – preliminary data from a single-centre controlled study. , 2017, , .		O
18	08.47â€Decreased body fat, lean body mass and bone mineral density in scleroderma patients are associated with disease activity and physical activity. , 2017, , .		0

#	Article	IF	CITATIONS
19	AB0687â€EFFECTIVENESS OF SPECIALIZED AND INTENSIVE ADL TRAINING IN PATIENTS WITH IDIOPATHIC INFLAMMATORY MYOPATHIES – PRELIMINARY RESULTS OF A ONE-YEAR CONTROLLED STUDY. , 2019, , .		O
20	THU0453â€PROGRESSION OF PAIN, NUMBER OF PAINFUL AND SWOLLEN JOINTS AND ULTRASOUND DETECTED CHANGES IN THE GROUP OF 133 PATIENTS WITH HAND OSTEOARTHRITIS OVER THREE YEARS., 2019, , .)	0
21	OP0066â€EFFECTIVENESS OF SPECIALIZED HAND/FACE PHYSICAL-OCCUPATIONAL THERAPY IN PATIENTS WITH SYSTEMIC SCLEROSIS – PRELIMINARY RESULTS OF A ONE-YEAR CONTROLLED STUDY. , 2019, , .		О
22	The effect of a 24-week physiotherapy and occupational therapy program in systemic sclerosis: a monocentric controlled study with follow-up Clinical and Experimental Rheumatology, 2022, , .	0.4	0