
Revmatoložka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9232664/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The effect of a 24-week physiotherapy and occupational therapy program in systemic sclerosis: a monocentric controlled study with follow-up Clinical and Experimental Rheumatology, 2022, , .	0.4	Ο
2	The effect of a 24-week training focused on activities of daily living, muscle strengthening, and stability in idiopathic inflammatory myopathies: a monocentric controlled study with follow-up. Arthritis Research and Therapy, 2021, 23, 173.	1.6	8
3	Chemokine and Cytokine Profiles in Patients with Hand Osteoarthritis. Biomolecules, 2021, 11, 4.	1.8	5
4	AB0687â€EFFECTIVENESS OF SPECIALIZED AND INTENSIVE ADL TRAINING IN PATIENTS WITH IDIOPATHIC INFLAMMATORY MYOPATHIES – PRELIMINARY RESULTS OF A ONE-YEAR CONTROLLED STUDY. , 2019, , .		0
5	THU0453â€PROGRESSION OF PAIN, NUMBER OF PAINFUL AND SWOLLEN JOINTS AND ULTRASOUND DETECT CHANGES IN THE GROUP OF 133 PATIENTS WITH HAND OSTEOARTHRITIS OVER THREE YEARS. , 2019, , .	ED	0
6	OP0066â€EFFECTIVENESS OF SPECIALIZED HAND/FACE PHYSICAL-OCCUPATIONAL THERAPY IN PATIENTS WIT SYSTEMIC SCLEROSIS – PRELIMINARY RESULTS OF A ONE-YEAR CONTROLLED STUDY. , 2019, , .	Ή	0
7	Real-world Management of Women with Postmenopausal Osteoporosis Treated with Denosumab: A Prospective Observational Study in the Czech Republic and Slovakia. Advances in Therapy, 2018, 35, 1713-1728.	1.3	5
8	Lower serum clusterin levels in patients with erosive hand osteoarthritis are associated with more pain. BMC Musculoskeletal Disorders, 2018, 19, 264.	0.8	20
9	08.48â€Increased body fat but decreased lean body mass and bone mineral density in myositis patients are associated with disease duration, inflammatory status, skeletal muscle involvement and physical activity. , 2017, , .		0
10	08.49â€Efficacy of an intensive 24-week physiotherapy programme in scleroderma patients – preliminary data from a single-centre controlled study. , 2017, , .		0
11	The relationship between synovitis quantified by an ultrasound 7-joint inflammation score and physical disability in rheumatoid arthritis – a cohort study. Arthritis Research and Therapy, 2017, 19, 5.	1.6	15
12	08.47â€Decreased body fat, lean body mass and bone mineral density in scleroderma patients are associated with disease activity and physical activity. , 2017, , .		0
13	Relationship between serum calprotectin (S100A8/9) and clinical, laboratory and ultrasound parameters of disease activity in rheumatoid arthritis: A large cohort study. PLoS ONE, 2017, 12, e0183420.	1.1	32
14	SAT0466â€Progression of Pain and Ultrasound Detected Synovitis in Patients with Erosive Hand Osteoarthritis over One Year. Annals of the Rheumatic Diseases, 2016, 75, 839.3-840.	0.5	0
15	AB0952â€Serum Visfatin and Resistin, but Not Adiponectin or Leptin, Are Associated with Ultrasound Synovitis in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 1227.1-1227.	0.5	0
16	FRI0544â€Impact of Education in Musculoskeletal Ultrasonography: Good To Excellent Reliability Results in Modified US7 Scoring System after One Year of Continuing Education since Basic or Intermediate Level of Training. Annals of the Rheumatic Diseases, 2016, 75, 637.1-637.	0.5	0
17	Serum Calprotectin Discriminates Subclinical Disease Activity from Ultrasound-Defined Remission in Patients with Rheumatoid Arthritis in Clinical Remission. PLoS ONE, 2016, 11, e0165498.	1.1	14
18	Serum calprotectin (S100A8/9): an independent predictor of ultrasound synovitis in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2015, 17, 252.	1.6	60

Revmatoložκa

#	Article	IF	CITATIONS
19	High levels of metastasis-inducing S100A4 protein and treatment outcome in early rheumatoid arthritis: data from the PERAC cohort. Biomarkers, 2015, 20, 47-51.	0.9	12
20	AB0818â€Bone Mineral Density and Metabolic Risk Factors in Patients with Non-Erosive and Erosive Hand Osteoarthritis. Annals of the Rheumatic Diseases, 2014, 73, 1073.3-1074.	0.5	0
21	Metastasis-inducing S100A4 protein is associated with treatment response in patients with recent-onset rheumatoid arthritis. Annals of the Rheumatic Diseases, 2012, 71, A15.2-A15.	0.5	Ο
22	The effect of a 24-week physiotherapy and occupational therapy program in systemic sclerosis: a monocentric controlled study with follow-up. Clinical and Experimental Rheumatology, 0, , .	0.4	1