

Madoka Niwa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9232813/publications.pdf>

Version: 2024-02-01

15
papers

186
citations

1163117
8
h-index

1125743
13
g-index

15
all docs

15
docs citations

15
times ranked

247
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammatory markers and their possible effects on cognitive function in women with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2018, 102, 192-200.	3.1	46
2	The Japanese version of the Posttraumatic Diagnostic Scale: Validity in participants with and without traumatic experiences. <i>Asian Journal of Psychiatry</i> , 2017, 25, 1-5.	2.0	21
3	Cognitive function in Japanese women with posttraumatic stress disorder: Association with exercise habits. <i>Journal of Affective Disorders</i> , 2018, 236, 306-312.	4.1	17
4	Childhood maltreatment history and attention bias variability in healthy adult women: role of inflammation and the BDNF Val66Met genotype. <i>Translational Psychiatry</i> , 2021, 11, 122.	4.8	15
5	Relationships of blood proinflammatory markers with psychological resilience and quality of life in civilian women with posttraumatic stress disorder. <i>Scientific Reports</i> , 2019, 9, 17905.	3.3	14
6	Sexual Violence as a Key Contributor to Poor Mental Health Among Japanese Women Subjected to Intimate Partner Violence. <i>Journal of Women's Health</i> , 2018, 27, 716-723.	3.3	13
7	The BDNF Val66Met polymorphism affects negative memory bias in civilian women with PTSD. <i>Scientific Reports</i> , 2020, 10, 3151.	3.3	13
8	Proinflammatory status-stratified blood transcriptome profiling of civilian women with PTSD. <i>Psychoneuroendocrinology</i> , 2020, 111, 104491.	2.7	12
9	Association of CRP genetic variation with symptomatology, cognitive function, and circulating proinflammatory markers in civilian women with PTSD. <i>Journal of Affective Disorders</i> , 2021, 279, 640-649.	4.1	8
10	A new short version of the Posttraumatic Diagnostic Scale: validity among Japanese adults with and without PTSD. <i>HÅgre Utbildning</i> , 2017, 8, 1364119.	3.0	6
11	Possible Long-Term Effects of Childhood Maltreatment on Cognitive Function in Adult Women With Posttraumatic Stress Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 344.	2.6	6
12	Memory bias and its association with memory function in women with posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2019, 245, 461-467.	4.1	5
13	Augmentation of Positive Valence Systemâ€“Focused Cognitive Behavioral Therapy by Inaudible High-Frequency Sounds for Anhedonia. <i>JAMA Network Open</i> , 2019, 2, e1915819.	5.9	4
14	Japanese Version of the Eyberg Child Behavior Inventory: Translation and Validation ¹ . <i>Japanese Psychological Research</i> , 2023, 65, 133-144.	1.1	3
15	Skills Training in Affective and Interpersonal Regulation Narrative Therapy for women with ICD-11 complex PTSD related to childhood abuse in Japan: a pilot study. <i>European Journal of Psychotraumatology</i> , 2022, 13, .	2.5	3