
Faraz Ahmad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9233026/publications.pdf Version: 2024-02-01



Ελάλη Δημαρ

#	Article	IF	CITATIONS
1	A variant of <scp>KCC</scp> 2 from patients with febrile seizures impairs neuronal Cl ^{â^'} extrusion and dendritic spine formation. EMBO Reports, 2014, 15, 723-729.	2.0	163
2	Activity-Dependent Cleavage of the K-Cl Cotransporter KCC2 Mediated by Calcium-Activated Protease Calpain. Journal of Neuroscience, 2012, 32, 11356-11364.	1.7	157
3	A Single Seizure Episode Leads to Rapid Functional Activation of KCC2 in the Neonatal Rat Hippocampus. Journal of Neuroscience, 2010, 30, 12028-12035.	1.7	88
4	Developments in strategies for Quorum Sensing virulence factor inhibition to combat bacterial drug resistance. Microbial Pathogenesis, 2018, 121, 293-302.	1.3	83
5	Reactive Oxygen Species-Mediated Loss of Synaptic Akt1 Signaling Leads to Deficient Activity-Dependent Protein Translation Early in Alzheimer's Disease. Antioxidants and Redox Signaling, 2017, 27, 1269-1280.	2.5	72
6	BDNF is required for seizure-induced but not developmental up-regulation of KCC2 in the neonatal hippocampus. Neuropharmacology, 2015, 88, 103-109.	2.0	52
7	Critical cysteines in Akt1 regulate its activity and proteasomal degradation: implications for neurodegenerative diseases. Free Radical Biology and Medicine, 2014, 74, 118-128.	1.3	37
8	lsoform-specific hyperactivation of calpain-2 occurs presymptomatically at the synapse in Alzheimer's disease mice and correlates with memory deficits in human subjects. Scientific Reports, 2018, 8, 13119.	1.6	29
9	Synaptosome as a tool in Alzheimer's disease research. Brain Research, 2020, 1746, 147009.	1.1	19
10	(Ascorb)ing Pb Neurotoxicity in the Developing Brain. Antioxidants, 2020, 9, 1311.	2.2	19
11	Developmental lead (Pb)-induced deficits in hippocampal protein translation at the synapses are ameliorated by ascorbate supplementation. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 3289-3298.	1.0	16
12	Developmental lead (Pb)-induced deficits in redox and bioenergetic status of cerebellar synapses are ameliorated by ascorbate supplementation. Toxicology, 2020, 440, 152492.	2.0	15
13	Neonatal maternal deprivation impairs localized <i>de novo</i> activity-induced protein translation at the synapse in the rat hippocampus. Bioscience Reports, 2018, 38, .	1.1	14
14	Dysfunction of cortical synapse-specific mitochondria in developing rats exposed to lead and its amelioration by ascorbate supplementation. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 813-824.	1.0	14
15	Simple, reliable, and time-efficient colorimetric method for the assessment of mitochondrial function and toxicity. Bosnian Journal of Basic Medical Sciences, 2018, 18, 367-374.	0.6	12
16	Behavioural Functions and Cerebral Blood Flow in a P301S Tauopathy Mouse Model: A Time-Course Study. International Journal of Molecular Sciences, 2021, 22, 9727.	1.8	8
17	Cold-adapted protease enables quantitation of surface proteins in the absence of membrane trafficking. BioTechniques, 2011, 50, 255-257.	0.8	6
18	Recent Advances in Synaptosomal Proteomics in Alzheimer's Disease. Current Protein and Peptide Science, 2021, 22, 479-492.	0.7	5

Faraz Ahmad

#	Article	IF	CITATIONS
19	Chemical Stimulation of Rodent and Human Cortical Synaptosomes: Implications in Neurodegeneration. Cells, 2021, 10, 1174.	1.8	3
20	Altered Brain Arginine Metabolism and Polyamine System in a P301S Tauopathy Mouse Model: A Time-Course Study. International Journal of Molecular Sciences, 2022, 23, 6039.	1.8	2
21	Quantitative Analysis of Surface Expression of Membrane Proteins Using Coldâ€Adapted Proteases. Current Protocols in Protein Science, 2013, 73, 3.11.1-3.11.12.	2.8	Ο
22	A Time-Efficient Fluorescence Spectroscopy-Based Assay for Evaluating Actin Polymerization Status in Rodent and Human Brain Tissues. Journal of Visualized Experiments, 2021, , .	0.2	0