

# Esther Jimenez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/923343/publications.pdf>

Version: 2024-02-01

72  
papers

3,093  
citations

230014

27  
h-index

198040

52  
g-index

76  
all docs

76  
docs citations

76  
times ranked

5478  
citing authors

#	ARTICLE	IF	CITATIONS
1	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I. <i>Psychological Medicine</i> , 2023, 53, 3065-3076.	2.7	2
2	Identifying social cognition subgroups in euthymic patients with bipolar disorder: a cluster analytical approach. <i>Psychological Medicine</i> , 2022, 52, 159-168.	2.7	13
3	Long-term outcome predictors after functional remediation in patients with bipolar disorder. <i>Psychological Medicine</i> , 2022, 52, 314-322.	2.7	5
4	Bipolar symptoms, somatic burden, and functioning in older age bipolar disorder: Analyses from the Global Aging & Geriatric Experiments in Bipolar Disorder Database project. <i>Bipolar Disorders</i> , 2022, 24, 195-206.	1.1	24
5	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 296, 208-215.	2.0	6
6	Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. <i>Journal of Affective Disorders</i> , 2022, 298, 522-531.	2.0	8
7	Cognition in older adults with bipolar disorder: An ISBD task force systematic review and meta-analysis based on a comprehensive neuropsychological assessment. <i>Bipolar Disorders</i> , 2022, 24, 115-136.	1.1	24
8	Functional Remediation for Older Adults with Bipolar Disorder (FROA-BD): Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2022, , .	1.0	2
9	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	1.7	11
10	Physical Health Burden Among Older Men and Women With Bipolar Disorder: Results From the Gage-Bd Collaboration. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 727-732.	0.6	14
11	Aging in bipolar disorder: Cognitive performance and clinical factors based on an adulthood-lifespan perspective. <i>Journal of Affective Disorders</i> , 2022, 312, 292-302.	2.0	6
12	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	4.1	44
13	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021, 11, 1155.	1.6	11
14	Trajectories of suicidal ideation after first episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 418-433.	2.2	17
15	COVID-19 and older adults with bipolar disorder: Problems and solutions. <i>Bipolar Disorders</i> , 2021, 23, 420-422.	1.1	0
16	A systematic review on genome-wide association studies exploring comorbidity in bipolar disorder. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100130.	0.9	0
17	DDRI methylation is associated with bipolar disorder and the isoform expression and methylation of myelin genes. <i>Epigenomics</i> , 2021, 13, 845-858.	1.0	4
18	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20

#	ARTICLE	IF	CITATIONS
19	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	1.6	10
20	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T2 relaxometry. <i>Neurobiology of Aging</i> , 2021, 106, 68-79.	1.5	15
21	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	2.4	25
22	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020, 22, 255-265.	1.1	24
23	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2020, 13, 165-173.	0.2	0
24	A prospective longitudinal study searching for predictors of response to group psychoeducation in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 274, 1113-1121.	2.0	12
25	Effects of an integrative approach to bipolar disorders combining psychoeducation, mindfulness-based cognitive therapy and functional remediation: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatría Y Salud Mental</i> , 2020, 13, 165-173.	1.0	5
26	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.1	20
27	Lifetime Psychotic Symptoms, Subthreshold Depression and Cognitive Impairment as Barriers to Functional Recovery in Patients with Bipolar Disorder. <i>Journal of Clinical Medicine</i> , 2019, 8, 1046.	1.0	25
28	Cognitive Reserve Assessment Scale in Health (CRASH): Its Validity and Reliability. <i>Journal of Clinical Medicine</i> , 2019, 8, 586.	1.0	31
29	Functional remediation improves bipolar disorder functioning with no effects on brain-derived neurotrophic factor levels. <i>European Neuropsychopharmacology</i> , 2019, 29, 701-710.	0.3	10
30	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 255, 15-22.	2.0	20
31	Improving Functioning, Quality of Life, and Well-being in Patients With Bipolar Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2019, 22, 467-477.	1.0	64
32	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , 2019, 249, 199-207.	2.0	11
33	Social cognition in bipolar disorder: the role of sociodemographic, clinical, and neurocognitive variables in emotional intelligence. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 369-380.	2.2	26
34	Behavioral addictions in bipolar disorders: A systematic review. <i>European Neuropsychopharmacology</i> , 2019, 29, 76-97.	0.3	19
35	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	6.0	102
36	Heterogeneity of functional outcomes in patients with bipolar disorder: a cluster-analytic approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 516-527.	2.2	81

#	ARTICLE	IF	CITATIONS
37	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 232, 229-236.	2.0	8
38	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 145-154.	2.2	60
39	Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. <i>Molecular Psychiatry</i> , 2018, 23, 932-942.	4.1	558
40	Functional impairment in adult bipolar disorder with ADHD. <i>Journal of Affective Disorders</i> , 2018, 227, 117-125.	2.0	11
41	Mortality risk factors among non-ICU patients with nosocomial vascular catheter-related bloodstream infections: a prospective cohort study. <i>Journal of Hospital Infection</i> , 2018, 99, 48-54.	1.4	34
42	Cognitive Remediation Interventions in Schizoaffective Disorder: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2018, 9, 470.	1.3	3
43	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , 2018, 28, 863-874.	0.3	16
44	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	1.3	28
45	Thresholds for severity, remission and recovery using the functioning assessment short test (FAST) in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 240, 57-62.	2.0	72
46	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , 2017, 27, 350-359.	0.3	26
47	Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 160.	0.7	38
48	Cognitive Impairment in Bipolar Disorder: Treatment and Prevention Strategies. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 670-680.	1.0	174
49	Social cognition in bipolar disorder: Focus on emotional intelligence. <i>Journal of Affective Disorders</i> , 2017, 217, 210-217.	2.0	23
50	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. <i>Bipolar Disorders</i> , 2017, 19, 637-650.	1.1	11
51	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , 2017, 19, 363-374.	1.1	49
52	High Cognitive Reserve in Bipolar Disorders as a Moderator of Neurocognitive Impairment. <i>European Psychiatry</i> , 2017, 41, S116-S116.	0.1	0
53	Treatment of neurocognitive symptoms in unipolar depression: A systematic review and future perspectives. <i>Journal of Affective Disorders</i> , 2017, 221, 205-221.	2.0	56
54	High cognitive reserve in bipolar disorders as a moderator of neurocognitive impairment. <i>Journal of Affective Disorders</i> , 2017, 208, 621-627.	2.0	51

#	ARTICLE	IF	CITATIONS
55	Cognitive reserve in bipolar disorder: relation to cognition, psychosocial functioning and quality of life. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 386-398.	2.2	103
56	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 266-276.	2.2	35
57	Family functioning in bipolar disorder: Characteristics, congruity between patients and relatives, and clinical correlates. <i>Psychiatry Research</i> , 2016, 245, 66-73.	1.7	13
58	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	1.4	182
59	Validación de la versión en español de la Columbia-Suicide Severity Rating Scale (Escala Columbia para) <a href="#">Tj ETQq1_1</a> 0.784314 rgBT (C)	1.0	50
60	Cognitive variability in bipolar II disorder: who is cognitively impaired and who is preserved. <i>Bipolar Disorders</i> , 2016, 18, 288-299.	1.1	83
61	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	6.3	306
62	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , 2016, 208, 87-93.	1.7	95
63	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 600-604.	0.7	20
64	Cognition as a target in major depression: New developments. <i>European Neuropsychopharmacology</i> , 2015, 25, 231-247.	0.3	64
65	Bipolar disorder with comorbid attention deficit and hyperactivity disorder. Main clinical features and clues for an accurate diagnosis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 389-399.	2.2	35
66	Antipsicóticos: aspectos neurocognitivos. <i>Psiquiatría Biológica</i> , 2015, 22, 29-35.	0.0	1
67	Caso clínico : Tratamiento antipsicótico y aspectos neurocognitivos. <i>Psiquiatría Biológica</i> , 2015, 22, 36-38.	0.0	1
68	Functional remediation for patients with bipolar II disorder: Improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2015, 25, 257-264.	0.3	52
69	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , 2014, 24, S436-S437.	0.3	4
70	Association between GSK3 $\beta$ gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , 2014, 24, 510-518.	0.3	25
71	Genetic variability at IMPA2, INPP1 and GSK3 $\beta$ increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , 2013, 23, 1452-1462.	0.3	46
72	Impulsivity and functional impairment in bipolar disorder. <i>Journal of Affective Disorders</i> , 2012, 136, 491-497.	2.0	47