Mathew Upton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9234374/publications.pdf

Version: 2024-02-01

85 papers

4,263 citations

126858 33 h-index 62 g-index

86 all docs 86 docs citations

86 times ranked 4999 citing authors

#	Article	IF	CITATIONS
1	Hospital sink traps as a potential source of the emerging multidrug-resistant pathogen Cupriavidus pauculus: characterization and draft genome sequence of strain MF1. Journal of Medical Microbiology, 2022, 71, .	0.7	7
2	Drug repurposing for next-generation combination therapies against multidrug-resistant bacteria. Theranostics, 2021, 11, 4910-4928.	4.6	70
3	Editorial: Bacteriocins and Other Ribosomally Synthesised and Post-translationally Modified Peptides (RiPPs) as Alternatives to Antibiotics. Frontiers in Microbiology, 2021, 12, 695081.	1.5	3
4	The Phylogenetic Structure of Reptile, Avian and Uropathogenic Escherichia coli with Particular Reference to Extraintestinal Pathotypes. International Journal of Molecular Sciences, 2021, 22, 1192.	1.8	3
5	<i>Galleria mellonella</i> larvae exhibit a weight-dependent lethal median dose when infected with methicillin-resistant <i>Staphylococcus aureus</i> . Pathogens and Disease, 2021, 79, .	0.8	7
6	Impact of growth media and pressure on the diversity and antimicrobial activity of isolates from two species of hexactinellid sponge. Microbiology (United Kingdom), 2021, 167, .	0.7	5
7	Flowering Poration—A Synergistic Multi-Mode Antibacterial Mechanism by a Bacteriocin Fold. IScience, 2020, 23, 101423.	1.9	16
8	COVID-19, antibiotics and One Health: a UK environmental risk assessment. Journal of Antimicrobial Chemotherapy, 2020, 75, 3411-3412.	1.3	20
9	Purification and characterization of nisin P produced by a strain of Streptococcus gallolyticus. Journal of Medical Microbiology, 2020, 69, 605-616.	0.7	12
10	Complete Genome Sequence of a Colistin-Resistant Uropathogenic Escherichia coli Sequence Type 131 <i>fimH</i> 22 Strain Harboring <i>mcr-1</i> on an IncHI2 Plasmid, Isolated in Riyadh, Saudi Arabia. Microbiology Resource Announcements, 2019, 8, .	0.3	8
11	Characterisation of the microbiome for two hexactinellid sponges and purification of associated antimicrobial agents from their resident microbes. Access Microbiology, 2019, 1, .	0.2	1
12	Purification and characterisation of antimicrobial agents isolated from a member of the Paenibacillus genus. Access Microbiology, 2019, $1,\ldots$	0.2	1
13	Rapid detection of extra-intestinal pathogenic Escherichia coli multi-locus sequence type 127 using a specific PCR assay. Journal of Medical Microbiology, 2019, 68, 188-196.	0.7	6
14	Understanding the pathogenic process of uropathogenic Escherichia coli ST127 using proteomics on uroepithelial co-culture samples. Access Microbiology, 2019, 1 , .	0.2	0
15	A novel deep-sea sponge bacterium producing two promising antimicrobial candidates. Access Microbiology, 2019, 1, .	0.2	1
16	Assessing and optimising culturing methods for the associated-bacteria of two species of deep-sea sponges (class Hexactinellida) for antimicrobial bioprospecting. Access Microbiology, 2019, 1 , .	0.2	1
17	Optimisation of methods for bacterial skin microbiome investigation: primer selection and comparison of the 454 versus MiSeq platform. BMC Microbiology, 2017, 17, 23.	1.3	133
18	A single dose of epidermicin NIO1 is sufficient to eradicate MRSA from the nares of cotton rats. Journal of Antimicrobial Chemotherapy, 2016, 72, dkw457.	1.3	12

#	Article	IF	Citations
19	Comprehensive analysis of type 1 fimbriae regulation in <i>fimB</i> â€null strains from the multidrug resistant <i>Escherichia coli</i> ST131 clone. Molecular Microbiology, 2016, 101, 1069-1087.	1.2	21
20	Domestic shower hose biofilms contain fungal species capable of causing opportunistic infection. Journal of Water and Health, 2016, 14, 727-737.	1.1	17
21	Dual transcriptional-translational cascade permits cellular level tuneable expression control. Nucleic Acids Research, 2016, 44, e21-e21.	6.5	39
22	Lineage-Specific Methyltransferases Define the Methylome of the Globally Disseminated Escherichia coli ST131 Clone. MBio, 2015, 6, e01602-15.	1.8	27
23	The skin microbiome in psoriatic arthritis: methodology development and pilot data. Lancet, The, 2015, 385, S27.	6.3	7
24	Antibiotic-resistant ST38, ST131 and ST405 strains are the leading uropathogenic (i> Escherichia coli < /i> clones in Riyadh, Saudi Arabia. Journal of Antimicrobial Chemotherapy, 2015, 70, 2757-2762.	1.3	75
25	Third-generation cephalosporin resistance conferred by a chromosomally encoded <i>bla</i> CMY-23 gene in the <i>Escherichia coli</i> ST131 reference strain EC958. Journal of Antimicrobial Chemotherapy, 2015, 70, 1969-1972.	1.3	14
26	A workflow for bacterial metabolic fingerprinting and lipid profiling: application to Ciprofloxacin challenged Escherichia coli. Metabolomics, 2015, 11, 438-453.	1.4	10
27	Molecular Characterization of a Multidrug Resistance IncF Plasmid from the Globally Disseminated Escherichia coli ST131 Clone. PLoS ONE, 2015, 10, e0122369.	1.1	48
28	The Complete Genome Sequence of Escherichia coli EC958: A High Quality Reference Sequence for the Globally Disseminated Multidrug Resistant E. coli O25b:H4-ST131 Clone. PLoS ONE, 2014, 9, e104400.	1.1	116
29	Global dissemination of a multidrug resistant <i>Escherichia coli</i> clone. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 5694-5699.	3.3	498
30	Implementation of Fourier transform infrared spectroscopy for the rapid typing of uropathogenic Escherichia coli. European Journal of Clinical Microbiology and Infectious Diseases, 2014, 33, 983-988.	1.3	22
31	Multiple metabolomics of uropathogenic E. coli reveal different information content in terms of metabolic potential compared to virulence factors. Analyst, The, 2014, 139, 4193-4199.	1.7	16
32	The bacterial skin microbiome in psoriatic arthritis, an unexplored link in pathogenesis: challenges and opportunities offered by recent technological advances. Rheumatology, 2014, 53, 777-784.	0.9	33
33	Galleria mellonella Infection Model Demonstrates High Lethality of ST69 and ST127 Uropathogenic E. coli. PLoS ONE, 2014, 9, e101547.	1.1	59
34	Synthetic epidermicin NIO1 can protect Galleria mellonella larvae from infection with Staphylococcus aureus. Journal of Antimicrobial Chemotherapy, 2013, 68, 2269-73.	1.3	54
35	High-throughput phenotyping of uropathogenic E. coli isolates with Fourier transform infrared spectroscopy. Analyst, The, 2013, 138, 1363.	1.7	24
36	Genome Sequence of Hydrothermal Arsenic-Respiring Bacterium Marinobacter santoriniensis NKSG1 ^T . Genome Announcements, 2013, 1, .	0.8	5

#	Article	IF	Citations
37	The Serum Resistome of a Globally Disseminated Multidrug Resistant Uropathogenic Escherichia coli Clone. PLoS Genetics, 2013, 9, e1003834.	1.5	146
38	International Multicenter Evaluation of the DiversiLab Bacterial Typing System for Escherichia coli and Klebsiella spp Journal of Clinical Microbiology, 2013, 51, 3944-3949.	1.8	9
39	A FimH Inhibitor Prevents Acute Bladder Infection and Treats Chronic Cystitis Caused by Multidrug-Resistant Uropathogenic Escherichia coli ST131. Journal of Infectious Diseases, 2013, 208, 921-928.	1.9	116
40	The antibiofilm effects of Byotrolâ,,¢ G32. Journal of Applied Microbiology, 2013, 114, 1285-1293.	1.4	2
41	High Metabolic Potential May Contribute to the Success of ST131 Uropathogenic Escherichia coli. Journal of Clinical Microbiology, 2012, 50, 3202-3207.	1.8	35
42	Population structure, virulence potential and antibiotic susceptibility of uropathogenic Escherichia coli from Northwest England. Journal of Antimicrobial Chemotherapy, 2012, 67, 346-356.	1.3	161
43	Antimicrobial Peptides as Therapeutic Agents. International Journal of Microbiology, 2012, 2012, 1-2.	0.9	16
44	Escherichia coli-Mediated Impairment of Ureteric Contractility Is Uropathogenic E. coli Specific. Journal of Infectious Diseases, 2012, 206, 1589-1596.	1.9	19
45	Identification, Characterization, and Recombinant Expression of Epidermicin NIO1, a Novel Unmodified Bacteriocin Produced by Staphylococcus epidermidis That Displays Potent Activity against Staphylococci. Antimicrobial Agents and Chemotherapy, 2012, 56, 1539-1547.	1.4	100
46	Enhancement of antibiotic susceptibility of <i>Stenotrophomonas maltophilia </i> using a polyclonal antibody developed against an ABC multidrug efflux pump. Canadian Journal of Microbiology, 2011, 57, 820-828.	0.8	23
47	Novel 5,8-Diazabenzo [c]phenanthrenes: Synthesis and Mutagenicity. Journal of Pharmacy and Pharmacology, 2011, 50, 475-482.	1.2	3
48	Insights into a Multidrug Resistant Escherichia coli Pathogen of the Globally Disseminated ST131 Lineage: Genome Analysis and Virulence Mechanisms. PLoS ONE, 2011, 6, e26578.	1.1	209
49	Identification of a haemolysin-like peptide with antibacterial activity using the draft genome sequence of <i>Staphylococcus epidermidis</i> strain A487. FEMS Immunology and Medical Microbiology, 2011, 62, 273-282.	2.7	5
50	Salivaricin 9, a new lantibiotic produced by Streptococcus salivarius. Microbiology (United Kingdom), 2011, 157, 1290-1299.	0.7	55
51	Discovery and development of lantibiotics; antimicrobial agents that have significant potential for medical application. Expert Opinion on Drug Discovery, 2011, 6, 155-170.	2.5	17
52	Rapid identification of uropathogenic Escherichia coli of the O25:H4-ST131 clonal lineage using the Diversi-Lab repetitive sequence-based PCR system. Clinical Microbiology and Infection, 2010, 16, 232-237.	2.8	31
53	Production of the Bsa Lantibiotic by Community-Acquired <i>Staphylococcus aureus</i> Strains. Journal of Bacteriology, 2010, 192, 1131-1142.	1.0	60
54	Development of a Multiplex Primer Extension Assay for Rapid Detection of <i>Salmonella</i> Isolates of Diverse Serotypes. Journal of Clinical Microbiology, 2010, 48, 1055-1060.	1.8	24

#	Article	IF	Citations
55	Comparison of a semi-automated rep-PCR system and multilocus sequence typing for differentiation of Salmonella enterica isolates. Journal of Microbiological Methods, 2010, 81, 11-16.	0.7	25
56	Purification and characterization of a novel delta-lysin variant that inhibits Staphylococcus aureus and has limited hemolytic activity. Peptides, 2010, 31, 1661-1668.	1.2	15
57	Rapid detection of the O25b-ST131 clone of Escherichia coli encompassing the CTX-M-15-producing strains. Journal of Antimicrobial Chemotherapy, 2009, 64, 274-277.	1.3	328
58	The Terminal A Domain of the Fibrillar Accumulation-Associated Protein (Aap) of <i>Staphylococcus epidermidis</i> Mediates Adhesion to Human Corneocytes. Journal of Bacteriology, 2009, 191, 7007-7016.	1.0	77
59	Molecular cloning and characterization of SmrA, a novel ABC multidrug efflux pump from Stenotrophomonas maltophilia. Journal of Antimicrobial Chemotherapy, 2009, 64, 731-734.	1.3	56
60	Low concentrations of vancomycin stimulate biofilm formation in some clinical isolates of Staphylococcus epidermidis. Journal of Clinical Pathology, 2009, 62, 1112-1116.	1.0	50
61	Application of a novel decontamination process using gaseous ozone. Canadian Journal of Microbiology, 2009, 55, 928-933.	0.8	39
62	Molecular Epidemiology of <i>Campylobacter jejuni</i> Populations in Dairy Cattle, Wildlife, and the Environment in a Farmland Area. Applied and Environmental Microbiology, 2008, 74, 5130-5138.	1.4	56
63	UK epidemic Escherichia coli strains A-E, with CTX-M-15 Â-lactamase, all belong to the international O25:H4-ST131 clone. Journal of Antimicrobial Chemotherapy, 2008, 62, 1241-1244.	1.3	151
64	Longitudinal Study of the Molecular Epidemiology of Campylobacter jejuni in Cattle on Dairy Farms. Applied and Environmental Microbiology, 2008, 74, 3626-3633.	1.4	76
65	Prevalence and distribution of plasmid-mediated quinolone resistance genes in clinical isolates of Escherichia coli lacking extended-spectrum Â-lactamases. Journal of Antimicrobial Chemotherapy, 2008, 62, 1245-1251.	1.3	58
66	Major Uropathogenic <i>Escherichia coli</i> Strain Isolated in the Northwest of England Identified by Multilocus Sequence Typing. Journal of Clinical Microbiology, 2008, 46, 1076-1080.	1.8	159
67	Salivaricin A2 and the Novel Lantibiotic Salivaricin B Are Encoded at Adjacent Loci on a 190-Kilobase Transmissible Megaplasmid in the Oral Probiotic Strain Streptococcus salivarius K12. Applied and Environmental Microbiology, 2007, 73, 1107-1113.	1.4	142
68	Localized Tufts of Fibrils on Staphylococcus epidermidis NCTC 11047 Are Comprised of the Accumulation-Associated Protein. Journal of Bacteriology, 2007, 189, 2793-2804.	1.0	73
69	Production of the Lantibiotic Salivaricin A and Its Variants by Oral Streptococci and Use of a Specific Induction Assay To Detect Their Presence in Human Saliva. Applied and Environmental Microbiology, 2006, 72, 1459-1466.	1.4	104
70	Rapid cost-effective subtyping of meticillin-resistant Staphylococcus aureus by denaturing HPLC. Journal of Medical Microbiology, 2006, 55, 1053-1060.	0.7	13
71	Intra- and Interspecies Signaling between Streptococcus salivarius and Streptococcus pyogenes Mediated by SalA and SalA1 Lantibiotic Peptides. Journal of Bacteriology, 2001, 183, 3931-3938.	1.0	132
72	Combined molecular ecological and confocal laser scanning microscopic analysis of peat bog methanogen populations. FEMS Microbiology Letters, 2000, 193, 275-281.	0.7	28

#	Article	IF	CITATIONS
73	Novel nitrated derivatives of 5,8-diazabenzo[c]phenanthrene and 9,14-diazadibenz[a,e]acephenanthrylene: new classes of potent mutagenic compounds. Mutagenesis, 1999, 14, 587-594.	1.0	3
74	Phylogenetic analysis of peat bog methanogen populations. FEMS Microbiology Letters, 1999, 173, 425-429.	0.7	37
75	Molecular Ecological Analysis of Methanogens and Methanotrophs in Blanket Bog Peat. Microbial Ecology, 1999, 38, 225-233.	1.4	62
76	Analysis of DNA Sequences., 1999,, 119-126.		0
77	Automated Sequencing of DNA Retrieved from Environmental Samples. , 1999, , 109-118.		O
78	Phylogenetic analysis of peat bog methanogen populations. FEMS Microbiology Letters, 1999, 173, 425-429.	0.7	9
79	Micro-ecology of peat: minimally invasive analysis using confocal laser scanning microscopy, membrane inlet mass spectrometry and PCR amplification of methanogen-specific gene sequences. FEMS Microbiology Ecology, 1998, 25, 179-188.	1.3	20
80	Microbiological processes in the terrestrial carbon cycle: methane cycling in peat. Atmospheric Environment, 1998, 32, 3247-3255.	1.9	51
81	Micro-ecology of peat: minimally invasive analysis using confocal laser scanning microscopy, membrane inlet mass spectrometry and PCR amplification of methanogen-specific gene sequences. FEMS Microbiology Ecology, 1998, 25, 179-188.	1.3	9
82	Detection of human commensals in the area around an Antarctic research station. Antarctic Science, 1997, 9, 156-161.	0.5	15
83	Characterisation of Group A Streptococci from Necrotising Fasciitis Cases in Gloucestershire, United Kingdom. Advances in Experimental Medicine and Biology, 1997, 418, 91-93.	0.8	3
84	Genetic heterogeneity of M type 3 group A streptococci causing severe infections in Tayside, Scotland. Journal of Clinical Microbiology, 1996, 34, 196-198.	1.8	24
85	Clonal structure of invasiveStreptococcus pyogenesin Northern Scotland. Epidemiology and Infection, 1995, 115, 231-241.	1.0	25