

Anders Bojesen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9235403/anders-bojesen-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 papers	4,444 citations	33 h-index	64 g-index
64 ext. papers	5,282 ext. citations	7 avg, IF	5.14 L-index

#	Paper	IF	Citations
62	Clinical genetic diagnostics in Danish autosomal dominant polycystic kidney disease patients reveal possible founder variants. <i>European Journal of Medical Genetics</i> , 2021 , 64, 104183	2.6	1
61	Klinefelter syndrome and testosterone treatment: a national cohort study on thrombosis risk. <i>Endocrine Connections</i> , 2020 , 9, 34-43	3.5	15
60	SAT-046 Insulin-Like Growth Factor and Fibroblast Growth Factor 21 in Men with Klinefelter Syndrome. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
59	Testosterone treatment and association with thrombin generation and coagulation inhibition in Klinefelter syndrome: A cross-sectional study. <i>Thrombosis Research</i> , 2019 , 182, 175-181	8.2	11
58	Exploring the hereditary background of renal cancer in Denmark. <i>PLoS ONE</i> , 2019 , 14, e0215725	3.7	5
57	The :p.Arg658* truncating variant is associated with risk of triple-negative breast cancer. <i>Npj Breast Cancer</i> , 2019 , 5, 38	7.8	12
56	A placebo-controlled randomized study with testosterone in Klinefelter syndrome: beneficial effects on body composition. <i>Endocrine Connections</i> , 2019 , 8, 1250-1261	3.5	15
55	Estimating the effect size of the 15Q11.2 BP1-BP2 deletion and its contribution to neurodevelopmental symptoms: recommendations for practice. <i>Journal of Medical Genetics</i> , 2019 , 56, 701-710	5.8	22
54	Anxiety and depression in Klinefelter syndrome: The impact of personality and social engagement. <i>PLoS ONE</i> , 2018 , 13, e0206932	3.7	17
53	DNA hypermethylation and differential gene expression associated with Klinefelter syndrome. <i>Scientific Reports</i> , 2018 , 8, 13740	4.9	52
52	Identification of 12 new susceptibility loci for different histotypes of epithelial ovarian cancer. <i>Nature Genetics</i> , 2017 , 49, 680-691	36.3	190
51	The role of genes, intelligence, personality, and social engagement in cognitive performance in Klinefelter syndrome. <i>Brain and Behavior</i> , 2017 , 7, e00645	3.4	16
50	Identification of ten variants associated with risk of estrogen-receptor-negative breast cancer. <i>Nature Genetics</i> , 2017 , 49, 1767-1778	36.3	186
49	Prediction of Breast and Prostate Cancer Risks in Male BRCA1 and BRCA2 Mutation Carriers Using Polygenic Risk Scores. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2240-2250	2.2	101
48	No clinical utility of KRAS variant rs61764370 for ovarian or breast cancer. <i>Gynecologic Oncology</i> , 2016 , 141, 386-401	4.9	15
47	Functional mechanisms underlying pleiotropic risk alleles at the 19p13.1 breast-ovarian cancer susceptibility locus. <i>Nature Communications</i> , 2016 , 7, 12675	17.4	53
46	Klinefelter syndrome has increased brain responses to auditory stimuli and motor output, but not to visual stimuli or Stroop adaptation. <i>NeuroImage: Clinical</i> , 2016 , 11, 239-251	5.3	10

45	Breast cancer risk variants at 6q25 display different phenotype associations and regulate ESR1, RMND1 and CCDC170. <i>Nature Genetics</i> , 2016 , 48, 374-86	36.3	93
44	Microarray-Based Analysis of Methylation of 1st Trimester Trisomic Placentas from Down Syndrome, Edwards Syndrome and Patau Syndrome. <i>PLoS ONE</i> , 2016 , 11, e0160319	3.7	14
43	Fine-Scale Mapping at 9p22.2 Identifies Candidate Causal Variants That Modify Ovarian Cancer Risk in BRCA1 and BRCA2 Mutation Carriers. <i>PLoS ONE</i> , 2016 , 11, e0158801	3.7	7
42	JP-HHT phenotype in Danish patients with SMAD4 mutations. <i>Clinical Genetics</i> , 2016 , 90, 55-62	4	21
41	Disease pattern in Danish patients with Peutz-Jeghers syndrome. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 997-1004	3	9
40	Germline variants in Hamartomatous Polyposis Syndrome-associated genes from patients with one or few hamartomatous polyps. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1118-25	2.4	3
39	Post-mortem testing; germline BRCA1/2 variant detection using archival FFPE non-tumor tissue. A new paradigm in genetic counseling. <i>European Journal of Human Genetics</i> , 2016 , 24, 1104-11	5.3	7
38	Male breast cancer in BRCA1 and BRCA2 mutation carriers: pathology data from the Consortium of Investigators of Modifiers of BRCA1/2. <i>Breast Cancer Research</i> , 2016 , 18, 15	8.3	58
37	Identification of six new susceptibility loci for invasive epithelial ovarian cancer. <i>Nature Genetics</i> , 2015 , 47, 164-71	36.3	177
36	Association of type and location of BRCA1 and BRCA2 mutations with risk of breast and ovarian cancer. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1347-61	27.4	286
35	Anthropometry in Klinefelter Syndrome - Multifactorial Influences Due to CAG Length, Testosterone Treatment and Possibly Intrauterine Hypogonadism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E508-E517	5.6	77
34	Candidate genetic modifiers for breast and ovarian cancer risk in BRCA1 and BRCA2 mutation carriers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 308-16	4	20
33	Assessing associations between the AURKA-HMMR-TPX2-TUBG1 functional module and breast cancer risk in BRCA1/2 mutation carriers. <i>PLoS ONE</i> , 2015 , 10, e0120020	3.7	26
32	Short QTc interval in males with klinefelter syndrome-influence of CAG repeat length, body composition, and testosterone replacement therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 472-82	1.6	34
31	Molecular characterization of melanoma cases in Denmark suspected of genetic predisposition. <i>PLoS ONE</i> , 2015 , 10, e0122662	3.7	16
30	Microarray-Based Analysis of Methylation Status of CpGs in Placental DNA and Maternal Blood DNA--Potential New Epigenetic Biomarkers for Cell Free Fetal DNA-Based Diagnosis. <i>PLoS ONE</i> , 2015 , 10, e0128918	3.7	16
29	Targeted prostate cancer screening in BRCA1 and BRCA2 mutation carriers: results from the initial screening round of the IMPACT study. <i>European Urology</i> , 2014 , 66, 489-99	10.2	156
28	Neuropsychology and brain morphology in Klinefelter syndrome - the impact of genetics. <i>Andrology</i> , 2014 , 2, 632-40	4.2	32

27	Heterogenous mismatch-repair status in colorectal cancer. <i>Diagnostic Pathology</i> , 2014 , 9, 126	3	50
26	Neuroanatomical correlates of Klinefelter syndrome studied in relation to the neuropsychological profile. <i>NeuroImage: Clinical</i> , 2014 , 4, 1-9	5.3	47
25	The role of hypogonadism in Klinefelter syndrome. <i>Asian Journal of Andrology</i> , 2014 , 16, 185-91	2.8	43
24	DNA glycosylases involved in base excision repair may be associated with cancer risk in BRCA1 and BRCA2 mutation carriers. <i>PLoS Genetics</i> , 2014 , 10, e1004256	6	33
23	Low INSL3 in Klinefelter syndrome is related to osteocalcin, testosterone treatment and body composition, as well as measures of the hypothalamic-pituitary-gonadal axis. <i>Andrology</i> , 2014 , 2, 421-7	4.2	25
22	Associations of common breast cancer susceptibility alleles with risk of breast cancer subtypes in BRCA1 and BRCA2 mutation carriers. <i>Breast Cancer Research</i> , 2014 , 16, 3416	8.3	46
21	Clinical review: Klinefelter syndrome--a clinical update. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 20-30	5.6	282
20	The macrophage low-grade inflammation marker sCD163 is modulated by exogenous sex steroids. <i>Endocrine Connections</i> , 2013 , 2, 216-24	3.5	10
19	A BAP1 mutation in a Danish family predisposes to uveal melanoma and other cancers. <i>PLoS ONE</i> , 2013 , 8, e72144	3.7	48
18	Criminality in men with Klinefelter syndrome and XYY syndrome: a cohort study. <i>BMJ Open</i> , 2012 , 2, e000650	3	46
17	Genotype and phenotype in Klinefelter syndrome - impact of androgen receptor polymorphism and skewed X inactivation. <i>Journal of Developmental and Physical Disabilities</i> , 2011 , 34, e642-8		51
16	Body composition, metabolic syndrome and type 2 diabetes in Klinefelter syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 871-7	3.1	54
15	Morbidity and mortality in Klinefelter syndrome (47,XXY). <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011 , 100, 807-13	3.1	62
14	Bone mineral density in Klinefelter syndrome is reduced and primarily determined by muscle strength and resorptive markers, but not directly by testosterone. <i>Osteoporosis International</i> , 2011 , 22, 1441-50	5.3	57
13	Socioeconomic trajectories affect mortality in Klinefelter syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2098-104	5.6	52
12	Effect of sex hormone treatment on circulating adiponectin and subforms in Turner and Klinefelter syndrome. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 211-9	4.6	22
11	Klinefelter syndrome, type 2 diabetes and the metabolic syndrome: the impact of body composition. <i>Molecular Human Reproduction</i> , 2010 , 16, 396-401	4.4	76
10	Increased number of sex chromosomes affects height in a nonlinear fashion: a study of 305 patients with sex chromosome aneuploidy. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 1206-12	2.5	127

9	Hypothyroidism secondary to hypothalamic-pituitary dysfunction may be part of the phenotype in klinefelter syndrome: a case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2478-81	5.6	23
8	Left ventricular dysfunction in Klinefelter syndrome is associated to insulin resistance, abdominal adiposity and hypogonadism. <i>Clinical Endocrinology</i> , 2008 , 69, 785-91	3.4	35
7	Glycemia, lipidemia and systolic left ventricular function evaluated by myocardial strain rate: a tissue Doppler echocardiographic study. <i>Ultrasound in Medicine and Biology</i> , 2008 , 34, 151-4	3.5	9
6	Klinefelter syndrome in clinical practice. <i>Nature Reviews Urology</i> , 2007 , 4, 192-204		180
5	Morbidity in Klinefelter syndrome: a Danish register study based on hospital discharge diagnoses. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1254-60	5.6	229
4	The metabolic syndrome is frequent in Klinefelter syndrome and is associated with abdominal obesity and hypogonadism. <i>Diabetes Care</i> , 2006 , 29, 1591-8	14.6	230
3	Multiple mealtime administration of biphasic insulin aspart 30 versus traditional basal-bolus human insulin treatment in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2006 , 8, 682-9	6.7	15
2	Increased mortality in Klinefelter syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 3830-4	5.6	140
1	Prenatal and postnatal prevalence of Klinefelter syndrome: a national registry study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 622-6	5.6	597