

# Amparo Borrell

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9236662/publications.pdf>

Version: 2024-02-01

86  
papers

1,390  
citations

304368

22  
h-index

395343

33  
g-index

88  
all docs

88  
docs citations

88  
times ranked

1308  
citing authors

#	ARTICLE	IF	CITATIONS
1	Microwave sintering study of strontium-doped lanthanum manganite in a single-mode microwave with electric and magnetic field at 2.45 GHz. <i>Journal of the European Ceramic Society</i> , 2022, 42, 5624-5630.	2.8	10
2	Effect of Microwave-Assisted Synthesis and Sintering of Lead-Free KNL-NTS Ceramics. <i>Materials</i> , 2022, 15, 3773.	1.3	2
3	Microstructure and mechanical properties of 4YTZP-SiC composites obtained through colloidal processing and Spark Plasma Sintering. <i>Boletín De La Sociedad Española De Cerámica Y Vidrio</i> , 2021, 60, 175-182.	0.9	5
4	Influence of SiC Addition on Mechanical Behavior of Thermal Barriers with the Aid of Acoustic Emission. <i>Journal of Composites Science</i> , 2021, 5, 16.	1.4	0
5	Modification of the Properties of Al <sub>2</sub> O <sub>3</sub> /TZ-3YS Thermal Barrier Coating by the Addition of Silicon Carbide Particles and Fructose. <i>Coatings</i> , 2021, 11, 387.	1.2	3
6	Effect of synthesis and sintering temperatures on K <sub>0.5</sub> Na <sub>0.5</sub> NbO <sub>3</sub> lead-free piezoelectric ceramics by microwave heating. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 15279-15290.	1.1	2
7	Fabrication and characterization of Nb <sub>2</sub> O <sub>5</sub> -doped 3Y-TZP materials sintered by microwave technology. <i>International Journal of Applied Ceramic Technology</i> , 2021, 18, 2033.	1.1	1
8	A novel study of the effect of temperature on the crystal structure of lithium aluminosilicate materials. <i>Open Ceramics</i> , 2021, 7, 100169.	1.0	0
9	Dielectric, mechanical and thermal properties of ZrO <sub>2</sub> -TiO <sub>2</sub> materials obtained by microwave sintering at low temperature. <i>Ceramics International</i> , 2021, 47, 27334-27341.	2.3	12
10	Tribological behavior of TZ4YS-MoSi <sub>2</sub> composites obtained by Spark Plasma Sintering. <i>Journal of the European Ceramic Society</i> , 2021, 41, 7155-7163.	2.8	2
11	Synthesis and processing of improved graphite-molybdenum-titanium composites by colloidal route and spark plasma sintering. <i>Ceramics International</i> , 2021, 47, 30993-30998.	2.3	8
12	Study of colored on the microwave sintering behavior of dental zirconia ceramics. <i>Journal of Asian Ceramic Societies</i> , 2021, 9, 188-196.	1.0	1
13	Tribological and wear behaviour of alumina toughened zirconia nanocomposites obtained by pressureless rapid microwave sintering. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2020, 101, 103415.	1.5	28
14	Effect of frequency on MW assisted sintering: 2.45 GHz versus 5.8 GHz. <i>International Journal of Applied Electromagnetics and Mechanics</i> , 2020, 63, S149-S154.	0.3	0
15	Study of Microwave Heating Effect in the Behaviour of Graphene as Second Phase in Ceramic Composites. <i>Materials</i> , 2020, 13, 1119.	1.3	7
16	Synthesis and sintering at low temperature of a new nanostructured beta-Eucryptite dense compact by spark plasma sintering. <i>Ceramics International</i> , 2020, 46, 18469-18477.	2.3	6
17	Microstructure and mechanical properties of 5.8 GHz microwave-sintered ZrO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> ceramics. <i>Ceramics International</i> , 2019, 45, 18059-18064.	2.3	16
18	Influence of relative humidity and low temperature hydrothermal degradation on fretting wear of Y-TZP dental ceramics. <i>Wear</i> , 2019, 428-429, 1-9.	1.5	4

#	ARTICLE	IF	CITATIONS
19	Dry sliding wear behavior of 3Y-TZP /Al <sub>2</sub> O <sub>3</sub> -NbC nanocomposites produced by conventional sintering and spark plasma sintering. International Journal of Applied Ceramic Technology, 2019, 16, 1265-1273.	1.1	2
20	From freeze-dried precursors to microwave sintered Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> composites. Processing and Application of Ceramics, 2019, 13, 157-163.	0.4	0
21	Molten salt attack on multilayer and functionally-graded YSZ coatings. Ceramics International, 2018, 44, 12634-12641.	2.3	10
22	Microwave-assisted solution synthesis, microwave sintering and magnetic properties of cobalt ferrite. Journal of the European Ceramic Society, 2018, 38, 2360-2368.	2.8	63
23	Effect of Al <sub>2</sub> O <sub>3</sub> -NbC nanopowder incorporation on the mechanical properties of 3Y-TZP/Al <sub>2</sub> O <sub>3</sub> -NbC nanocomposites obtained by conventional and spark plasma sintering. Ceramics International, 2018, 44, 2504-2509.	2.3	3
24	Wear behavior of conventional and spark plasma sintered Al <sub>2</sub> O <sub>3</sub> -NbC nanocomposites. International Journal of Applied Ceramic Technology, 2018, 15, 418-425.	1.1	4
25	Advanced Ceramic Materials Sintered by Microwave Technology. , 2018, , .		14
26	Effects of microwave sintering in aging resistance of zirconia-based ceramics. Chemical Engineering and Processing: Process Intensification, 2017, 122, 404-412.	1.8	24
27	Thermal behaviour of multilayer and functionally-graded YSZ/Gd <sub>2</sub> Zr <sub>2</sub> O <sub>7</sub> coatings. Ceramics International, 2017, 43, 4048-4054.	2.3	56
28	Investigation of deformation behavior and fracture of ceramic coatings by the acoustic emission method. Journal of Machinery Manufacture and Reliability, 2017, 46, 174-180.	0.1	0
29	Properties of LZS/nanoAl <sub>2</sub> O <sub>3</sub> glass-ceramic composites. Journal of Alloys and Compounds, 2017, 710, 567-574.	2.8	28
30	LZS/Al <sub>2</sub> O <sub>3</sub> nanostructured composites obtained by colloidal processing and spark plasma sintering. Journal of the European Ceramic Society, 2017, 37, 5139-5148.	2.8	5
31	Fretting fatigue wear behavior of Y-TZP dental ceramics processed by nonconventional microwave sintering. Journal of the American Ceramic Society, 2017, 100, 1842-1852.	1.9	9
32	Sliding wear behavior of Al <sub>2</sub> O <sub>3</sub> -NbC composites obtained by conventional and nonconventional techniques. Tribology International, 2017, 110, 216-221.	3.0	13
33	Impact of microwave processing on porcelain microstructure. Ceramics International, 2017, 43, 13765-13771.	2.3	15
34	Effect of reinforcement NbC phase on the mechanical properties of Al <sub>2</sub> O <sub>3</sub> -NbC nanocomposites obtained by spark plasma sintering. International Journal of Refractory Metals and Hard Materials, 2017, 64, 255-260.	1.7	14
35	LZS/Al <sub>2</sub> O <sub>3</sub> Glass-Ceramic Composites Sintered by Fast Firing. Materials Research, 2017, 20, 84-91.	0.6	3
36	Alumina-zirconia coatings obtained by suspension plasma spraying from highly concentrated aqueous suspensions. Surface and Coatings Technology, 2016, 307, 713-719.	2.2	19

#	ARTICLE	IF	CITATIONS
37	Colloidal processing of fully stabilized zirconia laminates comprising graphene oxide-enriched layers. <i>Journal of the European Ceramic Society</i> , 2016, 36, 1797-1804.	2.8	26
38	Effect of sintering technology in $\hat{I}^2$ -eucryptite ceramics: Influence on fatigue life and effect of microcracks. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 651, 668-674.	2.6	27
39	Effect of graphene and CNFs addition on the mechanical and electrical properties of dense alumina-toughened zirconia composites. <i>Ceramics International</i> , 2016, 42, 1105-1113.	2.3	15
40	Hydrothermal Degradation Behavior of $\hat{I}^2$ -TZP Ceramics Sintered by Nonconventional Microwave Technology. <i>Journal of the American Ceramic Society</i> , 2015, 98, 3680-3689.	1.9	13
41	Functionalization of Carbon Nanofibres Obtained by Floating Catalyst Method. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-7.	1.5	5
42	Effect of microwave sintering on microstructure and mechanical properties in Y-TZP materials used for dental applications. <i>Ceramics International</i> , 2015, 41, 7125-7132.	2.3	51
43	High thermal stability of microwave sintered low- $\hat{I}^2$ $\hat{I}^2$ -eucryptite materials. <i>Ceramics International</i> , 2015, 41, 13817-13822.	2.3	9
44	Fast route to obtain Al <sub>2</sub> O <sub>3</sub> -based nanocomposites employing graphene oxide: Synthesis and sintering. <i>Materials Research Bulletin</i> , 2015, 64, 245-251.	2.7	19
45	Effect of particle size distribution of suspension feedstock on the microstructure and mechanical properties of suspension plasma spraying YSZ coatings. <i>Surface and Coatings Technology</i> , 2015, 268, 293-297.	2.2	38
46	Microwave, Spark Plasma and Conventional Sintering to Obtain Controlled Thermal Expansion $\hat{I}^2$ -Eucryptite Materials. <i>International Journal of Applied Ceramic Technology</i> , 2015, 12, E187.	1.1	23
47	Microstructure and mechanical properties of plasma spraying coatings from YSZ feedstocks comprising nano- and submicron-sized particles. <i>Ceramics International</i> , 2015, 41, 4108-4117.	2.3	30
48	Mechanical Characterization of Conventional and Non-Conventional Sintering Methods of Commercial and Lab-Synthesized Y-TZP Zirconia for Dental Applications. <i>Advances in Science and Technology</i> , 2014, 87, 151-156.	0.2	0
49	Microwave Technique: An Innovated Method for Sintering $\hat{I}^2$ -Eucryptite Ceramic Materials. <i>Advances in Science and Technology</i> , 2014, 88, 43-48.	0.2	2
50	Fabrication of near-zero thermal expansion of fully dense $\hat{I}^2$ -eucryptite ceramics by microwave sintering. <i>Ceramics International</i> , 2014, 40, 935-941.	2.3	32
51	Mechanical properties and microstructural evolution of alumina-zirconia nanocomposites by microwave sintering. <i>Ceramics International</i> , 2014, 40, 11291-11297.	2.3	64
52	Al <sub>2</sub> O <sub>3</sub> -3YTZP-Graphene multilayers produced by tape casting and spark plasma sintering. <i>Journal of the European Ceramic Society</i> , 2014, 34, 2427-2434.	2.8	27
53	ZrTiO <sub>4</sub> materials obtained by spark plasma reaction-sintering. <i>Composites Part B: Engineering</i> , 2014, 56, 330-335.	5.9	8
54	Control System Design by Multicriteria Selection in Microwave Sintering Processes. <i>IFAC Postprint Volumes IPPV / International Federation of Automatic Control</i> , 2014, 47, 8528-8533.	0.4	0

#	ARTICLE	IF	CITATIONS
55	Microwave Technique: A Powerful Tool for Sintering Ceramic Materials. <i>Current Nanoscience</i> , 2014, 10, 32-35.	0.7	15
56	Propiedades mecánicas y coeficiente de dilatación térmica de la $\beta$ -eucryptita sinterizada por la técnica de microondas. <i>Boletín De La Sociedad Española De Cerámica Y Vidrio</i> , 2014, 53, 133-138.	0.9	1
57	Influencia de los parámetros de proyección por plasma atmosférico en recubrimientos de YSZ obtenidos a partir de polvos micro y nanoestructurados. <i>Boletín De La Sociedad Española De Cerámica Y Vidrio</i> , 2014, 53, 162-170.	0.9	4
58	Microwave Sintering of Zirconia Materials: Mechanical and Microstructural Properties. <i>International Journal of Applied Ceramic Technology</i> , 2013, 10, 313-320.	1.1	52
59	Correlation of thermal conductivity of suspension plasma sprayed yttria stabilized zirconia coatings with some microstructural effects. <i>Materials Letters</i> , 2013, 107, 370-373.	1.3	33
60	Microstructure and mechanical effects of spark plasma sintering in alumina monolithic ceramics. <i>Scripta Materialia</i> , 2013, 68, 603-606.	2.6	18
61	Adaptive microwave system for optimum new material sintering. , 2013, , .		2
62	EPD and spark plasma sintering of bimodal alumina/titania concentrated suspensions. <i>Journal of Alloys and Compounds</i> , 2013, 577, 195-202.	2.8	4
63	Microstructure and photocatalytic activity of APS coatings obtained from different TiO <sub>2</sub> nanopowders. <i>Surface and Coatings Technology</i> , 2013, 220, 179-186.	2.2	17
64	Sliding wear behavior of WC-Co-Cr <sub>3</sub> C <sub>2</sub> -VC composites fabricated by conventional and non-conventional techniques. <i>Wear</i> , 2013, 307, 60-67.	1.5	28
65	Enhanced properties of alumina-aluminium titanate composites obtained by spark plasma reaction-sintering of slip cast green bodies. <i>Composites Part B: Engineering</i> , 2013, 47, 255-259.	5.9	29
66	Lithium aluminosilicate reinforced with carbon nanofiber and alumina for controlled-thermal-expansion materials. <i>Science and Technology of Advanced Materials</i> , 2012, 13, 015007.	2.8	12
67	Effect of carbon nanofibers content on thermal properties of ceramic nanocomposites. <i>Journal of Composite Materials</i> , 2012, 46, 1229-1234.	1.2	9
68	Bulk TiC <sub>x</sub> N <sub>1-x</sub> ~15%Co cermets obtained by direct spark plasma sintering of mechanochemical synthesized powders. <i>Materials Research Bulletin</i> , 2012, 47, 4487-4490.	2.7	12
69	Improvement of CNFs/SiC nanocomposite properties obtained from different routes and consolidated by pulsed electric-current pressure sintering. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 556, 414-419.	2.6	3
70	Alumina-Carbon Nanofibers Nanocomposites Obtained by Spark Plasma Sintering for Proton Exchange Membrane Fuel Cell Bipolar Plates. <i>Fuel Cells</i> , 2012, 12, 599-605.	1.5	9
71	Improvement of microstructural properties of 3Y-TZP materials by conventional and non-conventional sintering techniques. <i>Ceramics International</i> , 2012, 38, 39-43.	2.3	38
72	Fabrication of C/SiC composites by combining liquid infiltration process and spark plasma sintering technique. <i>Ceramics International</i> , 2012, 38, 2171-2175.	2.3	23

#	ARTICLE	IF	CITATIONS
73	Microstructural design for mechanical and electrical properties of spark plasma sintered Al <sub>2</sub> O <sub>3</sub> -SiC nanocomposites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 534, 693-698.	2.6	21
74	Spark plasma sintering of Ti <sub>y</sub> Nb <sub>1-y</sub> C <sub>x</sub> N <sub>1-x</sub> monolithic ceramics obtained by mechanically induced self-sustaining reaction. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2012, 543, 173-179.	2.6	20
75	Effect of CNFs content on the tribological behaviour of spark plasma sintering ceramic-CNFs composites. Wear, 2012, 274-275, 94-99.	1.5	33
76	Improvement of Carbon Nanofibers/ZrO <sub>2</sub> Composites Properties with a Zirconia Nanocoating on Carbon Nanofibers by Sol-Gel Method. Journal of the American Ceramic Society, 2011, 94, 2048-2052.	1.9	14
77	Fabrication of full density near-nanostructured cemented carbides by combination of VC/Cr <sub>3</sub> C <sub>2</sub> addition and consolidation by SPS and HIP technologies. International Journal of Refractory Metals and Hard Materials, 2011, 29, 202-208.	1.7	64
78	Microstructural control of ultrafine and nanocrystalline WC-12Co-VC/Cr <sub>3</sub> C <sub>2</sub> mixture by spark plasma sintering. Ceramics International, 2011, 37, 1139-1142.	2.3	59
79	Surface coating on carbon nanofibers with alumina precursor by different synthesis routes. Composites Science and Technology, 2011, 71, 18-22.	3.8	21
80	Alumina reinforced eucryptite ceramics: Very low thermal expansion material with improved mechanical properties. Journal of the European Ceramic Society, 2011, 31, 1641-1648.	2.8	42
81	Propiedades mecánicas y tribológicas de materiales nanoestructurados de carburo de silicio/nanofibras de carbono. Boletín De La Sociedad Española De Cerámica Y Vidrio, 2011, 50, 109-116.	0.9	1
82	Spark Plasma Sintering of Ultrafine TiC <sub>x</sub> N <sub>1-x</sub> Powders Synthesized by a Mechanically Induced Self-Sustaining Reaction. Journal of the American Ceramic Society, 2010, 93, 2252-2256.	1.9	13
83	High density carbon materials obtained at relatively low temperature by spark plasma sintering of carbon nanofibers. International Journal of Materials Research, 2010, 101, 112-116.	0.1	14
84	LOW TEMPERATURE DEGRADATION BEHAVIOUR OF 10Ce-TZP/Al <sub>2</sub> O <sub>3</sub> BIOCERAMICS OBTAINED BY MICROWAVE SINTERING TECHNOLOGY. , 0, , .		1
85	Comparison in mechanical properties of zirconium titanate (ZrTiO <sub>4</sub> ) synthesized by alternative routes and sintered by microwave (MW). , 0, , .		0
86	Design and Development of Zirconia-Alumina Bioceramics Obtained at Low Temperature through Eco-Friendly Technology. , 0, , .		0