
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9236701/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inhibition of CYP2D6 with low dose (5 mg) paroxetine in patients with high 10â€hydroxynortriptyline serum levelsâ€A prospective pharmacokinetic study. British Journal of Clinical Pharmacology, 2021, 87, 1529-1532.	2.4	2
2	Pharmacological management of osteoporosis in nursing home residents: the Shelter study. Maturitas, 2021, 143, 184-189.	2.4	3
3	Psychotropic drug prescription rates in primary care for people with dementia from recorded diagnosis onwards. International Journal of Geriatric Psychiatry, 2021, 36, 443-451.	2.7	5
4	Body weight gain in clozapineâ€ŧreated patients: Is norclozapine the culprit?. British Journal of Clinical Pharmacology, 2021, , .	2.4	6
5	Effect of multidose drug dispensing on the time in therapeutic range in patients using vitaminâ€K antagonists: A randomized controlled trial. Journal of Thrombosis and Haemostasis, 2020, 18, 70-78.	3.8	3
6	Underrepresentation of the elderly in clinical trials, time for action. British Journal of Clinical Pharmacology, 2020, 86, 2014-2016.	2.4	58
7	Safety of clozapine use during pregnancy: Analysis of international pharmacovigilance data. Pharmacoepidemiology and Drug Safety, 2020, 29, 725-735.	1.9	13
8	Immediate or deferred adjustment of drug regimens in multidose drug dispensing systems. Research in Social and Administrative Pharmacy, 2019, 15, 303-309.	3.0	4
9	Priority Setting in Improving Hospital Care for Older Patients Using Clinical Decision Support. Journal of the American Medical Directors Association, 2019, 20, 1045-1047.	2.5	6
10	Conversion of STOPP/START version 2 into coded algorithms for software implementation: A multidisciplinary consensus procedure. International Journal of Medical Informatics, 2019, 125, 110-117.	3.3	27
11	Association of polypharmacy and hyperpolypharmacy with frailty states: a systematic review and meta-analysis. European Geriatric Medicine, 2019, 10, 9-36.	2.8	79
12	Patients' experiences with multidose drug dispensing: a cross sectional study. International Journal of Clinical Pharmacy, 2019, 41, 104-112.	2.1	9
13	Haloperidol versus placebo for delirium prevention in acutely hospitalised older at risk patients: a multi-centre double-blind randomised controlled clinical trial. Age and Ageing, 2018, 47, 48-55.	1.6	38
14	Prevalence of correct anti-Xa levels in renally impaired patients who are on therapeutic nadroparin. European Journal of Clinical Pharmacology, 2018, 74, 139-140.	1.9	1
15	The <scp>S</scp> ystematic <scp>T</scp> ool to <scp>R</scp> educe <scp>I</scp> nappropriate <scp>P</scp> rescribing (<scp>STRIP</scp>): Combining implicit and explicit prescribing tools to improve appropriate prescribing. Journal of Evaluation in Clinical Practice, 2018, 24, 317-322.	1.8	47
16	Deprescribing in Newly Admitted Psychogeriatric Nursing Facility Patients. The Consultant Pharmacist, 2018, 33, 331-338.	0.4	3
17	Predicting Unsuccessful Clozapine Treatment After First Use in Adult Patients With Psychotic Disorders. Journal of Clinical Psychopharmacology, 2018, 38, 604-608.	1.4	3
18	Diagnostic performance of Elecsys immunoassays for cerebrospinal fluid Alzheimer's disease biomarkers in a nonacademic, multicenter memory clinic cohort: The ABIDE project. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 563-572.	2.4	52

#	Article	IF	CITATIONS
19	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. Journal of Clinical Psychopharmacology, 2018, 38, 51-54.	1.4	3
20	Are multidose drug dispensing systems initiated for the appropriate patients?. European Journal of Clinical Pharmacology, 2018, 74, 1159-1164.	1.9	9
21	Association Between Urinary Tract Infections and Antipsychotic Drug Use in Older Adults. Journal of Clinical Psychopharmacology, 2018, 38, 296-301.	1.4	10
22	Inhibition of CYP2D6 with low dose (5Âmg) paroxetine in patients with high 10â€hydroxynortriptyline serum levels – a review of routine practice. British Journal of Clinical Pharmacology, 2017, 83, 1149-1151.	2.4	4
23	Antipsychotic drug use associated with urinary tract infections in older women. Maturitas, 2017, 98, 46-50.	2.4	12
24	Polypharmacy in Nursing Home Residents with Dementia. , 2017, , 123-137.		0
25	Prevalence of Preventive Cardiovascular Medication Use In Nursing Home Residents. Room for Deprescribing? The SHELTER Study. Journal of the American Medical Directors Association, 2017, 18, 1037-1042.	2.5	9
26	Haloperidol Does Not Activate Thrombogenic Factors in Older, Nonpsychotic Hospitalized Patients. Journal of Clinical Psychopharmacology, 2017, 37, 487-488.	1.4	0
27	Usual care and management of fall risk increasing drugs in older dizzy patients in Dutch general practice. Scandinavian Journal of Primary Health Care, 2016, 34, 165-171.	1.5	22
28	Advanced Age and Female Sex As Risk Factors for High Anion Gap Metabolic Acidosis After a Drug Interaction Between Paracetamol and Flucloxacillin: A Case Series. Journal of the American Geriatrics Society, 2016, 64, e90-e93.	2.6	10
29	Adherence with Dosing Guideline in Patients with Impaired Renal Function at Hospital Discharge. PLoS ONE, 2015, 10, e0128237.	2.5	30
30	Fluctuation of the renal function after discharge from hospital and its effects on drug dosing in elderly patients – study protocol. BMC Nephrology, 2015, 16, 95.	1.8	4
31	Treatment with rivastigmine or galantamine and risk of urinary incontinence: results from a Dutch database study. Pharmacoepidemiology and Drug Safety, 2015, 24, 276-285.	1.9	23
32	Effects and cost-effectiveness of pharmacogenetic screening for CYP2D6 among older adults starting therapy with nortriptyline or venlafaxine: study protocol for a pragmatic randomized controlled trial (CYSCEtrial). Trials, 2015, 16, 37.	1.6	14
33	Mild chronic kidney disease is associated with cognitive function in patients presenting at a memory clinic. International Journal of Geriatric Psychiatry, 2015, 30, 758-765.	2.7	12
34	Reversible Dementia: Two Nursing Home Patients With Voltage-Gated Potassium Channel Antibody-Associated Limbic Encephalitis. Journal of the American Medical Directors Association, 2015, 16, 790-794.	2.5	6
35	Rating scales to measure side effects of antipsychotic medication: A systematic review. Journal of Psychopharmacology, 2015, 29, 857-866.	4.0	31
36	Adverse Drug Reactions Reported With Cholinesterase Inhibitors. Annals of Pharmacotherapy, 2015, 49, 1197-1206.	1.9	36

#	Article	IF	CITATIONS
37	Effect of a Transitional Pharmaceutical Care Intervention at Hospital Discharge on Registration of Changes in Medication Regimens in Primary Care. Journal of the American Geriatrics Society, 2014, 62, 565-567.	2.6	3
38	Efficacy and safety of haloperidol prophylaxis for delirium prevention in older medical and surgical at-risk patients acutely admitted to hospital through the emergency department: study protocol of a multicenter, randomised, double-blind, placebo-controlled clinical trial. BMC Geriatrics, 2014, 14, 96.	2.7	24
39	Correlation of Haloperidol Concentration in Blood and Cerebrospinal Fluid. Journal of Clinical Psychopharmacology, 2014, 34, 516-517.	1.4	3
40	Variability between nursing homes in prevalence of antipsychotic use in patients with dementia. International Psychogeriatrics, 2014, 26, 363-371.	1.0	37
41	Specifying ICD9, ICPC and ATC codes for the STOPP/START criteria: a multidisciplinary consensus panel. Age and Ageing, 2014, 43, 773-778.	1.6	19
42	Renal function assessment in older adults. British Journal of Clinical Pharmacology, 2013, 76, n/a-n/a.	2.4	39
43	Prevalence of hyponatremia on geriatric wards compared to other settings over four decades: A systematic review. Ageing Research Reviews, 2013, 12, 165-173.	10.9	66
44	Psychotropic medications, including short acting benzodiazepines, strongly increase the frequency of falls in elderly. Maturitas, 2013, 74, 357-362.	2.4	71
45	Characteristics, prevalence, risk factors, and underlying mechanism of hyponatremia in elderly patients treated with antidepressants: A cross-sectional study. Maturitas, 2013, 76, 357-363.	2.4	44
46	Genetic Variation and the Risk of Haloperidol-Related Parkinsonism in Elderly Patients. Journal of Clinical Psychopharmacology, 2013, 33, 405-410.	1.4	12
47	Systems that prevent unwanted represcription of drugs withdrawn because of adverse drug events: a systematic review. Therapeutic Advances in Drug Safety, 2013, 4, 73-90.	2.4	23
48	Effect of a Discharge Medication Intervention on the Incidence and Nature of Medication Discrepancies in Older Adults. Journal of the American Geriatrics Society, 2013, 61, 456-458.	2.6	5
49	Risk of acute coronary syndrome in elderly users of antipsychotic drugs: a nested case-control study. Heart, 2012, 98, 1166-1171.	2.9	9
50	Parkinsonism in Elderly Users of Haloperidol. Journal of Clinical Psychopharmacology, 2012, 32, 688-693.	1.4	12
51	Reasons to Prescribe Antipsychotics for the Behavioral Symptoms of Dementia: A Survey in Dutch Nursing Homes Among Physicians, Nurses, and Family Caregivers. Journal of the American Medical Directors Association, 2012, 13, 80.e1-80.e6.	2.5	63
52	Quality of Life of Elderly Patients With Antipsychotic-Induced Parkinsonism: A Cross-Sectional Study. Journal of the American Medical Directors Association, 2012, 13, 82.e1-82.e5.	2.5	10
53	Use of Rivastigmine or Galantamine and Risk of Adverse Cardiac Events: A Database Study from the Netherlands. American Journal of Geriatric Pharmacotherapy, 2012, 10, 373-380.	3.0	15
54	An Electronic System to Document Reasons for Medication Discontinuation and to Flag Unwanted Represcriptions in Geriatric Patients. Drugs and Aging, 2012, 29, 957-962.	2.7	8

#	Article	IF	CITATIONS
55	The Authors' Reply. Drug Safety, 2011, 34, 354-355.	3.2	0
56	Criteria for Drug Selection in Frail Elderly Persons. Drugs and Aging, 2011, 28, 391-402.	2.7	23
57	POLYPHARMACY AND UNDERPRESCRIBING IN OLDER ADULTS: RATIONAL UNDERPRESCRIBING BY GENERAL PRACTITIONERS. Journal of the American Geriatrics Society, 2011, 59, 1750-1752.	2.6	11
58	Structured History Taking of Medication Use Reveals latrogenic Harm Due to Discrepancies in Medication Histories in Hospital and Pharmacy Records. Journal of the American Geriatrics Society, 2011, 59, 1976-1977.	2.6	43
59	Routine Use of the Confusion Assessment Method for the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 340-344.	5.6	1,318
60	Systematic Evaluation of Rating Scales for Drug-Induced Parkinsonism and Recommendations for Future Research. Journal of Clinical Psychopharmacology, 2010, 30, 57-63.	1.4	28
61	Antipsychotic Drug Use and the Risk of Venous Thromboembolism in Elderly Patients. Journal of Clinical Psychopharmacology, 2010, 30, 526-530.	1.4	35
62	Reasons for Discontinuation of Medication During Hospitalization and Documentation Thereof: A Descriptive Study of 400 Geriatric and Internal Medicine Patients. Archives of Internal Medicine, 2010, 170, 1081.	3.8	12
63	Antipsychotic-Induced Hyponatraemia. Drug Safety, 2010, 33, 101-114.	3.2	86
64	Recurrence of Adverse Drug Reactions following Inappropriate Re-Prescription. Drug Safety, 2010, 33, 535-538.	3.2	29
65	Hyponatraemia as an Adverse Drug Reaction of Antipsychotic Drugs. Drug Safety, 2010, 33, 569-578.	3.2	51
66	Discontinuation of Cholinesterase Inhibitor Treatment and Determinants thereof in the Netherlands. Drugs and Aging, 2010, 27, 663-675.	2.7	22
67	Do amyloid-lowering strategies work clinically?. Therapeutic Advances in Neurological Disorders, 2009, 2, 3-6.	3.5	2
68	Validity and reliability of the Simpsonâ€Angus Scale (SAS) in drug induced parkinsonism in the elderly. International Journal of Geriatric Psychiatry, 2009, 24, 183-189.	2.7	21
69	Prescribing Optimization Method for Improving Prescribing in Elderly Patients Receiving Polypharmacy. Drugs and Aging, 2009, 26, 687-701.	2.7	78
70	Comparison of delirium assessment tools in a mixed intensive care unit*. Critical Care Medicine, 2009, 37, 1881-1885.	0.9	809
71	Antipsychotic Drug Use and Risk of Pneumonia in Elderly People. Journal of the American Geriatrics Society, 2008, 56, 661-666.	2.6	174
72	Relationship between polypharmacy and underprescribing. British Journal of Clinical Pharmacology, 2008, 65, 130-133.	2.4	209

#	Article	IF	CITATIONS
73	Hypothermia following antipsychotic drug use. European Journal of Clinical Pharmacology, 2007, 63, 627-631.	1.9	78
74	Patients and families desire a patient to be told the diagnosis of dementia: a survey by questionnaire on a Dutch memory clinic. International Journal of Geriatric Psychiatry, 2003, 18, 777-779.	2.7	35
75	Age-Related Decline in Autonomic Control of Blood Pressure. Drugs and Aging, 2003, 20, 313-319.	2.7	27
76	Is the Efficacy of HMG-CoA Reductase Inhibitors Dependent on Baseline Plasma Cholesterol-Level?. Clinical Research and Regulatory Affairs, 2003, 20, 341-348.	2.1	0
77	The relationship between pressure ulcers and skin blood flow response after a local cold provocation. Archives of Physical Medicine and Rehabilitation, 2002, 83, 40-43.	0.9	91
78	Cardiac tamponade following sternal puncture in two patients. Netherlands Journal of Medicine, 2001, 59, 39-40.	0.5	13
79	Meta-analysis of efficacy and safety of second- generation dihydropyridine calcium channel blockers in heart failure. American Journal of Cardiology, 2001, 87, 487-490.	1.6	24
80	Impaired blood flow response following pressure load in diabetic patients with cardiac autonomic neuropathy. Archives of Physical Medicine and Rehabilitation, 1997, 78, 1003-1006.	0.9	8