

# Rob J Van Marum

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9236701/publications.pdf>

Version: 2024-02-01

80  
papers

4,302  
citations

230014

27  
h-index

120465

65  
g-index

83  
all docs

83  
docs citations

83  
times ranked

3795  
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibition of CYP2D6 with low dose (5 mg) paroxetine in patients with high 10- $\alpha$ -hydroxynortriptyline serum levels- A prospective pharmacokinetic study. British Journal of Clinical Pharmacology, 2021, 87, 1529-1532.	1.1	2
2	Pharmacological management of osteoporosis in nursing home residents: the Shelter study. Maturitas, 2021, 143, 184-189.	1.0	3
3	Psychotropic drug prescription rates in primary care for people with dementia from recorded diagnosis onwards. International Journal of Geriatric Psychiatry, 2021, 36, 443-451.	1.3	5
4	Body weight gain in clozapine-treated patients: Is norclozapine the culprit?. British Journal of Clinical Pharmacology, 2021, , .	1.1	6
5	Effect of multidose drug dispensing on the time in therapeutic range in patients using vitamin K antagonists: A randomized controlled trial. Journal of Thrombosis and Haemostasis, 2020, 18, 70-78.	1.9	3
6	Underrepresentation of the elderly in clinical trials, time for action. British Journal of Clinical Pharmacology, 2020, 86, 2014-2016.	1.1	58
7	Safety of clozapine use during pregnancy: Analysis of international pharmacovigilance data. Pharmacoepidemiology and Drug Safety, 2020, 29, 725-735.	0.9	13
8	Immediate or deferred adjustment of drug regimens in multidose drug dispensing systems. Research in Social and Administrative Pharmacy, 2019, 15, 303-309.	1.5	4
9	Priority Setting in Improving Hospital Care for Older Patients Using Clinical Decision Support. Journal of the American Medical Directors Association, 2019, 20, 1045-1047.	1.2	6
10	Conversion of STOPP/START version 2 into coded algorithms for software implementation: A multidisciplinary consensus procedure. International Journal of Medical Informatics, 2019, 125, 110-117.	1.6	27
11	Association of polypharmacy and hyperpolypharmacy with frailty states: a systematic review and meta-analysis. European Geriatric Medicine, 2019, 10, 9-36.	1.2	79
12	Patients' experiences with multidose drug dispensing: a cross sectional study. International Journal of Clinical Pharmacy, 2019, 41, 104-112.	1.0	9
13	Haloperidol versus placebo for delirium prevention in acutely hospitalised older at risk patients: a multi-centre double-blind randomised controlled clinical trial. Age and Ageing, 2018, 47, 48-55.	0.7	38
14	Prevalence of correct anti-Xa levels in renally impaired patients who are on therapeutic nadroparin. European Journal of Clinical Pharmacology, 2018, 74, 139-140.	0.8	1
15	The Systematic Tool to Reduce Inappropriate Prescribing (STRIP): Combining implicit and explicit prescribing tools to improve appropriate prescribing. Journal of Evaluation in Clinical Practice, 2018, 24, 317-322.	0.9	47
16	Deprescribing in Newly Admitted Psychogeriatric Nursing Facility Patients. The Consultant Pharmacist, 2018, 33, 331-338.	0.4	3
17	Predicting Unsuccessful Clozapine Treatment After First Use in Adult Patients With Psychotic Disorders. Journal of Clinical Psychopharmacology, 2018, 38, 604-608.	0.7	3
18	Diagnostic performance of Elecsys immunoassays for cerebrospinal fluid Alzheimer's disease biomarkers in a nonacademic, multicenter memory clinic cohort: The ABIDE project. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 563-572.	1.2	52

#	ARTICLE	IF	CITATIONS
19	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 51-54.	0.7	3
20	Are multidose drug dispensing systems initiated for the appropriate patients?. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1159-1164.	0.8	9
21	Association Between Urinary Tract Infections and Antipsychotic Drug Use in Older Adults. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 296-301.	0.7	10
22	Inhibition of CYP2D6 with low dose (5Âmg) paroxetine in patients with high 10â€hydroxynortriptyline serum levels â€ a review of routine practice. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 1149-1151.	1.1	4
23	Antipsychotic drug use associated with urinary tract infections in older women. <i>Maturitas</i> , 2017, 98, 46-50.	1.0	12
24	Polypharmacy in Nursing Home Residents with Dementia. , 2017, , 123-137.		0
25	Prevalence of Preventive Cardiovascular Medication Use In Nursing Home Residents. Room for Deprescribing? The SHELTER Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 1037-1042.	1.2	9
26	Haloperidol Does Not Activate Thrombogenic Factors in Older, Nonpsychotic Hospitalized Patients. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 487-488.	0.7	0
27	Usual care and management of fall risk increasing drugs in older dizzy patients in Dutch general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2016, 34, 165-171.	0.6	22
28	Advanced Age and Female Sex As Risk Factors for High Anion Gap Metabolic Acidosis After a Drug Interaction Between Paracetamol and Flucloxacillin: A Case Series. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e90-e93.	1.3	10
29	Adherence with Dosing Guideline in Patients with Impaired Renal Function at Hospital Discharge. <i>PLoS ONE</i> , 2015, 10, e0128237.	1.1	30
30	Fluctuation of the renal function after discharge from hospital and its effects on drug dosing in elderly patients â€ study protocol. <i>BMC Nephrology</i> , 2015, 16, 95.	0.8	4
31	Treatment with rivastigmine or galantamine and risk of urinary incontinence: results from a Dutch database study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 276-285.	0.9	23
32	Effects and cost-effectiveness of pharmacogenetic screening for CYP2D6 among older adults starting therapy with nortriptyline or venlafaxine: study protocol for a pragmatic randomized controlled trial (CYSCEtrial). <i>Trials</i> , 2015, 16, 37.	0.7	14
33	Mild chronic kidney disease is associated with cognitive function in patients presenting at a memory clinic. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 758-765.	1.3	12
34	Reversible Dementia: Two Nursing Home Patients With Voltage-Gated Potassium Channel Antibody-Associated Limbic Encephalitis. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 790-794.	1.2	6
35	Rating scales to measure side effects of antipsychotic medication: A systematic review. <i>Journal of Psychopharmacology</i> , 2015, 29, 857-866.	2.0	31
36	Adverse Drug Reactions Reported With Cholinesterase Inhibitors. <i>Annals of Pharmacotherapy</i> , 2015, 49, 1197-1206.	0.9	36

#	ARTICLE	IF	CITATIONS
37	Effect of a Transitional Pharmaceutical Care Intervention at Hospital Discharge on Registration of Changes in Medication Regimens in Primary Care. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 565-567.	1.3	3
38	Efficacy and safety of haloperidol prophylaxis for delirium prevention in older medical and surgical at-risk patients acutely admitted to hospital through the emergency department: study protocol of a multicenter, randomised, double-blind, placebo-controlled clinical trial. <i>BMC Geriatrics</i> , 2014, 14, 96.	1.1	24
39	Correlation of Haloperidol Concentration in Blood and Cerebrospinal Fluid. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 516-517.	0.7	3
40	Variability between nursing homes in prevalence of antipsychotic use in patients with dementia. <i>International Psychogeriatrics</i> , 2014, 26, 363-371.	0.6	37
41	Specifying ICD9, ICPC and ATC codes for the STOPP/START criteria: a multidisciplinary consensus panel. <i>Age and Ageing</i> , 2014, 43, 773-778.	0.7	19
42	Renal function assessment in older adults. <i>British Journal of Clinical Pharmacology</i> , 2013, 76, n/a-n/a.	1.1	39
43	Prevalence of hyponatremia on geriatric wards compared to other settings over four decades: A systematic review. <i>Ageing Research Reviews</i> , 2013, 12, 165-173.	5.0	66
44	Psychotropic medications, including short acting benzodiazepines, strongly increase the frequency of falls in elderly. <i>Maturitas</i> , 2013, 74, 357-362.	1.0	71
45	Characteristics, prevalence, risk factors, and underlying mechanism of hyponatremia in elderly patients treated with antidepressants: A cross-sectional study. <i>Maturitas</i> , 2013, 76, 357-363.	1.0	44
46	Genetic Variation and the Risk of Haloperidol-Related Parkinsonism in Elderly Patients. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 405-410.	0.7	12
47	Systems that prevent unwanted re-prescription of drugs withdrawn because of adverse drug events: a systematic review. <i>Therapeutic Advances in Drug Safety</i> , 2013, 4, 73-90.	1.0	23
48	Effect of a Discharge Medication Intervention on the Incidence and Nature of Medication Discrepancies in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2013, 61, 456-458.	1.3	5
49	Risk of acute coronary syndrome in elderly users of antipsychotic drugs: a nested case-control study. <i>Heart</i> , 2012, 98, 1166-1171.	1.2	9
50	Parkinsonism in Elderly Users of Haloperidol. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 688-693.	0.7	12
51	Reasons to Prescribe Antipsychotics for the Behavioral Symptoms of Dementia: A Survey in Dutch Nursing Homes Among Physicians, Nurses, and Family Caregivers. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 80.e1-80.e6.	1.2	63
52	Quality of Life of Elderly Patients With Antipsychotic-Induced Parkinsonism: A Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 82.e1-82.e5.	1.2	10
53	Use of Rivastigmine or Galantamine and Risk of Adverse Cardiac Events: A Database Study from the Netherlands. <i>American Journal of Geriatric Pharmacotherapy</i> , 2012, 10, 373-380.	3.0	15
54	An Electronic System to Document Reasons for Medication Discontinuation and to Flag Unwanted Re-prescriptions in Geriatric Patients. <i>Drugs and Aging</i> , 2012, 29, 957-962.	1.3	8

#	ARTICLE	IF	CITATIONS
55	The Authors' Reply. Drug Safety, 2011, 34, 354-355.	1.4	0
56	Criteria for Drug Selection in Frail Elderly Persons. Drugs and Aging, 2011, 28, 391-402.	1.3	23
57	POLYPHARMACY AND UNDERPRESCRIBING IN OLDER ADULTS: RATIONAL UNDERPRESCRIBING BY GENERAL PRACTITIONERS. Journal of the American Geriatrics Society, 2011, 59, 1750-1752.	1.3	11
58	Structured History Taking of Medication Use Reveals Iatrogenic Harm Due to Discrepancies in Medication Histories in Hospital and Pharmacy Records. Journal of the American Geriatrics Society, 2011, 59, 1976-1977.	1.3	43
59	Routine Use of the Confusion Assessment Method for the Intensive Care Unit. American Journal of Respiratory and Critical Care Medicine, 2011, 184, 340-344.	2.5	1,318
60	Systematic Evaluation of Rating Scales for Drug-Induced Parkinsonism and Recommendations for Future Research. Journal of Clinical Psychopharmacology, 2010, 30, 57-63.	0.7	28
61	Antipsychotic Drug Use and the Risk of Venous Thromboembolism in Elderly Patients. Journal of Clinical Psychopharmacology, 2010, 30, 526-530.	0.7	35
62	Reasons for Discontinuation of Medication During Hospitalization and Documentation Thereof: A Descriptive Study of 400 Geriatric and Internal Medicine Patients. Archives of Internal Medicine, 2010, 170, 1081.	4.3	12
63	Antipsychotic-Induced Hyponatraemia. Drug Safety, 2010, 33, 101-114.	1.4	86
64	Recurrence of Adverse Drug Reactions following Inappropriate Re-Prescription. Drug Safety, 2010, 33, 535-538.	1.4	29
65	Hyponatraemia as an Adverse Drug Reaction of Antipsychotic Drugs. Drug Safety, 2010, 33, 569-578.	1.4	51
66	Discontinuation of Cholinesterase Inhibitor Treatment and Determinants thereof in the Netherlands. Drugs and Aging, 2010, 27, 663-675.	1.3	22
67	Do amyloid-lowering strategies work clinically?. Therapeutic Advances in Neurological Disorders, 2009, 2, 3-6.	1.5	2
68	Validity and reliability of the Simpson-Angus Scale (SAS) in drug induced parkinsonism in the elderly. International Journal of Geriatric Psychiatry, 2009, 24, 183-189.	1.3	21
69	Prescribing Optimization Method for Improving Prescribing in Elderly Patients Receiving Polypharmacy. Drugs and Aging, 2009, 26, 687-701.	1.3	78
70	Comparison of delirium assessment tools in a mixed intensive care unit*. Critical Care Medicine, 2009, 37, 1881-1885.	0.4	809
71	Antipsychotic Drug Use and Risk of Pneumonia in Elderly People. Journal of the American Geriatrics Society, 2008, 56, 661-666.	1.3	174
72	Relationship between polypharmacy and underprescribing. British Journal of Clinical Pharmacology, 2008, 65, 130-133.	1.1	209

#	ARTICLE	IF	CITATIONS
73	Hypothermia following antipsychotic drug use. European Journal of Clinical Pharmacology, 2007, 63, 627-631.	0.8	78
74	Patients and families desire a patient to be told the diagnosis of dementia: a survey by questionnaire on a Dutch memory clinic. International Journal of Geriatric Psychiatry, 2003, 18, 777-779.	1.3	35
75	Age-Related Decline in Autonomic Control of Blood Pressure. Drugs and Aging, 2003, 20, 313-319.	1.3	27
76	Is the Efficacy of HMG-CoA Reductase Inhibitors Dependent on Baseline Plasma Cholesterol-Level?. Clinical Research and Regulatory Affairs, 2003, 20, 341-348.	2.1	0
77	The relationship between pressure ulcers and skin blood flow response after a local cold provocation. Archives of Physical Medicine and Rehabilitation, 2002, 83, 40-43.	0.5	91
78	Cardiac tamponade following sternal puncture in two patients. Netherlands Journal of Medicine, 2001, 59, 39-40.	0.6	13
79	Meta-analysis of efficacy and safety of second- generation dihydropyridine calcium channel blockers in heart failure. American Journal of Cardiology, 2001, 87, 487-490.	0.7	24
80	Impaired blood flow response following pressure load in diabetic patients with cardiac autonomic neuropathy. Archives of Physical Medicine and Rehabilitation, 1997, 78, 1003-1006.	0.5	8