

# Ana Maria Sanchez

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9237160/publications.pdf>

Version: 2024-02-01

21  
papers

1,333  
citations

331259

21  
h-index

713013

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

2027  
citing authors

#	ARTICLE	IF	CITATIONS
1	Characteristics of follicular fluid in ovaries with endometriomas. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 209, 34-38.	0.5	25
2	Is the oocyte quality affected by endometriosis? A review of the literature. <i>Journal of Ovarian Research</i> , 2017, 10, 43.	1.3	146
3	Elevated Systemic Levels of Endocannabinoids and Related Mediators Across the Menstrual Cycle in Women With Endometriosis. <i>Reproductive Sciences</i> , 2016, 23, 1071-1079.	1.1	39
4	Endometriosis as a detrimental condition for granulosa cell steroidogenesis and development: From molecular alterations to clinical impact. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 155, 35-46.	1.2	72
5	How to Manage Bowel Endometriosis: The ETIC Approach. <i>Journal of Minimally Invasive Gynecology</i> , 2015, 22, 517-529.	0.3	28
6	Replication and meta-analysis of previous genome-wide association studies confirm vezatin as the locus with the strongest evidence for association with endometriosis. <i>Human Reproduction</i> , 2015, 30, 987-993.	0.4	26
7	The Targeted Delivery of Interleukin 4 Inhibits Development of Endometriotic Lesions in a Mouse Model. <i>Reproductive Sciences</i> , 2015, 22, 1143-1152.	1.1	31
8	The Endometriotic Tissue Lining the Internal Surface of Endometrioma: Hormonal, Genetic, Epigenetic Status, and Gene Expression Profile. <i>Reproductive Sciences</i> , 2015, 22, 391-401.	1.1	21
9	Iron availability is increased in individual human ovarian follicles in close proximity to an endometrioma compared with distal ones. <i>Human Reproduction</i> , 2014, 29, 577-583.	0.4	70
10	The WNT/ $\beta$ -catenin signaling pathway and expression of survival promoting genes in luteinized granulosa cells: endometriosis as a paradigm for a dysregulated apoptosis pathway. <i>Fertility and Sterility</i> , 2014, 101, 1688-1696.	0.5	50
11	HLA-G expressing DC-10 and CD4+ T cells accumulate in human decidua during pregnancy. <i>Human Immunology</i> , 2013, 74, 406-411.	1.2	102
12	Treatment With Anticancer Agents Induces Dysregulation of Specific Wnt Signaling Pathways in Human Ovarian Luteinized Granulosa Cells In Vitro. <i>Toxicological Sciences</i> , 2013, 136, 183-192.	1.4	28
13	Inhibition of RelA $\epsilon$ Ser536 phosphorylation by a competing peptide reduces mouse liver fibrosis without blocking the innate immune response. <i>Hepatology</i> , 2013, 57, 817-828.	3.6	37
14	The role of RelA (p65) threonine 505 phosphorylation in the regulation of cell growth, survival, and migration. <i>Molecular Biology of the Cell</i> , 2011, 22, 3032-3040.	0.9	38
15	Spisulosine (ES-285) induces prostate tumor PC-3 and LNCaP cell death by de novo synthesis of ceramide and PKC $\eta$ activation. <i>European Journal of Pharmacology</i> , 2008, 584, 237-245.	1.7	66
16	Induction of the endoplasmic reticulum stress protein GADD153/CHOP by capsaicin in prostate PC-3 cells: A microarray study. <i>Biochemical and Biophysical Research Communications</i> , 2008, 372, 785-791.	1.0	66
17	Apoptosis induced by capsaicin in prostate PC-3 cells involves ceramide accumulation, neutral sphingomyelinase, and JNK activation. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007, 12, 2013-2024.	2.2	140
18	Expression of the transient receptor potential vanilloid 1 (TRPV1) in LNCaP and PC-3 prostate cancer cells and in human prostate tissue. <i>European Journal of Pharmacology</i> , 2005, 515, 20-27.	1.7	114

#	ARTICLE	IF	CITATIONS
19	Characterization of an anandamide degradation system in prostate epithelial PC-3 cells: synthesis of new transporter inhibitors as tools for this study. <i>British Journal of Pharmacology</i> , 2004, 141, 457-467.	2.7	37
20	Activation of phosphoinositide 3-kinase/PKB pathway by CB1 and CB2 cannabinoid receptors expressed in prostate PC-3 cells. Involvement in Raf-1 stimulation and NGF induction. <i>Cellular Signalling</i> , 2003, 15, 851-859.	1.7	147
21	Enhancement of androgen receptor expression induced by (R)-methanandamide in prostate LNCaP cells. <i>FEBS Letters</i> , 2003, 555, 561-566.	1.3	50