

Tatsuya Yamamoto

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9239170/tatsuya-yamamoto-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,071
citations

18
h-index

30
g-index

70
ext. papers

1,261
ext. citations

3.3
avg, IF

3.8
L-index

#	Paper	IF	Citations
65	Subthalamic deep brain stimulation can improve gastric emptying in Parkinson disease. <i>Brain</i> , 2012 , 135, 1478-85	11.2	77
64	Pathophysiology of bladder dysfunction in Parkinson disease. <i>Neurobiology of Disease</i> , 2012 , 46, 565-71	7.5	75
63	Incomplete emptying and urinary retention in multiple-system atrophy: when does it occur and how do we manage it?. <i>Movement Disorders</i> , 2006 , 21, 816-23	7	72
62	Mechanism of bladder dysfunction in idiopathic normal pressure hydrocephalus. <i>Neurourology and Urodynamics</i> , 2008 , 27, 507-10	2.3	70
61	Bladder, bowel, and sexual dysfunction in Parkinson disease. <i>Parkinson Disease</i> , 2011 , 2011, 924605	2.6	68
60	Urinary dysfunction in early and untreated Parkinson disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 1382-6	5.5	63
59	Neurological diseases that cause detrusor hyperactivity with impaired contractile function. <i>Neurourology and Urodynamics</i> , 2006 , 25, 356-60	2.3	59
58	Bladder function of patients with Parkinson disease. <i>International Journal of Urology</i> , 2014 , 21, 638-46	2.3	42
57	How to manage overactive bladder in elderly individuals with dementia? A combined use of donepezil, a central acetylcholinesterase inhibitor, and propiverine, a peripheral muscarine receptor antagonist. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 1515-7	5.6	37
56	Urological dysfunction in synucleinopathies: epidemiology, pathophysiology and management. <i>Clinical Autonomic Research</i> , 2018 , 28, 83-101	4.3	30
55	Depression, Anxiety and the Bladder. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013 , 5, 109-20	1.9	28
54	Underactive and overactive bladders are related to motor function and quality of life in Parkinson disease. <i>International Urology and Nephrology</i> , 2015 , 47, 751-7	2.3	26
53	Questionnaire-based assessment of pelvic organ dysfunction in multiple system atrophy. <i>Movement Disorders</i> , 2009 , 24, 972-8	7	25
52	Weak detrusor contractility correlates with motor disorders in Parkinson disease. <i>Movement Disorders</i> , 2012 , 27, 1775-80	7	23
51	Bladder dysfunction as the initial presentation of multiple system atrophy: a prospective cohort study. <i>Clinical Autonomic Research</i> , 2019 , 29, 627-631	4.3	22
50	Urinary Dysfunction in Progressive Supranuclear Palsy Compared with Other Parkinsonian Disorders. <i>PLoS ONE</i> , 2016 , 11, e0149278	3.7	21
49	Effects of electrical stimulation of the striatum on bladder activity in cats. <i>Neurourology and Urodynamics</i> , 2009 , 28, 549-54	2.3	20

48	Receiver operating characteristic analysis of sphincter electromyography for parkinsonian syndrome. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1128-34	2.3	18
47	Comparing bromocriptine effects with levodopa effects on bladder function in Parkinson disease. <i>Movement Disorders</i> , 2009 , 24, 2386-90	7	17
46	Pyridostigmine in autonomic failure: can we treat postural hypotension and bladder dysfunction with one drug?. <i>Clinical Autonomic Research</i> , 2006 , 16, 296-8	4.3	17
45	Postvoid residual predicts the diagnosis of multiple system atrophy in Parkinsonian syndrome. <i>Journal of the Neurological Sciences</i> , 2017 , 381, 230-234	3.2	16
44	Time-dependent changes and gender differences in urinary dysfunction in patients with multiple system atrophy. <i>Neurourology and Urodynamics</i> , 2014 , 33, 516-23	2.3	16
43	Tolterodine activates the prefrontal cortex during bladder filling in OAB patients: a real-time NIRS-urodynamics study. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1110-5	2.3	16
42	Neuronal activities of forebrain structures with respect to bladder contraction in cats. <i>Neuroscience Letters</i> , 2010 , 473, 42-7	3.3	16
41	Inhibitory control task is decreased in vascular incontinence patients. <i>Clinical Autonomic Research</i> , 2013 , 23, 85-9	4.3	15
40	Long term follow-up on quality of life and its relationship to motor and cognitive functions in Parkinson disease after deep brain stimulation. <i>Journal of the Neurological Sciences</i> , 2017 , 379, 18-21	3.2	14
39	White matter dissection and structural connectivity of the human vertical occipital fasciculus to link vision-associated brain cortex. <i>Scientific Reports</i> , 2020 , 10, 820	4.9	13
38	Monoamine oxidase B rs1799836 G allele polymorphism is a risk factor for early development of levodopa-induced dyskinesia in Parkinson disease. <i>ENeurologicalSci</i> , 2020 , 19, 100239	2.1	12
37	The Utility of Post-Void Residual Volume versus Sphincter Electromyography to Distinguish between Multiple System Atrophy and Parkinson Disease. <i>PLoS ONE</i> , 2017 , 12, e0169405	3.7	11
36	Is Major Depression a Risk for Bladder, Bowel, and Sexual Dysfunction?. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 87-95	1.9	10
35	B cell aplasia and hypogammaglobulinemia after carbamazepine treatment. <i>Internal Medicine</i> , 2010 , 49, 707-8	1.1	10
34	Metronidazole-induced encephalopathy with contrast enhancing lesions on MRI. <i>Journal of the Neurological Sciences</i> , 2015 , 352, 129-31	3.2	8
33	Lower Urinary Tract Function in Spinocerebellar Ataxia 6. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 41-4	1.9	8
32	Gastrointestinal function in dementia with Lewy bodies: a comparison with Parkinson disease. <i>Clinical Autonomic Research</i> , 2019 , 29, 633-638	4.3	8
31	Urinary symptoms are correlated with quality of life after deep brain stimulation in Parkinson disease. <i>Brain and Behavior</i> , 2018 , 8, e01164	3.4	7

30	Vertical pons hyperintensity and hot cross bun sign in cerebellar-type multiple system atrophy and spinocerebellar ataxia type 3. <i>BMC Neurology</i> , 2020 , 20, 157	3.1	6
29	Subthalamic Nucleus Deep Brain Stimulation Modulate Catecholamine Levels with Significant Relations to Clinical Outcome after Surgery in Patients with Parkinson's Disease. <i>PLoS ONE</i> , 2015 , 10, e0138462	3.7	6
28	A case of primary central nervous system lymphoma presenting diffuse infiltrative leukoencephalopathy. <i>Internal Medicine</i> , 2012 , 51, 1103-6	1.1	6
27	Clinicopathologic Features of Oculopharyngodistal Myopathy With LRP12 CGG Repeat Expansions Compared With Other Oculopharyngodistal Myopathy Subtypes. <i>JAMA Neurology</i> , 2021 , 78, 853-863	17.2	6
26	Effects of bilateral pallidal deep brain stimulation on chorea after pulmonary thromboendarterectomy with deep hypothermia and circulatory arrest: a case report. <i>Acta Neurochirurgica</i> , 2018 , 160, 393-395	3	5
25	Urinary symptoms and neurological disabilities are differentially correlated between multiple sclerosis and neuromyelitis optica. <i>Clinical and Experimental Neuroimmunology</i> , 2016 , 7, 52-58	0.4	5
24	Decline in drawing ability and cerebral perfusion in Parkinson's disease patients after subthalamic nucleus deep brain stimulation surgery. <i>Parkinsonism and Related Disorders</i> , 2020 , 70, 60-66	3.6	5
23	Urinary Dysfunctions Are More Severe in the Parkinsonian Phenotype of Multiple System Atrophy. <i>Movement Disorders Clinical Practice</i> , 2016 , 3, 275-281	2.2	5
22	The severity of motor dysfunctions and urinary dysfunction is not correlated in multiple system atrophy. <i>Journal of the Neurological Sciences</i> , 2019 , 400, 25-29	3.2	4
21	How the Bladder Senses? A Five-Grade Measure. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2013 , 5, 17-22	1.9	4
20	Progressive supranuclear palsy presenting with urinary retention and sleep apnea. <i>Clinical Autonomic Research</i> , 2011 , 21, 173-5	4.3	4
19	Do Sacral/Peripheral Lesions Contribute to Detrusor-Sphincter Dyssynergia?. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 126-9	1.9	4
18	Does Depression Contribute to the Bladder and Bowel Complaint in Parkinson's Disease Patients?. <i>Movement Disorders Clinical Practice</i> , 2021 , 8, 240-244	2.2	4
17	Urodynamic and gait analyses in multiple system atrophy. <i>Journal of the Neurological Sciences</i> , 2020 , 411, 116676	3.2	3
16	Voiding Dysfunction in Spinocerebellar Ataxia Type 31. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2014 , 6, 64-7	1.9	3
15	Predictive potential of preoperative electroencephalogram for neuropsychological change following subthalamic nucleus deep brain stimulation in Parkinson's disease. <i>Acta Neurochirurgica</i> , 2019 , 161, 2049-2058	3	2
14	Lower urinary tract function in frontotemporal lobar degeneration: A preliminary observation. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2020 , 229, 102719	2.4	2
13	Improved self-perceived performance for continence problems in patients with Parkinson's disease after deep brain stimulation. <i>Neurology and Clinical Neuroscience</i> , 2019 , 7, 51-56	0.3	1

12	Fesoterodine normalizes the brain function in overactive bladder patients due to central nervous system lesion: A real-time measure of oxyhemoglobin concentration changes during urodynamics. <i>International Journal of Urology</i> , 2019 , 26, 1014-1015	2.3	1
11	Sphincter EMG for Diagnosing Multiple System Atrophy and Related Disorders 2012 ,		1
10	Predicting Neurocognitive Change after Bilateral Deep Brain Stimulation of Subthalamic Nucleus for Parkinson's Disease. <i>World Neurosurgery</i> , 2021 , 147, e428-e436	2.1	1
9	Psychogenic Urinary Dysfunction in Children and Adults. <i>Current Bladder Dysfunction Reports</i> , 2012 , 7, 242-246	0.4	0
8	Sleep-related hypoventilation and hypercapnia in multiple system atrophy detected by polysomnography with transcutaneous carbon dioxide monitoring.. <i>Sleep and Breathing</i> , 2022 , 1	3.1	0
7	Frontal executive function and the bladder: A study of dementia with Lewy bodies. <i>Neurology and Clinical Neuroscience</i> , 2019 , 7, 22-25	0.3	0
6	DRD2 Taq1A Polymorphism-Related Brain Volume Changes in Parkinson's Disease: Voxel-Based Morphometry.. <i>Parkinson's Disease</i> , 2022 , 2022, 8649195	2.6	0
5	Autonomic problems in Parkinson's disease: a focus on the bladder 2020 , 217-231		
4	Pareidolia in Parkinson's Disease and Multiple System Atrophy. <i>Parkinson's Disease</i> , 2021 , 2021, 27047552.6		
3	Subthalamic Stimulation Inhibits Bladder Contraction by Modulating the Local Field Potential and Catecholamine Level of the Medial Prefrontal Cortex. <i>Frontiers in Neuroscience</i> , 2020 , 14, 917	5.1	
2	Neuropsychiatric Symptoms in Parkinson's Disease After Subthalamic Nucleus Deep Brain Stimulation. <i>Frontiers in Neurology</i> , 2021 , 12, 656041	4.1	
1	Lower Urinary Tract Function in Familial Spastic Paraplegia. <i>European Neurology</i> , 2018 , 80, 121-125	2.1	