

# Lene Wermuth

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/923961/publications.pdf>

Version: 2024-02-01

51  
papers

1,724  
citations

304368

22  
h-index

288905

40  
g-index

52  
all docs

52  
docs citations

52  
times ranked

2545  
citing authors

#	ARTICLE	IF	CITATIONS
1	Moderate-to-High Intensity Physical Exercise in Patients with Alzheimer's Disease: A Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 443-453.	1.2	210
2	Diabetes and the Risk of Developing Parkinson's Disease in Denmark. <i>Diabetes Care</i> , 2011, 34, 1102-1108.	4.3	165
3	Treatment for <i>Helicobacter pylori</i> infection and risk of parkinson's disease in Denmark. <i>European Journal of Neurology</i> , 2012, 19, 864-869.	1.7	129
4	Impact of dietary exposure to food contaminants on the risk of Parkinson's disease. <i>NeuroToxicology</i> , 2008, 29, 584-590.	1.4	94
5	Clinical course and long-term prognosis of acute transverse myelopathy. <i>Acta Neurologica Scandinavica</i> , 1990, 81, 431-435.	1.0	77
6	Sexual problems in young patients with Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 1995, 91, 453-455.	1.0	76
7	Mortality in patients with Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 1995, 92, 55-58.	1.0	76
8	Effect of aerobic exercise on physical performance in patients with Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2016, 12, 1207-1215.	0.4	76
9	Exercise as a potential modulator of inflammation in patients with Alzheimer's disease measured in cerebrospinal fluid and plasma. <i>Experimental Gerontology</i> , 2019, 121, 91-98.	1.2	72
10	Treatment with levodopa and risk for malignant melanoma. <i>Movement Disorders</i> , 2007, 22, 1252-1257.	2.2	57
11	Prevalence and incidence of Parkinson's disease in The Faroe Islands. <i>Acta Neurologica Scandinavica</i> , 2008, 118, 126-131.	1.0	57
12	Non-Steroidal Anti-Inflammatory Drug Use and the Risk of Parkinson's Disease. <i>Neuroepidemiology</i> , 2011, 36, 155-161.	1.1	50
13	A two-fold difference in the age-adjusted prevalences of Parkinson's disease between the island of Als and the Faroe Islands. <i>European Journal of Neurology</i> , 2000, 7, 655-660.	1.7	42
14	Validation of hospital register-based diagnosis of Parkinson's disease. <i>Danish Medical Journal</i> , 2012, 59, A4391.	0.5	42
15	Cerebrospinal Fluid Amyloid Beta and Tau Concentrations Are Not Modulated by 16 Weeks of Moderate- to High-Intensity Physical Exercise in Patients with Alzheimer Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 146-158.	0.7	40
16	Patients with Alzheimer's disease who carry the APOE $\epsilon$ 4 allele benefit more from physical exercise. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2019, 5, 99-106.	1.8	40
17	High age-adjusted prevalence of Parkinson's disease among Inuits in Greenland. <i>Neurology</i> , 2002, 58, 1422-1425.	1.5	39
18	Residential exposure to transportation noise in Denmark and incidence of dementia: national cohort study. <i>BMJ</i> , The, 2021, 374, n1954.	3.0	39

#	ARTICLE	IF	CITATIONS
19	Statin use and Parkinson's disease in Denmark. <i>Movement Disorders</i> , 2010, 25, 1210-1216.	2.2	30
20	The impact of high intensity physical training on motor and non-motor symptoms in patients with Parkinson's disease (PIP): A preliminary study. <i>NeuroRehabilitation</i> , 2014, 35, 291-298.	0.5	28
21	A 16-Week Aerobic Exercise Intervention Does Not Affect Hippocampal Volume and Cortical Thickness in Mild to Moderate Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 293.	1.7	27
22	Lifestyle, Family History, and Risk of Idiopathic Parkinson Disease: A Large Danish Case-Control Study. <i>American Journal of Epidemiology</i> , 2015, 181, 808-816.	1.6	26
23	Sexual Aspects of Parkinson's Disease. <i>Seminars in Neurology</i> , 1992, 12, 125-127.	0.5	23
24	Effect of physical exercise on markers of neuronal dysfunction in cerebrospinal fluid in patients with Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 284-290.	1.8	23
25	The levodopa dose-sparing capacity of pergolide compared with that of bromocriptine in an open-label, crossover study. <i>European Journal of Neurology</i> , 1996, 3, 44-49.	1.7	22
26	The Hawthorne effect as a pre-placebo expectation in Parkinson's disease patients participating in a randomized placebo-controlled clinical study. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 442-446.	0.7	22
27	Cause-Specific Mortality Among Spouses of Parkinson Disease Patients. <i>Epidemiology</i> , 2014, 25, 225-232.	1.2	19
28	Gout and the risk of Parkinson's disease in Denmark. <i>European Journal of Epidemiology</i> , 2013, 28, 359-360.	2.5	16
29	Effect of transcranial pulsed electromagnetic fields (T-PEMF) on functional rate of force development and movement speed in persons with Parkinson's disease: A randomized clinical trial. <i>PLoS ONE</i> , 2018, 13, e0204478.	1.1	15
30	A study of cognitive functions in young Parkinsonian patients. <i>Acta Neurologica Scandinavica</i> , 1996, 93, 21-24.	1.0	10
31	Medical Record Review to Differentiate between Idiopathic Parkinson's Disease and Parkinsonism: A Danish Record Linkage Study with 10 Years of Follow-Up. <i>Parkinson's Disease</i> , 2015, 2015, 1-9.	0.6	10
32	CSF proteome in multiple sclerosis subtypes related to brain lesion transcriptomes. <i>Scientific Reports</i> , 2021, 11, 4132.	1.6	10
33	Parkinson's disease and transcranial pulsed electromagnetic fields: A randomized clinical trial. <i>Movement Disorders</i> , 2017, 32, 625-626.	2.2	9
34	Effects of transcranial pulsed electromagnetic field stimulation on quality of life in Parkinson's disease. <i>European Journal of Neurology</i> , 2018, 25, 963.	1.7	9
35	The effect of 8-weeks of treatment with transcranial pulsed electromagnetic fields on hand tremor and inter-hand coherence in persons with Parkinson's disease. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019, 16, 19.	2.4	8
36	Diagnostic manifestations of total hemispheric glucose metabolism ratio in neuronal network diaschisis: diagnostic implications in Alzheimer's disease and mild cognitive impairment. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1164-1174.	3.3	5

#	ARTICLE	IF	CITATIONS
37	Long-term treatment with transcranial pulsed electromagnetic fields improves movement speed and elevates cerebrospinal erythropoietin in Parkinson's disease. <i>PLoS ONE</i> , 2021, 16, e0248800.	1.1	5
38	The influence of posture duration on hand tremor during tasks with attention-distraction in persons with Parkinson's disease. <i>Journal of NeuroEngineering and Rehabilitation</i> , 2019, 16, 61.	2.4	4
39	Clinical characteristics of Parkinson's disease among Inuit in Greenland and inhabitants of the Faroe Islands and Als (Denmark). <i>Movement Disorders</i> , 2004, 19, 821-824.	2.2	3
40	Depression in Parkinson's disease ? a review. <i>Acta Neurologica Scandinavica</i> , 2006, 114, 360-360.	1.0	3
41	Physical Exercise May Increase Plasma Concentration of High-Density Lipoprotein-Cholesterol in Patients With Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2020, 14, 532.	1.4	3
42	Contraceptive use in a Sample of Young Danish Females. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1988, 67, 319-321.	1.3	3
43	High age-adjusted prevalence of Parkinson's disease among Inuit in Greenland. <i>International Journal of Circumpolar Health</i> , 2004, 63, 369-370.	0.5	2
44	O5-04-06: Moderate to high-intensity physical exercise in patients with Alzheimer's disease. , 2015, 11, P324-P325.		2
45	Hereditary spastic paraplegia type 8: Neuropathological findings. <i>Brain Pathology</i> , 2018, 28, 292-294.	2.1	2
46	Effects of Long-Term Treatment with T-PEMF on Forearm Muscle Activation and Motor Function in Parkinson's Disease. <i>Case Reports in Neurology</i> , 2018, 10, 242-251.	0.3	2
47	The Use of Antidepressant Medication in Parkinson's Disease Patients is not Affected by the Type of Antiparkinson Medication. <i>Journal of Parkinson's Disease</i> , 2014, 4, 327-330.	1.5	1
48	Associations of Motor Symptom Severity and Quality of Life to Motor Task Performance in Upper and Lower Extremities Across Task Complexity in Parkinson's Disease. <i>Motor Control</i> , 2019, 23, 445-460.	0.3	1
49	Cognitive function in young Parkinsonian patients. <i>Acta Neurologica Scandinavica</i> , 1996, 94, 77-77.	1.0	0
50	P1-069: Moderate-to-high intensity physical training does not alter cerebrospinal amyloid- $\beta$ 1-42 levels in patients with Alzheimer's disease. , 2015, 11, P364-P365.		0
51	[P3 <sup>174</sup> ]: EFFECT OF PHYSICAL EXERCISE ON MARKERS OF NEURONAL DYSFUNCTION IN CEREBROSPINAL FLUID IN PATIENTS WITH ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P1000.	0.4	0