Rick A Wetsel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9240069/publications.pdf

Version: 2024-02-01

49 papers

3,330 citations

218677 26 h-index 233421 45 g-index

49 all docs

49 docs citations

times ranked

49

3890 citing authors

#	Article	IF	CITATIONS
1	Complement C5a Induces Renal Injury in Diabetic Kidney Disease by Disrupting Mitochondrial Metabolic Agility. Diabetes, 2020, 69, 83-98.	0.6	48
2	A Preclinical Safety Study of Human Embryonic Stem Cell-Derived Retinal Pigment Epithelial Cells for Macular Degeneration. Journal of Ocular Pharmacology and Therapeutics, 2020, 36, 65-69.	1.4	6
3	Complement Receptor 1 (CR1/CD35)-expressing retinal pigment epithelial cells as a potential therapy for age-related macular degeneration. Molecular Immunology, 2020, 118, 91-98.	2.2	6
4	Circadian Clock and Complement Immune Systemâ€"Complementary Control of Physiology and Pathology?. Frontiers in Cellular and Infection Microbiology, 2020, 10, 418.	3.9	18
5	In response to complement anaphylatoxin peptides C3a and C5a, human vascular endothelial cells migrate and mediate the activation of Bâ€cells and polarization of Tâ€cells. FASEB Journal, 2020, 34, 7540-7560.	0.5	16
6	Generation of CDMLe012-A-1 cells: A pluripotent human embryonic stem cell model of Turner's syndrome. Stem Cell Research, 2019, 39, 101508.	0.7	0
7	Distinct roles of the anaphylatoxin receptors C3aR, C5aR1 and C5aR2 in experimental meningococcal infections. Virulence, 2019, 10, 677-694.	4.4	23
8	The Second Receptor for C5a, C5aR2, Is Detrimental to Mice during Systemic Infection with <i>Listeria monocytogenes</i>). Journal of Immunology, 2019, 203, 2701-2711.	0.8	4
9	Cigarette smoke–induced reduction of C1q promotes emphysema. JCI Insight, 2019, 4, .	5.0	23
10	C5., 2018, , 187-201.		1
11	Derivation and characterization of the human embryonic stem cell line CR-4: Differentiation to human retinal pigment epithelial cells. Stem Cell Research, 2017, 18, 37-40.	0.7	6
		0.7	
12	The Complement Anaphylatoxins C5a and C3a Suppress IFN-β Production in Response to <i>Listeria monocytogenes</i> by Inhibition of the Cyclic Dinucleotide–Activated Cytosolic Surveillance Pathway. Journal of Immunology, 2017, 198, 3237-3244.	0.8	15
13	monocytogenes by Inhibition of the Cyclic Dinucleotide–Activated Cytosolic Surveillance		
	monocytogenes ⟨ /i⟩ by Inhibition of the Cyclic Dinucleotide–Activated Cytosolic Surveillance Pathway. Journal of Immunology, 2017, 198, 3237-3244. Complement peptide C3a stimulates neural plasticity after experimental brain ischaemia. Brain, 2017,	0.8	15
13	monocytogenes ⟨ /i⟩ by Inhibition of the Cyclic Dinucleotide–Activated Cytosolic Surveillance Pathway. Journal of Immunology, 2017, 198, 3237-3244. Complement peptide C3a stimulates neural plasticity after experimental brain ischaemia. Brain, 2017, 140, 353-369. Prevention of C5aR1 signaling delays microglial inflammatory polarization, favors clearance pathways	0.8 7.6	15
13 14	monocytogenes⟨/i⟩ by Inhibition of the Cyclic Dinucleotide–Activated Cytosolic Surveillance Pathway. Journal of Immunology, 2017, 198, 3237-3244. Complement peptide C3a stimulates neural plasticity after experimental brain ischaemia. Brain, 2017, 140, 353-369. Prevention of C5aR1 signaling delays microglial inflammatory polarization, favors clearance pathways and suppresses cognitive loss. Molecular Neurodegeneration, 2017, 12, 66.	0.8 7.6 10.8	15 106 64
13 14 15	monocytogenes < /i> by Inhibition of the Cyclic Dinucleotideâ <pre>"Activated Cytosolic Surveillance Pathway. Journal of Immunology, 2017, 198, 3237-3244.</pre> Complement peptide C3a stimulates neural plasticity after experimental brain ischaemia. Brain, 2017, 140, 353-369. Prevention of C5aR1 signaling delays microglial inflammatory polarization, favors clearance pathways and suppresses cognitive loss. Molecular Neurodegeneration, 2017, 12, 66. Innate and adaptive immunologic functions of complement in the host response to Listeria monocytogenes infection. Immunobiology, 2016, 221, 1407-1417. Bacillus anthracis Spore Surface Protein BclA Mediates Complement Factor H Binding to Spores and	0.8 7.6 10.8	15 106 64 26

#	Article	IF	CITATIONS
19	Targeted Disruption of the $\langle i \rangle \hat{l}^2 \langle i \rangle 2$ -Microglobulin Gene Minimizes the Immunogenicity of Human Embryonic Stem Cells. Stem Cells Translational Medicine, 2015, 4, 1234-1245.	3.3	132
20	The C5a Anaphylatoxin Receptor (C5aR1) Protects againstListeria monocytogenesInfection by Inhibiting Type 1 IFN Expression. Journal of Immunology, 2014, 193, 5099-5107.	0.8	19
21	A Site-Specific Genetic Modification for Induction of Pluripotency and Subsequent Isolation of Derived Lung Alveolar Epithelial Type II Cells. Stem Cells, 2014, 32, 402-413.	3.2	14
22	The Complement C3a Receptor Is Critical in Defense against Chlamydia psittaci in Mouse Lung Infection and Required for Antibody and Optimal T Cell Response. Journal of Infectious Diseases, 2014, 209, 1269-1278.	4.0	37
23	The Receptor for the Complement C3a Anaphylatoxin (C3aR) Provides Host Protection against <i>Listeria monocytogenes</i> –Induced Apoptosis. Journal of Immunology, 2014, 193, 1278-1289.	0.8	34
24	Carboxypeptidase N-deficient mice present with polymorphic disease phenotypes on induction of experimental autoimmune encephalomyelitis. Immunobiology, 2014, 219, 104-108.	1.9	4
25	Receptor for complement peptide C3a: a therapeutic target for neonatal hypoxicâ€ischemic brain injury. FASEB Journal, 2013, 27, 3797-3804.	0.5	48
26	Generation of complement component C5a by ischemic neurons promotes neuronal apoptosis. FASEB Journal, 2012, 26, 3680-3690.	0.5	86
27	Negative Regulation of Pulmonary Th17 Responses by C3a Anaphylatoxin during Allergic Inflammation in Mice. PLoS ONE, 2012, 7, e52666.	2.5	26
28	Therapeutic Potential of Lung Epithelial Progenitor Cells Derived from Embryonic and Induced Pluripotent Stem Cells. Annual Review of Medicine, 2011, 62, 95-105.	12.2	38
29	Transplantation of Human Embryonic Stem Cell–Derived Alveolar Epithelial Type II Cells Abrogates Acute Lung Injury in Mice. Molecular Therapy, 2010, 18, 625-634.	8.2	124
30	Targeted Disruption of the Gene Encoding the Murine Small Subunit of Carboxypeptidase N (CPN1) Causes Susceptibility to C5a Anaphylatoxin-Mediated Shock. Journal of Immunology, 2009, 182, 6533-6539.	0.8	45
31	The Regulation of Liver Cell Survival by Complement. Journal of Immunology, 2009, 182, 5412-5418.	0.8	91
32	C3a receptor deficiency accelerates the onset of renal injury in the MRL/lpr mouse. Molecular Immunology, 2009, 46, 1397-1404.	2.2	35
33	Disruption of the C5a receptor gene increases resistance to acute Gram-negative bacteremia and endotoxic shock: Opposing roles of C3a and C5a. Molecular Immunology, 2008, 45, 1907-1915.	2.2	61
34	The receptor for complement anaphylatoxin C5a protects against the development of airway hyperresponsiveness in allergic asthma by inhibiting cysteinyl leukotriene pathway. FASEB Journal, 2008, 22, 671.2.	0.5	0
35	A pure population of lung alveolar epithelial type II cells derived from human embryonic stem cells. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 4449-4454.	7.1	223
36	Regulation of Toll-like receptor–mediated inflammatory response by complement in vivo. Blood, 2007, 110, 228-236.	1.4	327

#	Article	IF	CITATIONS
37	Complement: a novel factor in basal and ischemia-induced neurogenesis. EMBO Journal, 2006, 25, 1364-1374.	7.8	242
38	Ablation of the complement C3a anaphylatoxin receptor causes enhanced killing ofPseudomonas aeruginosain a mouse model of pneumonia. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2006, 291, L157-L165.	2.9	18
39	C3a and C3b Activation Products of the Third Component of Complement (C3) Are Critical for Normal Liver Recovery after Toxic Injury. Journal of Immunology, 2004, 173, 747-754.	0.8	155
40	Expression of the third complement component (C3) and carboxypeptidase N small subunit (CPN1) during mouse embryonic development. Developmental and Comparative Immunology, 2004, 28, 647-655.	2.3	7
41	Carboxypeptidase N: a pleiotropic regulator of inflammation. Molecular Immunology, 2004, 40, 785-793.	2.2	145
42	Absence of the Complement Anaphylatoxin C3a Receptor Suppresses Th2 Effector Functions in a Murine Model of Pulmonary Allergy. Journal of Immunology, 2002, 169, 5926-5933.	0.8	162
43	Characterization of Mouse Carboxypeptidase N Small Active Subunit Gene Structure. Journal of Immunology, 2001, 166, 6196-6202.	0.8	12
44	Expression of the Complement Anaphylatoxin C3a and C5a Receptors on Bronchial Epithelial and Smooth Muscle Cells in Models of Sepsis and Asthma. Journal of Immunology, 2001, 166, 2025-2032.	0.8	189
45	Cutting Edge: Targeted Disruption of the C3a Receptor Gene Demonstrates a Novel Protective Anti-Inflammatory Role for C3a in Endotoxin-Shock. Journal of Immunology, 2000, 165, 5406-5409.	0.8	174
46	Genetic disruption of the murine complement C3 promoter region generates deficient mice with extrahepatic expression of C3 mRNA. Immunopharmacology, 1999, 42, 135-149.	2.0	159
47	Structure, function and cellular expression of complement anaphylatoxin receptors. Current Opinion in Immunology, 1995, 7, 48-53.	5.5	204
48	Expression of the complement C5a anaphylatoxin receptor (C5aR) on non-myeloid cells. Immunology Letters, 1995, 44, 183-187.	2.5	62
49	Complement Anaphylatoxins (C3a, C4a, C5a) and Their Receptors (C3aR, C5aR/CD88) as Therapeutic Targets in Inflammation. , 0, , 113-153.		26