

Yonglan Luo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9240235/yonglan-luo-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

7,242
citations

48
h-index

80
g-index

150
ext. papers

10,145
ext. citations

8.6
avg, IF

6.61
L-index

#	Paper	IF	Citations
142	Biomass Juncus derived carbon decorated with cobalt nanoparticles enables high-efficiency ammonia electrosynthesis by nitrite reduction. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 2842-2848	13	6
141	High-efficiency ammonia electrosynthesis via selective reduction of nitrate on ZnCo ₂ O ₄ nanosheet array. <i>Materials Today Physics</i> , 2022 , 23, 100619	8	11
140	Bi nanodendrites for highly efficient electrocatalytic NO reduction to NH ₃ at ambient conditions. <i>Materials Today Physics</i> , 2022 , 22, 100611	8	12
139	Superior hydrogen evolution electrocatalysis enabled by CoP nanowire array on graphite felt. <i>International Journal of Hydrogen Energy</i> , 2022 , 47, 3580-3586	6.7	22
138	Recent advances in MoS ₂ -based materials for electrocatalysis.. <i>Chemical Communications</i> , 2022 ,	5.8	4
137	Polyrrole-encapsulated Cu ₂ Se nanosheets in situ grown on Cu mesh for high stability sodium-ion battery anode. <i>Chemical Engineering Journal</i> , 2022 , 433, 134477	14.7	5
136	Improving the intrinsic electronic conductivity of NiMoO ₄ anodes by phosphorous doping for high lithium storage. <i>Nano Research</i> , 2022 , 15, 186	10	18
135	NiP nanosheet array for high-efficiency electrohydrogenation of nitrite to ammonia at ambient conditions. <i>Journal of Colloid and Interface Science</i> , 2022 , 606, 1055-1063	9.3	17
134	High-performance NH ₃ production NO electroreduction over a NiO nanosheet array. <i>Chemical Communications</i> , 2021 ,	5.8	14
133	Plasma-induced defective TiO _{2-x} with oxygen vacancies: A high-active and robust bifunctional catalyst toward H ₂ O ₂ electrosynthesis. <i>Chem Catalysis</i> , 2021 ,		17
132	MnO ₂ nanoarray with oxygen vacancies: An efficient catalyst for NO electroreduction to NH ₃ at ambient conditions. <i>Materials Today Physics</i> , 2021 , 22, 100586	8	18
131	Functional integration of hierarchical core-shell architectures via vertically arrayed ultrathin CuSe nanosheets decorated on hollow CuS microcages targeting highly effective sodium-ion storage. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 27615-27628	13	9
130	Electrochemical two-electron O ₂ reduction reaction toward H ₂ O ₂ production: using cobalt porphyrin decorated carbon nanotubes as a nanohybrid catalyst. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 26019-26027	13	7
129	Electrocatalytic H ₂ O ₂ production via two-electron O ₂ reduction by Mo-doped TiO ₂ nanocrystallines. <i>Catalysis Science and Technology</i> , 2021 , 11, 6970-6974	5.5	1
128	High-efficiency electrohydrogenation of nitric oxide to ammonia on a Ni ₂ P nanoarray under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 24268-24275	13	19
127	CoFe-LDH nanowire arrays on graphite felt: A high-performance oxygen evolution electrocatalyst in alkaline media. <i>Chinese Chemical Letters</i> , 2021 ,	8.1	24
126	Recent Advances in Nonprecious Metal Oxide Electrocatalysts and Photocatalysts for N ₂ Reduction Reaction under Ambient Condition. <i>Small Science</i> , 2021 , 1, 2000069		33

125	2D Vanadium Carbide (MXene) for Electrochemical Synthesis of Ammonia Under Ambient Conditions. <i>Catalysis Letters</i> , 2021 , 151, 3516	2.8	10
124	Honeycomb Carbon Nanofibers: A Superhydrophilic O ₂ -Entrapping Electrocatalyst Enables Ultrahigh Mass Activity for the Two-Electron Oxygen Reduction Reaction. <i>Angewandte Chemie</i> , 2021 , 133, 10677-10681	3.6	12
123	Honeycomb Carbon Nanofibers: A Superhydrophilic O ₂ -Entrapping Electrocatalyst Enables Ultrahigh Mass Activity for the Two-Electron Oxygen Reduction Reaction. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 10583-10587	16.4	76
122	N-doped carbon nanotubes supported CoSe nanoparticles: A highly efficient and stable catalyst for HO ₂ electrosynthesis in acidic media. <i>Nano Research</i> , 2021 , 15, 1-6	10	19
121	TiB ₂ thin film enabled efficient NH ₃ electrosynthesis at ambient conditions. <i>Materials Today Physics</i> , 2021 , 18, 100396	8	37
120	Directionally Tailoring Macroporous Honeycomb-Like Structured Carbon Nanofibers toward High-Capacitive Potassium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 30693-30702	9.5	7
119	Ag@TiO ₂ as an Efficient Electrocatalyst for N ₂ Fixation to NH ₃ under Ambient Conditions. <i>ChemistrySelect</i> , 2021 , 6, 5271-5274	1.8	3
118	Enhanced Electrochemical HO ₂ Production via Two-Electron Oxygen Reduction Enabled by Surface-Derived Amorphous Oxygen-Deficient TiO ₂ . <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 33182-33187	9.5	24
117	Recent Advances in 1D Electrospun Nanocatalysts for Electrochemical Water Splitting. <i>Small Structures</i> , 2021 , 2, 2000048	8.7	86
116	Rational design of carbon materials as anodes for potassium-ion batteries. <i>Energy Storage Materials</i> , 2021 , 34, 483-507	19.4	59
115	Recent advances in lithium-based batteries using metal organic frameworks as electrode materials. <i>Electrochemistry Communications</i> , 2021 , 122, 106881	5.1	25
114	Commercial indium-tin oxide glass: A catalyst electrode for efficient N ₂ reduction at ambient conditions. <i>Chinese Journal of Catalysis</i> , 2021 , 42, 1024-1029	11.3	44
113	A magnetron sputtered Mo ₃ Si thin film: an efficient electrocatalyst for N ₂ reduction under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 884-888	13	53
112	One-dimensional conductive metal-organic framework nanorods: a highly selective electrocatalyst for the oxygen reduction to hydrogen peroxide. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 20345-20349	13	9
111	Hexagonal boron nitride nanosheet as an effective nanoquencher for the fluorescence detection of microRNA. <i>Chemical Communications</i> , 2021 , 57, 8039-8042	5.8	7
110	Modulating Oxygen Vacancies of TiO ₂ Nanospheres by Mn-Doping to Boost Electrocatalytic N ₂ Reduction. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 1512-1517	8.3	18
109	Magnetron sputtering enabled sustainable synthesis of nanomaterials for energy electrocatalysis. <i>Green Chemistry</i> , 2021 , 23, 2834-2867	10	40
108	High-efficiency nitrate electroreduction to ammonia on electrodeposited cobalt-phosphorus alloy film. <i>Chemical Communications</i> , 2021 , 57, 9720-9723	5.8	19

107	Self-supported NiS@NiP/MoS heterostructures on nickel foam for an outstanding oxygen evolution reaction and efficient overall water splitting. <i>Dalton Transactions</i> , 2021 , 50, 15094-15102	4.3	9
106	Recent advances in perovskite oxides as electrode materials for supercapacitors. <i>Chemical Communications</i> , 2021 , 57, 2343-2355	5.8	29
105	Cu ₂ Sb decorated Cu nanowire arrays for selective electrocatalytic CO ₂ to CO conversion. <i>Nano Research</i> , 2021 , 14, 2831-2836	10	24
104	Progress and perspective of metal phosphide/carbon heterostructure anodes for rechargeable ion batteries. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 11879-11907	13	28
103	Electrochemical nitrogen reduction: recent progress and prospects. <i>Chemical Communications</i> , 2021 , 57, 7335-7349	5.8	13
102	A-site perovskite oxides: an emerging functional material for electrocatalysis and photocatalysis. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 6650-6670	13	48
101	Iron-Doped MoO Nanosheets for Boosting Nitrogen Fixation to Ammonia at Ambient Conditions. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7142-7151	9.5	6
100	TiO Nanoparticles with Ti Sites toward Efficient NH ₃ Electrosynthesis under Ambient Conditions. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 41715-41722	9.5	32
99	Monodisperse Cu Cluster-Loaded Defective ZrO Nanofibers for Ambient N Fixation to NH ₃ . <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 40724-40730	9.5	2
98	NiFe Layered-Double-Hydroxide Nanosheet Arrays on Graphite Felt: A 3D Electrocatalyst for Highly Efficient Water Oxidation in Alkaline Media. <i>Inorganic Chemistry</i> , 2021 , 60, 12703-12708	5.1	36
97	Greatly Facilitated Two-Electron Electroreduction of Oxygen into Hydrogen Peroxide over TiO ₂ by Mn Doping. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 46659-46664	9.5	14
96	High-Performance Electrochemical NO Reduction into NH ₃ by MoS ₂ Nanosheet. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 25263-25268	16.4	42
95	La-doped TiO ₂ nanorods toward boosted electrocatalytic N ₂ -to-NH ₃ conversion at ambient conditions. <i>Chinese Journal of Catalysis</i> , 2021 , 42, 1755-1762	11.3	14
94	Recent advances in strategies for highly selective electrocatalytic N ₂ reduction toward ambient NH ₃ synthesis. <i>Current Opinion in Electrochemistry</i> , 2021 , 29, 100766	7.2	43
93	Reduced graphene oxide supported ZIF-67 derived CoP enables high-performance potassium ion storage. <i>Journal of Colloid and Interface Science</i> , 2021 , 604, 319-326	9.3	9
92	An amorphous WC thin film enabled high-efficiency N ₂ reduction electrocatalysis under ambient conditions. <i>Chemical Communications</i> , 2021 , 57, 7806-7809	5.8	19
91	Recent Progress in Electrocatalytic Methanation of CO ₂ at Ambient Conditions. <i>Advanced Functional Materials</i> , 2021 , 31, 2009449	15.6	40
90	Constructing a hollow microflower-like ZnS/CuS@C heterojunction as an effective ion-transport booster for an ultrastable and high-rate sodium storage anode. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 6402-6412	13	39

89	High-efficiency electrochemical nitrite reduction to ammonium using a Cu ₃ P nanowire array under ambient conditions. <i>Green Chemistry</i> , 2021 , 23, 5487-5493	10	25
88	A Cr-FeOOH@Ni-P/NF binder-free electrode as an excellent oxygen evolution reaction electrocatalyst. <i>Nanoscale</i> , 2021 , 13, 17003-17010	7.7	6
87	Alkylthiol surface engineering: an effective strategy toward enhanced electrocatalytic N ₂ -to-NH ₃ fixation by a CoP nanoarray. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 13861-13866	13	45
86	Electrocatalytic hydrogen peroxide production in acidic media enabled by NiS ₂ nanosheets. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 6117-6122	13	45
85	Hierarchical CuO@ZnCo LDH heterostructured nanowire arrays toward enhanced water oxidation electrocatalysis. <i>Nanoscale</i> , 2020 , 12, 5359-5362	7.7	68
84	Recent Progress in Metal-Free Electrocatalysts toward Ambient N ₂ Reduction Reaction. <i>Wuli Huaxue Xuebao/Acta Physico-Chimica Sinica</i> , 2020 , 2009043-0	3.8	20
83	Highly Selective Electrochemical Reduction of CO ₂ to Alcohols on an FeP Nanoarray. <i>Angewandte Chemie</i> , 2020 , 132, 768-772	3.6	14
82	Highly Selective Electrochemical Reduction of CO to Alcohols on an FeP Nanoarray. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 758-762	16.4	73
81	Unusual electrochemical N reduction activity in an earth-abundant iron catalyst via phosphorous modulation. <i>Chemical Communications</i> , 2020 , 56, 731-734	5.8	19
80	Ti self-doped TiO nanowires for efficient electrocatalytic N reduction to NH. <i>Chemical Communications</i> , 2020 , 56, 1074-1077	5.8	29
79	An ultrasmall Ru ₂ P nanoparticles-reduced graphene oxide hybrid: an efficient electrocatalyst for NH ₃ synthesis under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 77-81	13	87
78	Aqueous electrocatalytic N ₂ reduction for ambient NH ₃ synthesis: recent advances in catalyst development and performance improvement. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 1545-1556	13	158
77	FeOOH quantum dots decorated graphene sheet: An efficient electrocatalyst for ambient N ₂ reduction. <i>Nano Research</i> , 2020 , 13, 209-214	10	31
76	P-Doped graphene toward enhanced electrocatalytic N reduction. <i>Chemical Communications</i> , 2020 , 56, 1831-1834	5.8	48
75	CuP nanoparticle-reduced graphene oxide hybrid: an efficient electrocatalyst to realize N-to-NH conversion under ambient conditions. <i>Chemical Communications</i> , 2020 , 56, 9328-9331	5.8	38
74	Biomimetic Assembly of a Polydopamine Layer on Graphene as an Electron Gate for Fluorescent MicroRNA Detection in Living Cells. <i>ChemBioChem</i> , 2020 , 21, 801-806	3.8	4
73	Greatly Improving Electrochemical N Reduction over TiO Nanoparticles by Iron Doping. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18449-18453	16.4	250
72	An Fe ₂ O ₃ nanoparticle-reduced graphene oxide composite for ambient electrocatalytic N ₂ reduction to NH ₃ . <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 2682-2685	6.8	20

71	Improving the electrocatalytic N ₂ reduction activity of Pd nanoparticles through surface modification. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21674-21677	13	80
70	Electrocatalytic CO ₂ Reduction to Alcohols with High Selectivity over a Two-Dimensional Fe ₂ P ₂ S ₆ Nanosheet. <i>ACS Catalysis</i> , 2019 , 9, 9721-9725	13.1	48
69	Greatly Enhanced Electrocatalytic N ₂ Reduction on TiO ₂ via V Doping. <i>Small Methods</i> , 2019 , 3, 1900356	12.8	117
68	Ambient electrohydrogenation of N ₂ for NH ₃ synthesis on non-metal boron phosphide nanoparticles: the critical role of P in boosting the catalytic activity. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 16117-16121	13	84
67	WO nanosheets rich in oxygen vacancies for enhanced electrocatalytic N reduction to NH. <i>Nanoscale</i> , 2019 , 11, 19274-19277	7.7	61
66	Ambient electrochemical N reduction to NH under alkaline conditions enabled by a layered KTiO nanobelt. <i>Chemical Communications</i> , 2019 , 55, 7546-7549	5.8	10
65	Electrocatalytic N-to-NH conversion using oxygen-doped graphene: experimental and theoretical studies. <i>Chemical Communications</i> , 2019 , 55, 7502-7505	5.8	63
64	A perovskite LaTiO nanosheet as an efficient electrocatalyst for artificial N fixation to NH in acidic media. <i>Chemical Communications</i> , 2019 , 55, 6401-6404	5.8	58
63	Boron Nanosheet: An Elemental Two-Dimensional (2D) Material for Ambient Electrocatalytic N ₂ -to-NH ₃ Fixation in Neutral Media. <i>ACS Catalysis</i> , 2019 , 9, 4609-4615	13.1	180
62	Synergistic electrocatalytic N ₂ reduction using a PTCA nanorod/GO hybrid. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12446-12450	13	19
61	Boosting electrocatalytic N reduction by MnO with oxygen vacancies. <i>Chemical Communications</i> , 2019 , 55, 4627-4630	5.8	83
60	Boosting electrocatalytic N reduction to NH on FeOOH by fluorine doping. <i>Chemical Communications</i> , 2019 , 55, 3987-3990	5.8	86
59	Electrocatalytic N-to-NH conversion with high faradaic efficiency enabled using a Bi nanosheet array. <i>Chemical Communications</i> , 2019 , 55, 5263-5266	5.8	84
58	Efficient electrohydrogenation of N to NH by oxidized carbon nanotubes under ambient conditions. <i>Chemical Communications</i> , 2019 , 55, 4997-5000	5.8	66
57	Ceria-reduced graphene oxide nanocomposite as an efficient electrocatalyst towards artificial N conversion to NH under ambient conditions. <i>Chemical Communications</i> , 2019 , 55, 10717-10720	5.8	24
56	Enhanced Electrochemical N ₂ Reduction to NH ₃ on Reduced Graphene Oxide by Tannic Acid Modification. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14368-14372	8.3	14
55	Electrospun TiC/C nanofibers for ambient electrocatalytic N ₂ reduction. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 19657-19661	13	41
54	A MoN nanosheet array supported on carbon cloth as an efficient electrochemical sensor for nitrite detection. <i>Analyst, The</i> , 2019 , 144, 5378-5380	5	14

53	Recent progress in the electrochemical ammonia synthesis under ambient conditions. <i>EnergyChem</i> , 2019 , 1, 100011	36.9	105
52	Boron Phosphide Nanoparticles: A Nonmetal Catalyst for High-Selectivity Electrochemical Reduction of CO to CH ₃ OH. <i>Advanced Materials</i> , 2019 , 31, e1903499	24	100
51	Hollow Bi ₂ MoO ₆ Sphere Effectively Catalyzes the Ambient Electroreduction of N ₂ to NH ₃ . <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 12692-12696	8.3	31
50	An MnO ₂ /Ti ₃ C ₂ T _x MXene nanohybrid: an efficient and durable electrocatalyst toward artificial N ₂ fixation to NH ₃ under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18823-18827	13	73
49	Ambient electrocatalytic N ₂ reduction to NH ₃ by metal fluorides. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 17761-17765	13	26
48	Greatly Improving Electrochemical N ₂ Reduction over TiO ₂ Nanoparticles by Iron Doping. <i>Angewandte Chemie</i> , 2019 , 131, 18620-18624	3.6	31
47	Sulfur dots-graphene nanohybrid: a metal-free electrocatalyst for efficient N-to-NH fixation under ambient conditions. <i>Chemical Communications</i> , 2019 , 55, 3152-3155	5.8	88
46	2020 Roadmap on gas-involved photo- and electro- catalysis. <i>Chinese Chemical Letters</i> , 2019 , 30, 2089-2109	10.9	59
45	Dendritic Cu: a high-efficiency electrocatalyst for N fixation to NH ₃ under ambient conditions. <i>Chemical Communications</i> , 2019 , 55, 14474-14477	5.8	52
44	Ultrasmall V ₈ C ₇ nanoparticles embedded in conductive carbon for efficient electrocatalytic N ₂ reduction toward ambient NH ₃ production. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 26227-26230	13	17
43	PdP ₂ nanoparticles/reduced graphene oxide for electrocatalytic N ₂ conversion to NH ₃ under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 24760-24764	13	67
42	Electrocatalytic Hydrogenation of N ₂ to NH ₃ by MnO: Experimental and Theoretical Investigations. <i>Advanced Science</i> , 2019 , 6, 1801182	13.6	92
41	Enabling the electrocatalytic fixation of N ₂ to NH ₃ by C-doped TiO ₂ nanoparticles under ambient conditions. <i>Nanoscale Advances</i> , 2019 , 1, 961-964	5.1	29
40	Superior alkaline hydrogen evolution electrocatalysis enabled by an ultrafine PtNi nanoparticle-decorated Ni nanoarray with ultralow Pt loading. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1365-1369	6.8	39
39	High-performance water oxidation electrocatalysis enabled by a Ni-MOF nanosheet array. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1570-1574	6.8	84
38	Efficient oxygen evolution electrocatalyzed by a Cu nanoparticle-embedded N-doped carbon nanowire array. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 1188-1192	6.8	52
37	Ambient N fixation to NH ₃ electrocatalyzed by a spinel FeO nanorod. <i>Nanoscale</i> , 2018 , 10, 14386-14389	7.7	142
36	Efficient Electrochemical N ₂ Reduction to NH ₃ on MoN Nanosheets Array under Ambient Conditions. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 9550-9554	8.3	164

35	TiO ₂ nanoparticles/reduced graphene oxide hybrid: an efficient and durable electrocatalyst toward artificial N ₂ fixation to NH ₃ under ambient conditions. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17303-17306	13.1	127
34	High-Performance Electrohydrogenation of N ₂ to NH ₃ Catalyzed by Multishelled Hollow Cr ₂ O ₃ Microspheres under Ambient Conditions. <i>ACS Catalysis</i> , 2018 , 8, 8540-8544	13.1	218
33	Ambient NH ₃ synthesis via electrochemical reduction of N over cubic sub-micron SnO particles. <i>Chemical Communications</i> , 2018 , 54, 12966-12969	5.8	115
32	Efficient and durable N reduction electrocatalysis under ambient conditions: FeOOH nanorods as a non-noble-metal catalyst. <i>Chemical Communications</i> , 2018 , 54, 11332-11335	5.8	113
31	CoP nanoarray: a robust non-noble-metal hydrogen-generating catalyst toward effective hydrolysis of ammonia borane. <i>Inorganic Chemistry Frontiers</i> , 2017 , 4, 659-662	6.8	75
30	Core-Shell NiFe-LDH@NiFe-B Nanoarray: In Situ Electrochemical Surface Derivation Preparation toward Efficient Water Oxidation Electrocatalysis in near-Neutral Media. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 19502-19506	9.5	44
29	A Ni ₂ P nanosheet array integrated on 3D Ni foam: an efficient, robust and reusable monolithic catalyst for the hydrolytic dehydrogenation of ammonia borane toward on-demand hydrogen generation. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 12407-12410	13	76
28	Efficient Electrochemical Water Splitting Catalyzed by Electrodeposited Nickel Diselenide Nanoparticles Based Film. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 4718-23	9.5	207
27	3D macroporous MoS ₂ thin film: in situ hydrothermal preparation and application as a highly active hydrogen evolution electrocatalyst at all pH values. <i>Electrochimica Acta</i> , 2015 , 168, 133-138	6.7	128
26	Ni ₃ Se ₂ film as a non-precious metal bifunctional electrocatalyst for efficient water splitting. <i>Catalysis Science and Technology</i> , 2015 , 5, 4954-4958	5.5	117
25	NiCo ₂ S ₄ nanowires array as an efficient bifunctional electrocatalyst for full water splitting with superior activity. <i>Nanoscale</i> , 2015 , 7, 15122-6	7.7	319
24	In Situ Growth of NiSe Nanowire Film on Nickel Foam as an Electrode for High-Performance Supercapacitors. <i>ChemElectroChem</i> , 2015 , 2, 1903-1907	4.3	132
23	Electrodeposited Ni-P Alloy Nanoparticle Films for Efficiently Catalyzing Hydrogen- and Oxygen-Evolution Reactions. <i>ChemNanoMat</i> , 2015 , 1, 558-561	3.5	68
22	CoSe ₂ nanowires array as a 3D electrode for highly efficient electrochemical hydrogen evolution. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 3877-81	9.5	160
21	Self-Supported FeP Nanorod Arrays: A Cost-Effective 3D Hydrogen Evolution Cathode with High Catalytic Activity. <i>ACS Catalysis</i> , 2014 , 4, 4065-4069	13.1	356
20	CdS quantum dots as a fluorescent sensing platform for nucleic acid detection. <i>Mikrochimica Acta</i> , 2011 , 175, 355-359	5.8	29
19	Solution self-assembly-based route towards hexagonal microdisks at room temperature. <i>Inorganic Materials</i> , 2010 , 46, 472-475	0.9	0
18	Supramolecular microrods can be prepared by mixing aqueous Ru(NH ₃) ₆ Cl ₃ and K ₃ Fe(CN) ₆ solutions at room temperature. <i>Colloid Journal</i> , 2010 , 72, 141-144	1.1	1

17	ZnO microrods photodeposited with Au@Ag nanoparticles: Synthesis, characterization and application in SERS. <i>Colloid Journal</i> , 2009 , 71, 223-232	1.1	9
16	Hydrothermal synthesis of one-dimensional ZnO/CdS core/shell nanocomposites. <i>Colloid Journal</i> , 2009 , 71, 370-374	1.1	7
15	Synthesis of CuInSe ₂ and CuGaSe ₂ hexagonal microplates in oleic acid and oleylamine mixture. <i>Colloid Journal</i> , 2009 , 71, 375-379	1.1	5
14	Controlled formation of novel supramolecular microbelts or microprisms from aniline and H ₂ PdCl ₄ driven by coordination and π - π interactions. <i>Supramolecular Chemistry</i> , 2008 , 20, 765-768	1.8	1
13	A general thermal process for the one-step preparation of well-stable noble metal nanoparticles. <i>Colloid Journal</i> , 2008 , 70, 669-672	1.1	3
12	Highly efficient two-electron electroreduction of oxygen into hydrogen peroxide over Cu-doped TiO ₂ . <i>Nano Research</i> , 1	10	3
11	In situ grown Fe ₃ O ₄ particle on stainless steel: A highly efficient electrocatalyst for nitrate reduction to ammonia. <i>Nano Research</i> , 1	10	17
10	Electrocatalysis enabled transformation of earth-abundant water, nitrogen and carbon dioxide for a sustainable future. <i>Materials Advances</i> ,	3.3	1
9	Ambient ammonia production via electrocatalytic nitrite reduction catalyzed by a CoP nanoarray. <i>Nano Research</i> , 1	10	30
8	CuS concave polyhedral superstructures enabled efficient N ₂ electroreduction to NH ₃ at ambient conditions. <i>Inorganic Chemistry Frontiers</i> ,	6.8	32
7	CoTe nanoparticle-embedded N-doped hollow carbon polyhedron: an efficient catalyst for H ₂ O ₂ electrosynthesis in acidic media. <i>Journal of Materials Chemistry A</i> ,	13	9
6	Enhancing electrocatalytic N ₂ -to-NH ₃ fixation by suppressing hydrogen evolution with alkylthiols modified Fe ₃ P nanoarrays. <i>Nano Research</i> , 1	10	28
5	High-Performance Electrochemical NO Reduction into NH ₃ by MoS ₂ Nanosheet. <i>Angewandte Chemie</i> ,	3.6	8
4	In situ tailoring bimetallic organic framework-derived yolk-shell NiS ₂ /CuS hollow microspheres: an extraordinary kinetically pseudocapacitive nanoreactor for an effective sodium-ion storage anode. <i>Journal of Materials Chemistry A</i> ,	13	24
3	A NiCo LDH nanosheet array on graphite felt: an efficient 3D electrocatalyst for the oxygen evolution reaction in alkaline media. <i>Inorganic Chemistry Frontiers</i> ,	6.8	60
2	A Ni-MOF nanosheet array for efficient oxygen evolution electrocatalysis in alkaline media. <i>Inorganic Chemistry Frontiers</i> ,	6.8	46
1	A hierarchical CuO@NiCo layered double hydroxide core-shell nanoarray as an efficient electrocatalyst for the oxygen evolution reaction. <i>Inorganic Chemistry Frontiers</i> ,	6.8	57