

Jun-Ming Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9240416/jun-ming-zhang-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

4,688

citations

32

h-index

68

g-index

87

ext. papers

5,446

ext. citations

4.9

avg, IF

5.61

L-index

#	Paper	IF	Citations
86	Cytokines, inflammation, and pain. <i>International Anesthesiology Clinics</i> , 2007 , 45, 27-37	0.6	1268
85	Mechanical and thermal hyperalgesia and ectopic neuronal discharge after chronic compression of dorsal root ganglia. <i>Journal of Neurophysiology</i> , 1999 , 82, 3347-58	3.2	238
84	Functional changes in dorsal root ganglion cells after chronic nerve constriction in the rat. <i>Journal of Neurophysiology</i> , 1995 , 73, 1811-20	3.2	211
83	Enhanced excitability of sensory neurons in rats with cutaneous hyperalgesia produced by chronic compression of the dorsal root ganglion. <i>Journal of Neurophysiology</i> , 1999 , 82, 3359-66	3.2	168
82	Neuropathic pain: early spontaneous afferent activity is the trigger. <i>Pain</i> , 2005 , 116, 243-256	8	148
81	Peripheral nociception associated with surgical incision elicits remote nonischemic cardioprotection via neurogenic activation of protein kinase C signaling. <i>Circulation</i> , 2009 , 120, S1-9	16.7	125
80	Robust increase of cutaneous sensitivity, cytokine production and sympathetic sprouting in rats with localized inflammatory irritation of the spinal ganglia. <i>Neuroscience</i> , 2006 , 142, 809-22	3.9	124
79	Axotomy increases the excitability of dorsal root ganglion cells with unmyelinated axons. <i>Journal of Neurophysiology</i> , 1997 , 78, 2790-4	3.2	119
78	Early blockade of injured primary sensory afferents reduces glial cell activation in two rat neuropathic pain models. <i>Neuroscience</i> , 2009 , 160, 847-57	3.9	110
77	The chemokine CXCL1/growth related oncogene increases sodium currents and neuronal excitability in small diameter sensory neurons. <i>Molecular Pain</i> , 2008 , 4, 38	3.4	100
76	A comparison of chronic pain behavior following local application of tumor necrosis factor alpha to the normal and mechanically compressed lumbar ganglia in the rat. <i>Pain</i> , 2002 , 95, 239-246	8	99
75	Acute topical application of tumor necrosis factor alpha evokes protein kinase A-dependent responses in rat sensory neurons. <i>Journal of Neurophysiology</i> , 2002 , 88, 1387-92	3.2	96
74	Abnormal spontaneous activity and responses to norepinephrine in dissociated dorsal root ganglion cells after chronic nerve constriction. <i>Pain</i> , 1996 , 67, 391-7	8	95
73	Human acupuncture points mapped in rats are associated with excitable muscle/skin-nerve complexes with enriched nerve endings. <i>Brain Research</i> , 2004 , 1012, 154-9	3.7	89
72	An in vitro study of ectopic discharge generation and adrenergic sensitivity in the intact, nerve-injured rat dorsal root ganglion. <i>Pain</i> , 1997 , 72, 51-7	8	83
71	Comparison of responses of primate spinothalamic tract neurons to pruritic and algogenic stimuli. <i>Journal of Neurophysiology</i> , 2004 , 91, 213-22	3.2	76
70	Increased sensitivity of sensory neurons to tumor necrosis factor alpha in rats with chronic compression of the lumbar ganglia. <i>Journal of Neurophysiology</i> , 2002 , 88, 1393-9	3.2	71

69	Systemic antiinflammatory corticosteroid reduces mechanical pain behavior, sympathetic sprouting, and elevation of proinflammatory cytokines in a rat model of neuropathic pain. <i>Anesthesiology</i> , 2007 , 107, 469-77	4.3	70
68	Local knockdown of the NaV1.6 sodium channel reduces pain behaviors, sensory neuron excitability, and sympathetic sprouting in rat models of neuropathic pain. <i>Neuroscience</i> , 2015 , 291, 317-30 ⁹	3.0	64
67	Efficacy of stellate ganglion blockade for the management of type 1 complex regional pain syndrome. <i>Southern Medical Journal</i> , 2006 , 99, 1084-8	0.6	58
66	Knockdown of sodium channel NaV1.6 blocks mechanical pain and abnormal bursting activity of afferent neurons in inflamed sensory ganglia. <i>Pain</i> , 2013 , 154, 1170-80	8	57
65	Decreasing sympathetic sprouting in pathologic sensory ganglia: a new mechanism for treating neuropathic pain using lidocaine. <i>Pain</i> , 2004 , 109, 143-9	8	53
64	Mechanical hyperalgesia in rat models of systemic and local hyperglycemia. <i>Brain Research</i> , 2003 , 960, 174-83	3.7	51
63	Somata of nerve-injured sensory neurons exhibit enhanced responses to inflammatory mediators. <i>Pain</i> , 2003 , 104, 701-709	8	49
62	Local inflammation in rat dorsal root ganglion alters excitability and ion currents in small-diameter sensory neurons. <i>Anesthesiology</i> , 2007 , 107, 322-32	4.3	47
61	Increased excitability and spontaneous activity of rat sensory neurons following in vitro stimulation of sympathetic fiber sprouts in the isolated dorsal root ganglion. <i>Pain</i> , 2010 , 151, 447-459	8	46
60	Mechanical hypersensitivity, sympathetic sprouting, and glial activation are attenuated by local injection of corticosteroid near the lumbar ganglion in a rat model of neuropathic pain. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 56-62	3.4	44
59	Sympathetic sprouting near sensory neurons after nerve injury occurs preferentially on spontaneously active cells and is reduced by early nerve block. <i>Journal of Neurophysiology</i> , 2007 , 97, 492-502	3.2	44
58	Microarray analysis of rat sensory ganglia after local inflammation implicates novel cytokines in pain. <i>PLoS ONE</i> , 2012 , 7, e40779	3.7	44
57	Perfusion of the mechanically compressed lumbar ganglion with lidocaine reduces mechanical hyperalgesia and allodynia in the rat. <i>Journal of Neurophysiology</i> , 2000 , 84, 798-805	3.2	40
56	Bursting activity in myelinated sensory neurons plays a key role in pain behavior induced by localized inflammation of the rat sensory ganglion. <i>Neuroscience</i> , 2012 , 206, 212-23	3.9	36
55	NF-kappaB mediated enhancement of potassium currents by the chemokine CXCL1/growth related oncogene in small diameter rat sensory neurons. <i>Molecular Pain</i> , 2009 , 5, 26	3.4	33
54	Knockdown of the sphingosine-1-phosphate receptor S1PR1 reduces pain behaviors induced by local inflammation of the rat sensory ganglion. <i>Neuroscience Letters</i> , 2012 , 515, 61-5	3.3	31
53	Active Nerve Regeneration with Failed Target Reinnervation Drives Persistent Neuropathic Pain. <i>ENeuro</i> , 2017 , 4,	3.9	31
52	Increased function of the TRPV1 channel in small sensory neurons after local inflammation or in vitro exposure to the pro-inflammatory cytokine GRO/KC. <i>Neuroscience Bulletin</i> , 2012 , 28, 155-64	4.3	30

51	Nav β regulates fast resurgent sodium currents and excitability in sensory neurons. <i>Molecular Pain</i> , 2015 , 11, 60	3-4	29
50	High-fat diet increases pain behaviors in rats with or without obesity. <i>Scientific Reports</i> , 2017 , 7, 10350	4-9	27
49	Are diagnostic lumbar facet injections influenced by pain of muscular origin?. <i>Pain Practice</i> , 2004 , 4, 286-91	3-9	27
48	Mineralocorticoid receptor blocker eplerenone reduces pain behaviors in vivo and decreases excitability in small-diameter sensory neurons from local inflamed dorsal root ganglia in vitro. <i>Anesthesiology</i> , 2012 , 117, 1102-12	4-3	27
47	Melittin activates TRPV1 receptors in primary nociceptive sensory neurons via the phospholipase A2 cascade pathways. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 408, 32-7	3-4	26
46	Highly localized interactions between sensory neurons and sprouting sympathetic fibers observed in a transgenic tyrosine hydroxylase reporter mouse. <i>Molecular Pain</i> , 2011 , 7, 53	3-4	26
45	Localized Sympathectomy Reduces Mechanical Hypersensitivity by Restoring Normal Immune Homeostasis in Rat Models of Inflammatory Pain. <i>Journal of Neuroscience</i> , 2016 , 36, 8712-25	6.6	25
44	Patch clamp recording from the intact dorsal root ganglion. <i>Journal of Neuroscience Methods</i> , 1998 , 79, 97-103	3	25
43	Protein kinase A modulates spontaneous activity in chronically compressed dorsal root ganglion neurons in the rat. <i>Pain</i> , 2001 , 94, 39-46	8	25
42	Preclinical studies of low back pain. <i>Molecular Pain</i> , 2013 , 9, 17	3-4	24
41	High-fat diet exacerbates postoperative pain and inflammation in a sex-dependent manner. <i>Pain</i> , 2018 , 159, 1731-1741	8	21
40	Upregulation of the sodium channel Nav β subunit and its contributions to mechanical hypersensitivity and neuronal hyperexcitability in a rat model of radicular pain induced by local dorsal root ganglion inflammation. <i>Pain</i> , 2016 , 157, 879-891	8	21
39	Minocycline Relieves Depressive-Like Behaviors in Rats With Bone Cancer Pain by Inhibiting Microglia Activation in Hippocampus. <i>Anesthesia and Analgesia</i> , 2019 , 129, 1733-1741	3-9	21
38	Increased Resurgent Sodium Currents in Nav1.8 Contribute to Nociceptive Sensory Neuron Hyperexcitability Associated with Peripheral Neuropathies. <i>Journal of Neuroscience</i> , 2019 , 39, 1539-1550	6.6	21
37	Normalizing GDNF expression in the spinal cord alleviates cutaneous hyperalgesia but not ongoing pain in a rat model of bone cancer pain. <i>International Journal of Cancer</i> , 2017 , 140, 411-422	7.5	20
36	Sympathetic Fiber Sprouting in Chronically Compressed Dorsal Root Ganglia Without Peripheral Axotomy. <i>Journal of Neuropathic Pain & Symptom Palliation</i> , 2005 , 1, 19-23		19
35	Topical application of acidic bupivacaine to the lumbar ganglion induces mechanical hyperalgesia in the rat. <i>Anesthesia and Analgesia</i> , 2001 , 93, 466-71, 4th contents page	3-9	19
34	Differential Inhibition of Nav1.7 and Neuropathic Pain by Hybridoma-Produced and Recombinant Monoclonal Antibodies that Target Nav1.7 : Differential activities of Nav1.7-targeting monoclonal antibodies. <i>Neuroscience Bulletin</i> , 2018 , 34, 22-41	4-3	17

33	Peripheral nerve injury sensitizes neonatal dorsal horn neurons to tumor necrosis factor-alpha. <i>Molecular Pain</i> , 2009 , 5, 10	3-4	17
32	Progress in Sympathetically Mediated Pathological Pain. <i>Journal of Anesthesia and Perioperative Medicine</i> , 2015 , 2, 216-225		16
31	Blocking the mineralocorticoid receptor improves effectiveness of steroid treatment for low back pain in rats. <i>Anesthesiology</i> , 2014 , 121, 632-43	4-3	16
30	FHF2 isoforms differentially regulate Nav1.6-mediated resurgent sodium currents in dorsal root ganglion neurons. <i>Pflugers Archiv European Journal of Physiology</i> , 2017 , 469, 195-212	4.6	15
29	Effects of bupivacaine and ropivacaine on high-voltage-activated calcium currents of the dorsal horn neurons in newborn rats. <i>Anesthesiology</i> , 2001 , 95, 139-43	4-3	15
28	Inflammatory Changes in Paravertebral Sympathetic Ganglia in Two Rat Pain Models. <i>Neuroscience Bulletin</i> , 2018 , 34, 85-97	4-3	13
27	Topical Application of Acidic Bupivacaine to the Lumbar Ganglion Induces Mechanical Hyperalgesia in the Rat. <i>Anesthesia and Analgesia</i> , 2001 , 93, 466-471	3-9	13
26	Sympathetic Fiber Sprouting in Chronically Compressed Dorsal Root Ganglia Without Peripheral Axotomy. <i>Journal of Neuropathic Pain & Symptom Palliation</i> , 2005 , 1, 19-23		13
25	Fractalkine/CX3CR1 Contributes to Endometriosis-Induced Neuropathic Pain and Mechanical Hypersensitivity in Rats. <i>Frontiers in Cellular Neuroscience</i> , 2018 , 12, 495	6.1	12
24	Recent evidence for activity-dependent initiation of sympathetic sprouting and neuropathic pain. <i>Acta Physiologica Sinica</i> , 2008 , 60, 617-27	1-3	12
23	Cardioprotection via the skin: nociceptor-induced conditioning against cardiac MI in the NIC of time. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H543-H553	5-2	10
22	Tumor Necrosis Factor- β Suppresses Activation of Sustained Potassium Currents in Rat Small Diameter Sensory Neurons. <i>Open Pain Journal</i> , 2008 , 1, 1	0-3	9
21	Thermosensitivity of large primary sensory neurons. <i>Brain Research</i> , 2002 , 926, 18-26	3-7	7
20	Alterations in the functional properties of dorsal root ganglion cells with unmyelinated axons after a chronic nerve constriction in the rat. <i>Progress in Brain Research</i> , 1996 , 110, 105-11	2-9	7
19	Local Sympathectomy Promotes Anti-inflammatory Responses and Relief of Paclitaxel-induced Mechanical and Cold Allodynia in Mice. <i>Anesthesiology</i> , 2020 , 132, 1540-1553	4-3	7
18	Neonatal vincristine administration modulates intrinsic neuronal excitability in the rat dorsal root ganglion and spinal dorsal horn during adolescence. <i>Pain</i> , 2019 , 160, 645-657	8	7
17	Role of Na _v 1.6 and Na _v 1.7 Sodium Channel Subunits in a Rat Model of Low Back Pain Induced by Compression of the Dorsal Root Ganglia. <i>Neuroscience</i> , 2019 , 402, 51-65	3-9	5
16	Localized sympathectomy reduces peripheral nerve regeneration and pain behaviors in 2 rat neuropathic pain models. <i>Pain</i> , 2020 , 161, 1925-1936	8	4

15	Mineralocorticoid Antagonist Improves Glucocorticoid Receptor Signaling and Dexamethasone Analgesia in an Animal Model of Low Back Pain. <i>Frontiers in Cellular Neuroscience</i> , 2018 , 12, 453	6.1	4
14	Enhanced Pain Sensitivity with Systemic Ultrastructural Changes of the Nervous Systems after Cobra Venom Injection is Reversed by Electroacupuncture Treatment. <i>Pain Physician</i> , 2018 , 21, E509-E521 ^{1,8}		3
13	Synchronized cluster firing, a distinct form of sensory neuron activation, drives spontaneous pain. <i>Neuron</i> , 2021 ,	13.9	2
12	Mineralocorticoid Receptor, A Promising Target for Improving Management of Low Back Pain by Epidural Steroid Injections. <i>Journal of Anesthesia and Perioperative Medicine</i> , 2016 , 3, 177-184		2
11	Radicular low back pain: what have we learned from recent animal research?. <i>Anesthesiology</i> , 2008 , 108, 5-6	4.3	2
10	Key role of CCR2-expressing macrophages in a mouse model of low back pain and radiculopathy. <i>Brain, Behavior, and Immunity</i> , 2021 , 91, 556-567	16.6	2
9	PATHOPHYSIOLOGY OF PAIN 2009 , 4-8		1
8	Assessment of Laser Doppler Imaging for the Diagnosis of Complex Regional Pain Syndrome I. <i>Journal of Neuropathic Pain & Symptom Palliation</i> , 2005 , 1, 13-20		1
7	Localized Inflammatory Irritation of the Lumbar Ganglia: An Animal Model of Chemogenic Low Back Pain and Radiculopathy. <i>Neuromethods</i> , 2011 , 89-102	0.4	1
6	Differential Regulation of the Glucocorticoid Receptor in a Rat Model of Inflammatory Pain. <i>Anesthesia and Analgesia</i> , 2020 , 131, 298-306	3.9	1
5	Sympathectomy decreases pain behaviors and nerve regeneration by downregulating monocyte chemokine CCL2 in dorsal root ganglia in the rat tibial nerve crush model. <i>Pain</i> , 2021 , 163,	8	1
4	The Sympathetic Nervous System and Pain 2020 , 155-178		1
3	Cancer-Related Neuropathic Pain. <i>Journal of Neuropathic Pain & Symptom Palliation</i> , 2005 , 1, 55-67		
2	Response to Dr. Paraskevas's Comments. <i>Southern Medical Journal</i> , 2007 , 100, 412	0.6	
1	The anatomy of postoperative pain 2010 , 1-9		