

Yanping Fu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9245006/yanping-fu-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,671
citations

25
h-index

51
g-index

81
ext. papers

3,828
ext. citations

5.6
avg, IF

4.83
L-index

#	Paper	IF	Citations
76	Taxonomy of the order Mononegavirales: update 2016. <i>Archives of Virology</i> , 2016 , 161, 2351-60	2.6	324
75	A geminivirus-related DNA mycovirus that confers hypovirulence to a plant pathogenic fungus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8387-92	11.5	318
74	Widespread horizontal gene transfer from double-stranded RNA viruses to eukaryotic nuclear genomes. <i>Journal of Virology</i> , 2010 , 84, 11876-87	6.6	177
73	Extracellular transmission of a DNA mycovirus and its use as a natural fungicide. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 1452-7	11.5	161
72	Fungal negative-stranded RNA virus that is related to bornaviruses and nyaviruses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 12205-10	11.5	125
71	Characterization of debilitation-associated mycovirus infecting the plant-pathogenic fungus <i>Sclerotinia sclerotiorum</i> . <i>Journal of General Virology</i> , 2006 , 87, 241-249	4.9	116
70	A cerato-platanin protein SsCP1 targets plant PR1 and contributes to virulence of <i>Sclerotinia sclerotiorum</i> . <i>New Phytologist</i> , 2018 , 217, 739-755	9.8	100
69	A Small Secreted Virulence-Related Protein Is Essential for the Necrotrophic Interactions of <i>Sclerotinia sclerotiorum</i> with Its Host Plants. <i>PLoS Pathogens</i> , 2016 , 12, e1005435	7.6	89
68	A novel partitivirus that confers hypovirulence on plant pathogenic fungi. <i>Journal of Virology</i> , 2014 , 88, 10120-33	6.6	85
67	Fungal DNA virus infects a mycophagous insect and utilizes it as a transmission vector. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 12803-12808	11.5	84
66	A novel mycovirus closely related to hypoviruses that infects the plant pathogenic fungus <i>Sclerotinia sclerotiorum</i> . <i>Virology</i> , 2011 , 418, 49-56	3.6	68
65	Novel secretory protein Ss-Caf1 of the plant-pathogenic fungus <i>Sclerotinia sclerotiorum</i> is required for host penetration and normal sclerotial development. <i>Molecular Plant-Microbe Interactions</i> , 2014 , 27, 40-55	3.6	63
64	Virome Characterization of a Collection of from Australia. <i>Frontiers in Microbiology</i> , 2017 , 8, 2540	5.7	60
63	Antifungal substances produced by <i>Penicillium oxalicum</i> strain PY-1β potential antibiotics against plant pathogenic fungi. <i>World Journal of Microbiology and Biotechnology</i> , 2008 , 24, 909-915	4.4	60
62	Comparative genomic and transcriptional analyses of the carbohydrate-active enzymes and secretomes of phytopathogenic fungi reveal their significant roles during infection and development. <i>Scientific Reports</i> , 2015 , 5, 15565	4.9	55
61	A mitovirus related to plant mitochondrial gene confers hypovirulence on the phytopathogenic fungus <i>Sclerotinia sclerotiorum</i> . <i>Virus Research</i> , 2015 , 197, 127-36	6.4	51
60	Molecular characterization of two positive-strand RNA viruses co-infecting a hypovirulent strain of <i>Sclerotinia sclerotiorum</i> . <i>Virology</i> , 2014 , 464-465, 450-459	3.6	42

59	Virus-mediated suppression of host non-self recognition facilitates horizontal transmission of heterologous viruses. <i>PLoS Pathogens</i> , 2017 , 13, e1006234	7.6	41
58	Integrated omics study of lipid droplets from Plasmodiophora brassicae. <i>Scientific Reports</i> , 2016 , 6, 36965-9	5.9	37
57	Molecular characterization of a bipartite double-stranded RNA virus and its satellite-like RNA co-infecting the phytopathogenic fungus Sclerotinia sclerotiorum. <i>Frontiers in Microbiology</i> , 2015 , 6, 4065-7	5.7	36
56	A 2-kb Mycovirus Converts a Pathogenic Fungus into a Beneficial Endophyte for Brassica Protection and Yield Enhancement. <i>Molecular Plant</i> , 2020 , 13, 1420-1433	14.4	34
55	Ss-Sl2, a novel cell wall protein with PAN modules, is essential for sclerotial development and cellular integrity of Sclerotinia sclerotiorum. <i>PLoS ONE</i> , 2012 , 7, e34962	3.7	31
54	Characterization of a Novel Megabirnavirus from Sclerotinia sclerotiorum Reveals Horizontal Gene Transfer from Single-Stranded RNA Virus to Double-Stranded RNA Virus. <i>Journal of Virology</i> , 2015 , 89, 8567-79	6.6	28
53	Dicer-Like Proteins Regulate Sexual Development via the Biogenesis of Perithecium-Specific MicroRNAs in a Plant Pathogenic Fungus. <i>Frontiers in Microbiology</i> , 2018 , 9, 818	5.7	27
52	An effector of a necrotrophic fungal pathogen targets the calcium-sensing receptor in chloroplasts to inhibit host resistance. <i>Molecular Plant Pathology</i> , 2020 , 21, 686-701	5.7	26
51	The Microbial Opsin Homolog Sop1 is involved in Sclerotinia sclerotiorum Development and Environmental Stress Response. <i>Frontiers in Microbiology</i> , 2015 , 6, 1504	5.7	24
50	Nox Complex signal and MAPK cascade pathway are cross-linked and essential for pathogenicity and conidiation of mycoparasite Coniothyrium minitans. <i>Scientific Reports</i> , 2016 , 6, 24325	4.9	24
49	A Novel Deltaflexivirus that Infects the Plant Fungal Pathogen, , Can Be Transmitted Among Host Vegetative Incompatible Strains. <i>Viruses</i> , 2018 , 10,	6.2	22
48	Characterization of a novel Sclerotinia sclerotiorum RNA virus as the prototype of a new proposed family within the order Tymovirales. <i>Virus Research</i> , 2016 , 219, 92-99	6.4	21
47	Co-infection of a hypovirulent isolate of Sclerotinia sclerotiorum with a new botybirnavirus and a strain of a mitovirus. <i>Virology Journal</i> , 2016 , 13, 92	6.1	21
46	Endosphere microbiome comparison between symptomatic and asymptomatic roots of Brassica napus infected with Plasmodiophora brassicae. <i>PLoS ONE</i> , 2017 , 12, e0185907	3.7	20
45	Interannual dynamics, diversity and evolution of the virome in from a single crop field. <i>Virus Evolution</i> , 2021 , 7, veab032	3.7	20
44	Molecular Characterization of a Novel Positive-Sense, Single-Stranded RNA Mycovirus Infecting the Plant Pathogenic Fungus Sclerotinia sclerotiorum. <i>Viruses</i> , 2015 , 7, 2470-84	6.2	19
43	A cosmopolitan fungal pathogen of dicots adopts an endophytic lifestyle on cereal crops and protects them from major fungal diseases. <i>ISME Journal</i> , 2020 , 14, 3120-3135	11.9	19
42	Arabidopsis Mutant bik1 Exhibits Strong Resistance to Plasmodiophora brassicae. <i>Frontiers in Physiology</i> , 2016 , 7, 402	4.6	19

41	A Single ssRNA Segment Encoding RdRp Is Sufficient for Replication, Infection, and Transmission of Ourmia-Like Virus in Fungi. <i>Frontiers in Microbiology</i> , 2020 , 11, 379	5.7	19
40	Two alphapartitiviruses co-infecting a single isolate of the plant pathogenic fungus <i>Rhizoctonia solani</i> . <i>Archives of Virology</i> , 2018 , 163, 515-520	2.6	19
39	Bio-priming with a hypovirulent phytopathogenic fungus enhances the connection and strength of microbial interaction network in rapeseed. <i>Npj Biofilms and Microbiomes</i> , 2020 , 6, 45	8.2	15
38	Discovery of Two Mycoviruses by High-Throughput Sequencing and Assembly of Mycovirus-Derived Small Silencing RNAs From a Hypovirulent Strain of. <i>Frontiers in Microbiology</i> , 2019 , 10, 1415	5.7	12
37	Genomic organization of a novel victorivirus from the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Archives of Virology</i> , 2015 , 160, 2907-10	2.6	11
36	A HOPS protein, CmVps39, is required for vacuolar morphology, autophagy, growth, conidiogenesis and mycoparasitic functions of <i>Coniothyrium minitans</i> . <i>Environmental Microbiology</i> , 2016 , 18, 3785-3797 ^{5.2}	5.2	11
35	The Subtilisin-Like Protease Bcser2 Affects the Sclerotial Formation, Conidiation and Virulence of. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	10
34	Complete genome sequence of a novel mitovirus from the phytopathogenic fungus <i>Rhizoctonia oryzae-sativae</i> . <i>Archives of Virology</i> , 2017 , 162, 1409-1412	2.6	8
33	A Novel RNA Virus Related to Sobemoviruses Confers Hypovirulence on the Phytopathogenic Fungus <i>Sclerotinia sclerotiorum</i> . <i>Viruses</i> , 2019 , 11,	6.2	8
32	Sclerotia of a phytopathogenic fungus restrict microbial diversity and improve soil health by suppressing other pathogens and enriching beneficial microorganisms. <i>Journal of Environmental Management</i> , 2020 , 259, 109857	7.9	8
31	New insights into reovirus evolution: implications from a newly characterized mycoreovirus. <i>Journal of General Virology</i> , 2017 , 98, 1132-1141	4.9	8
30	Early Transcriptional Response to DNA Virus Infection in. <i>Viruses</i> , 2019 , 11,	6.2	7
29	Uninterrupted Expression of in a Sclerotial Parasite Leads to Reduced Growth and Enhanced Antifungal Ability. <i>Frontiers in Microbiology</i> , 2017 , 8, 2208	5.7	7
28	A "footprint" of plant carbon fixation cycle functions during the development of a heterotrophic fungus. <i>Scientific Reports</i> , 2015 , 5, 12952	4.9	7
27	Mycoparasitism illuminated by genome and transcriptome sequencing of , an important biocontrol fungus of the plant pathogen. <i>Microbial Genomics</i> , 2020 , 6,	4.4	7
26	Nine viruses from eight lineages exhibiting new evolutionary modes that co-infect a hypovirulent phytopathogenic fungus. <i>PLoS Pathogens</i> , 2021 , 17, e1009823	7.6	7
25	Four Novel Botourmiaviruses Co-Infecting an Isolate of the Rice Blast Fungus. <i>Viruses</i> , 2020 , 12,	6.2	5
24	Functional Analysis of the Melanin-Associated Gene in. <i>Frontiers in Microbiology</i> , 2018 , 9, 2658	5.7	5

23	Two distant helicases in one mycovirus: evidence of horizontal gene transfer between mycoviruses, coronaviruses and other nidoviruses. <i>Virus Evolution</i> , 2021 , 7, veab043	3.7	5
22	MAPKK Inhibitor U0126 Inhibits Plasmodiophora brassicae Development. <i>Phytopathology</i> , 2018 , 108, 711-720	3.8	4
21	Molecular Characterization of the First Alternavirus Identified in. <i>Viruses</i> , 2021 , 13,	6.2	4
20	Isolation and evaluation of the biocontrol potential of Talaromyces spp. against rice sheath blight guided by soil microbiome. <i>Environmental Microbiology</i> , 2021 , 23, 5946-5961	5.2	4
19	Editing homologous copies of an essential gene affords crop resistance against two cosmopolitan necrotrophic pathogens. <i>Plant Biotechnology Journal</i> , 2021 , 19, 2349-2361	11.6	4
18	Host Transcriptional Response of Induced by the Mycoparasite. <i>Frontiers in Microbiology</i> , 2020 , 11, 183	5.7	3
17	A novel antisense long non-coding RNA participates in asexual and sexual reproduction by regulating the expression of GzmetE in Fusarium graminearum. <i>Environmental Microbiology</i> , 2021 , 23, 4939-4955	5.2	3
16	Fungicidal Actions and Resistance Mechanisms of Prochloraz to. <i>Plant Disease</i> , 2021 , 105, 408-415	1.5	3
15	Identification of Causing Fruit Rot of Citrus in China. <i>Plants</i> , 2021 , 10,	4.5	3
14	Transcriptional Responses of to the Infection by SsHADV-1. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	2
13	Proto-oncogenes in a eukaryotic unicellular organism play essential roles in plasmodial growth in host cells. <i>BMC Genomics</i> , 2018 , 19, 881	4.5	2
12	Characterization of a novel RNA virus from the phytopathogenic fungus Leptosphaeria biglobosa related to members of the genus Mitovirus. <i>Archives of Virology</i> , 2019 , 164, 913-916	2.6	1
11	A Ralstonia solanacearum effector targets TGA transcription factors to subvert salicylic acid signaling.. <i>Plant Cell</i> , 2022 ,	11.6	1
10	Deciphering Bacterial Community of the Fallow and Paddy Soil Focusing on Possible Biocontrol Agents. <i>Agronomy</i> , 2022 , 12, 431	3.6	1
9	lncRsp1, a long noncoding RNA, influences Fgsp1 expression and sexual reproduction in Fusarium graminearum. <i>Molecular Plant Pathology</i> , 2021 ,	5.7	1
8	Characterization of a newly identified RNA segment derived from the genome of Sclerotinia sclerotiorum reovirus 1. <i>Archives of Virology</i> , 2021 , 1	2.6	1
7	CmAim24 Is Essential for Mitochondrial Morphology, Conidiogenesis, and Mycoparasitism in. <i>Applied and Environmental Microbiology</i> , 2020 , 86,	4.8	1
6	Pyrimethanil Sensitivity and Resistance Mechanisms in. <i>Plant Disease</i> , 2021 , 105, 1758-1764	1.5	1

5	Fusarivirus accessory helicases present an evolutionary link for viruses infecting plants and fungi.. <i>Virologica Sinica</i> , 2022 ,	6.4	1
4	Characterization of a novel botoulivirus isolated from the phytopathogenic fungus <i>Sclerotinia sclerotiorum</i> . <i>Archives of Virology</i> , 2021 , 166, 2859-2863	2.6	0
3	<i>Sclerotinia sclerotiorum</i> SsCut1 Modulates Virulence and Cutinase Activity. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022 , 8, 526	5.6	0
2	Risk and molecular mechanisms for boscalid resistance in <i>Penicillium digitatum</i> . <i>Pesticide Biochemistry and Physiology</i> , 2022 , 184, 105130	4.9	0
1	A novel alphahypovirus that infects the fungal plant pathogen <i>Sclerotinia sclerotiorum</i> . <i>Archives of Virology</i> , 2021 , 1	2.6	