

Norberto S Goncalves

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9245291/norberto-s-goncalves-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

933
citations

16
h-index

29
g-index

49
ext. papers

1,011
ext. citations

3.1
avg, IF

3.71
L-index

#	Paper	IF	Citations
46	Niobium chloride in 1-butyl-3-methylimidazolium chloride ionic liquid as a catalyst for biginelli reaction. <i>Journal of Molecular Structure</i> , 2020 , 1220, 128653	3.4	1
45	Casting and inkjet printable photochromic films based on polymethylmethacrylate and Phosphotungstic acid. <i>Optical Materials</i> , 2019 , 96, 109345	3.3	2
44	Assignment of the electronic transition of phenothiazine radical cation in the visible region by resonance Raman spectroscopy and theoretical calculation investigation. <i>Journal of Molecular Structure</i> , 2019 , 1191, 253-258	3.4	6
43	TITANYL SULPHATE, AN INORGANIC POLYMER: STRUCTURAL STUDIES AND VIBRATIONAL ASSIGNMENT. <i>Quimica Nova</i> , 2019 ,	1.6	2
42	Spectroscopic study of radical cation species formed on sulfated TiO ₂ upon benzene adsorption. <i>Vibrational Spectroscopy</i> , 2018 , 99, 80-85	2.1	2
41	Efficient degradation of solid yeast biomass from ethanol industry by Fenton and UV-Fenton processes applying multivariate analysis. <i>Revista Ambiente & Água</i> , 2017 , 12, 946	0.8	
40	Spectroscopic study of the charge-transfer complexes TiCl ₄ /styrene and TiCl ₄ /polystyrene. <i>Journal of Molecular Structure</i> , 2017 , 1146, 750-754	3.4	4
39	SBA-15:TiO ₂ nanocomposites: II. Direct and post-synthesis using acetylacetone. <i>Microporous and Mesoporous Materials</i> , 2017 , 239, 235-243	5.3	14
38	Acetalization of acetone with glycerol catalyzed by niobium-aluminum mixed oxides synthesized by a sol-gel process. <i>Journal of Molecular Catalysis A</i> , 2016 , 422, 122-130		36
37	bis-(1H-Benzimidazol-2-yl)-methanone: New preparation method, crystal structure, vibrational spectroscopy and DFT calculations. <i>Journal of Molecular Structure</i> , 2009 , 938, 1-9	3.4	20
36	Spray-dried chitosan microspheres containing 8-hydroxyquinoline -5 sulphonic acid as a new adsorbent for Cd(II) and Zn(II) ions. <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 152-7	7.9	38
35	Evidences for charge-transfer complex formation in the benzene adsorption on sulfated TiO ₂ by resonance Raman spectroscopy investigation. <i>Journal of Raman Spectroscopy</i> , 2008 , 39, 415-420	2.3	7
34	Chitosan crosslinked with a metal complexing agent: Synthesis, characterization and copper(II) ions adsorption. <i>Reactive and Functional Polymers</i> , 2008 , 68, 572-579	4.6	77
33	Transesterification reaction of vegetable oils, using superacid sulfated TiO ₂ based catalysts. <i>Applied Catalysis A: General</i> , 2008 , 347, 100-105	5.1	118
32	Synthesis of substituted dipyrido[3,2-a:2',3'-c]phenazines and a new heterocyclic dipyrido[3,2-f:2',3'-h]quinoxalino[2,3-b]quinoxaline. <i>Tetrahedron</i> , 2008 , 64, 5410-5415	2.4	38
31	Microencapsulação do agente quelante sulfoxina em microesferas de quitosana preparadas por spray drying como novo adsorvente para metais pesados. <i>Quimica Nova</i> , 2008 , 31, 1400-1404	1.6	2
30	Raman spectroscopy and thermal analysis of sulfated ZrO ₂ prepared by two synthesis routes. <i>Vibrational Spectroscopy</i> , 2007 , 44, 101-107	2.1	24

29	Chitosan modified with Reactive Blue 2 dye on adsorption equilibrium of Cu(II) and Ni(II) ions. <i>Reactive and Functional Polymers</i> , 2007 , 67, 1052-1060	4.6	52
28	Effect of Ni loading and reaction temperature on the formation of carbon nanotubes from methane catalytic decomposition over Ni/SiO ₂ . <i>Journal of Materials Science</i> , 2007 , 42, 914-922	4.3	20
27	Thermal analysis, Raman spectroscopy and scanning electron microscopy of new polymeric material containing in-chain ruthenium complex: Poly-{trans-[RuCl ₂ (vpy) ₄]-co-styrene} and poly-{trans-[RuCl ₂ (vpy) ₄]-4 vinylpyridine-styrene}. <i>Materials Letters</i> , 2006 , 60, 2549-2553	3.3	6
26	Resonance Raman spectroscopy of FeII FeIII and FeIII FeIII model complexes containing an unsymmetrical dinucleating ligand: a biomimetic redox pair for uteroferrin. <i>Journal of the Brazilian Chemical Society</i> , 2006 , 17, 1658-1663	1.5	4
25	Electropolymerization of trans-[RuCl ₂ (vpy) ₄] complex, QCM and Raman studies. <i>Journal of Solid State Electrochemistry</i> , 2006 , 11, 231-239	2.6	4
24	Vibrational analysis and NMR properties based on ab initio and DFT calculations of two naturally occurring xanthenes: 1,5-dihydroxy-2,3-dimethoxyxanthone and 1-hydroxy-5-methoxy-2,3-methylenedioxyxanthone. <i>Journal of Molecular Structure</i> , 2005 , 733, 53-61	3.4	16
23	Characterization of sulfated TiO ₂ prepared by the sol-gel method and its catalytic activity in the n-hexane isomerization reaction. <i>Journal of Molecular Catalysis A</i> , 2005 , 225, 39-46		88
22	Electroreductive polymerization of trans-[RuCl ₂ (vpy) ₄] on Nd-Fe-B magnets: electrochemical impedance spectroscopy interpretation, Raman spectroscopy, X-ray photoelectron spectroscopy and scanning electron microscopy analysis. <i>Journal of Solid State Electrochemistry</i> , 2004 , 8, 244-251	2.6	6
21	Chelating resin from functionalization of chitosan with complexing agent 8-hydroxyquinoline: application for metal ions on line preconcentration system. <i>Analytica Chimica Acta</i> , 2004 , 521, 157-162	6.6	63
20	Antioxidant activity of phenolic and related compounds: a density functional theory study on the O-H bond dissociation enthalpy. <i>Redox Report</i> , 2004 , 9, 263-9	5.9	46
19	Vibrational and resonance Raman study of dithiosquarate. <i>Journal of Molecular Structure</i> , 2003 , 645, 185-191	3.4	6
18	TiO ₂ with a high sulfate content: thermogravimetric analysis, determination of acid sites by infrared spectroscopy and catalytic activity. <i>Catalysis Today</i> , 2003 , 85, 69-74	5.3	55
17	Resonance Raman and crystallographic studies on the complex [Fe ₂ (bbpnl) ₂] ₂ DMF (bbpnl=N,N'-bis(2-hydroxybenzyl)-2-ol-1,3-propanediamine). <i>Inorganica Chimica Acta</i> , 2002 , 329, 141-146	2.7	12
16	Vibrational analysis of nicotinic acid species based on ab initio molecular orbital calculations. <i>Journal of Molecular Structure</i> , 2001 , 565-566, 411-416	3.4	28
15	Thermal dehydration in lithium croconate dihydrate (Li ₂ C ₅ O ₅ ·2H ₂ O) studied by vibrational and thermoanalytical techniques. <i>Journal of Molecular Structure</i> , 2001 , 570, 75-82	3.4	13
14	Boson peak in the room-temperature molten salt tetra(n-butyl)ammonium croconate. <i>Physical Review B</i> , 2001 , 63,	3.3	14
13	Evidences for a localized chromophore in the Ti(IV)/squarate complex: a resonance Raman investigation. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2000 , 56A, 1553-62	4.4	18
12	Synthesis, potentiometric titration, electrochemical investigation and biological properties of trans-[RuCl ₂ (dinic) ₄] (dinic = 3,5-pyridinecarboxylic acid). <i>Journal of Inorganic Biochemistry</i> , 1999 , 76, 153-63	4.2	10

11	Electronic transitions of the manganate(V) ion in aqueous solution: a resonance Raman study. <i>Journal of Raman Spectroscopy</i> , 1999 , 30, 697-704	2.3	3
10	Uma Demonstração Sobre o Espalhamento Inelástico de Luz: Repetindo o Experimento de Raman. <i>Química Nova</i> , 1997 , 20, 319-323	1.6	3
9	Lithium Croconate Dihydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 1996 , 52, 622-624		15
8	The Interaction Between Titanium(IV) and the Croconate Ion in Aqueous Solution Studied by Resonance Raman Spectroscopy. <i>Journal of the Brazilian Chemical Society</i> , 1996 , 7, 385-390	1.5	10
7	Overtone spectrum of the CH chromophore in CHI ₃ . <i>Journal of Chemical Physics</i> , 1995 , 103, 8391-8403	3.9	21
6	Resonance Raman spectroscopy of rhodizonates: Evidence of low-energy transitions in the solid state. <i>Journal of Raman Spectroscopy</i> , 1995 , 26, 363-372	2.3	5
5	Pre-resonance Raman effect of some croconates in the solid state. <i>Journal of Raman Spectroscopy</i> , 1994 , 25, 781-786	2.3	5
4	Raman, resonance Raman and infrared spectra of potassium uranyl croconate. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1994 , 50, 263-269		10
3	Vibrational spectra of iodine and bromine thiourea complexes. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1989 , 45, 643-647		4
2	Resonance Raman investigation of the interaction of benzoquinone with amino acids. <i>Journal of Raman Spectroscopy</i> , 1989 , 20, 547-550	2.3	2
1	Resonance Raman investigation of Meisenheimer complexes derived from 1,3,5-trinitrobenzene. <i>Journal of Raman Spectroscopy</i> , 1989 , 20, 551-554	2.3	2