

# Na Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9245541/publications.pdf>

Version: 2024-02-01

25  
papers

1,045  
citations

686830  
13  
h-index

610482  
24  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1746  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Latent Trajectories of Fluid Balance and Clinical Outcomes in Critically Ill Patients with Acute Kidney Injury: A Prospective Multicenter Observational Study. <i>Kidney Diseases</i> (Basel, Switzerland), 2022, 8, 82-92.	1.2	2
2	The predictive value of the Oxford Acute Severity of Illness Score for clinical outcomes in patients with acute kidney injury. <i>Renal Failure</i> , 2022, 44, 320-328.	0.8	8
3	Prevalence of stress and depression and associated factors among women seeking a first-trimester induced abortion in China: a cross-sectional study. <i>Reproductive Health</i> , 2022, 19, 64.	1.2	8
4	The STress-And-Coping support Intervention (START) for Chinese Women Undergoing Abortion: A Randomized Controlled Trial Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6611.	1.2	0
5	The Use of a Brief Antenatal Lifestyle Education Intervention to Reduce Preterm Birth: A Retrospective Cohort Study. <i>Nutrients</i> , 2022, 14, 2799.	1.7	0
6	Effects of morphine on P2Y12 platelet inhibitors in patients with acute myocardial infarction: A meta-analysis. <i>American Journal of Emergency Medicine</i> , 2021, 41, 219-228.	0.7	6
7	Fertility quality of life (FertiQoL) among Chinese women undergoing frozen embryo transfer. <i>BMC Women's Health</i> , 2021, 21, 177.	0.8	7
8	Clinical performance of two different adhesive strategies for metal-ceramic cracks repairing and related <i>in vitro</i> study. <i>Dental Materials Journal</i> , 2021, 40, 781-791.	0.8	2
9	The immunogenic reaction and bone defect repair function of $\mu$ -poly-L-lysine (EPL)-coated nanoscale PCL/HA scaffold in rabbit calvarial bone defect. <i>Journal of Materials Science: Materials in Medicine</i> , 2021, 32, 63.	1.7	18
10	Association between the modified Nutrition Risk in Critically Ill (mNUTRIC) score and clinical outcomes in the intensive care unit: a secondary analysis of a large prospective observational study. <i>BMC Anesthesiology</i> , 2021, 21, 220.	0.7	15
11	Nonpharmacological interventions to improve the psychological well-being of women accessing abortion services and their satisfaction with care: A systematic review. <i>Australian Journal of Cancer Nursing</i> , 2020, 22, 854-867.	0.8	4
12	Immune response of macrophages on super-hydrophilic $\text{TiO}_2$ nanotube arrays. <i>Journal of Biomaterials Applications</i> , 2020, 34, 1239-1253.	1.2	20
13	Understanding and augmenting the stability of therapeutic nanotubes on anodized titanium implants. <i>Materials Science and Engineering C</i> , 2018, 88, 182-195.	3.8	73
14	Bridging the gap: Optimized fabrication of robust titania nanostructures on complex implant geometries towards clinical translation. <i>Journal of Colloid and Interface Science</i> , 2018, 529, 452-463.	5.0	50
15	Effects of hydrogenated $\text{TiO}_2$ nanotube arrays on protein adsorption and compatibility with osteoblast-like cells. <i>International Journal of Nanomedicine</i> , 2018, Volume 13, 2037-2049.	3.3	28
16	Antibacterial activity and cytocompatibility of an implant coating consisting of $\text{TiO}_2$ nanotubes combined with a GL13K antimicrobial peptide. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 2995-3007.	3.3	65
17	Protective effects of testosterone propionate on reproductive toxicity caused by Endosulfan in male mice. <i>Environmental Toxicology</i> , 2016, 31, 142-153.	2.1	13
18	In vitro mechanistic study of endosulfan-induced spermatogenic cell apoptosis in the mouse. <i>Toxicology and Industrial Health</i> , 2016, 32, 1550-1563.	0.6	6

#	ARTICLE	IF	CITATIONS
19	Regional cardiac dysfunction and outcome in patients with left ventricular dysfunction, heart failure, or both after myocardial infarction. <i>European Heart Journal</i> , 2016, 37, 466-472.	1.0	40
20	Fluid balance and mortality in critically ill patients with acute kidney injury: a multicenter prospective epidemiological study. <i>Critical Care</i> , 2015, 19, 371.	2.5	182
21	Optimizing stem cell functions and antibacterial properties of TiO <sub>2</sub> nanotubes incorporated with ZnO nanoparticles: experiments and modeling. <i>International Journal of Nanomedicine</i> , 2015, 10, 1997.	3.3	40
22	Exposure to Silica Nanoparticles Causes Reversible Damage of the Spermatogenic Process in Mice. <i>PLoS ONE</i> , 2014, 9, e101572.	1.1	53
23	Mitochondrial energy metabolism dysfunction involved in reproductive toxicity of mice caused by endosulfan and protective effects of vitamin E. <i>Ecotoxicology and Environmental Safety</i> , 2012, 82, 96-103.	2.9	19
24	Study on the Anticorrosion, Biocompatibility, and Osteoinductivity of Tantalum Decorated with Tantalum Oxide Nanotube Array Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 4516-4523.	4.0	107
25	Effects of TiO <sub>2</sub> nanotubes with different diameters on gene expression and osseointegration of implants in minipigs. <i>Biomaterials</i> , 2011, 32, 6900-6911.	5.7	278