

Cynthia Hy Fu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9246688/cynthia-hy-fu-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98
papers

8,114
citations

46
h-index

90
g-index

113
ext. papers

9,379
ext. citations

5.8
avg, IF

5.74
L-index

#	Paper	IF	Citations
98	Attenuation of the neural response to sad faces in major depression by antidepressant treatment: a prospective, event-related functional magnetic resonance imaging study. <i>Archives of General Psychiatry</i> , 2004 , 61, 877-89		650
97	Predictors of amygdala activation during the processing of emotional stimuli: a meta-analysis of 385 PET and fMRI studies. <i>Brain Research Reviews</i> , 2008 , 58, 57-70		621
96	A systematic review and quantitative appraisal of fMRI studies of verbal fluency: role of the left inferior frontal gyrus. <i>Human Brain Mapping</i> , 2006 , 27, 799-810	5.9	379
95	A functional MRI study of happy and sad affective states induced by classical music. <i>Human Brain Mapping</i> , 2007 , 28, 1150-62	5.9	311
94	Common and distinct patterns of grey-matter volume alteration in major depression and bipolar disorder: evidence from voxel-based meta-analysis. <i>Molecular Psychiatry</i> , 2017 , 22, 1455-1463	15.1	284
93	Brain imaging correlates of depressive symptom severity and predictors of symptom improvement after antidepressant treatment. <i>Biological Psychiatry</i> , 2007 , 62, 407-14	7.9	282
92	Pattern classification of sad facial processing: toward the development of neurobiological markers in depression. <i>Biological Psychiatry</i> , 2008 , 63, 656-62	7.9	264
91	Neural responses to sad facial expressions in major depression following cognitive behavioral therapy. <i>Biological Psychiatry</i> , 2008 , 64, 505-12	7.9	257
90	Predictive neural biomarkers of clinical response in depression: a meta-analysis of functional and structural neuroimaging studies of pharmacological and psychological therapies. <i>Neurobiology of Disease</i> , 2013 , 52, 75-83	7.5	241
89	Hippocampal atrophy in first episode depression: a meta-analysis of magnetic resonance imaging studies. <i>Journal of Affective Disorders</i> , 2011 , 134, 483-7	6.6	222
88	Neural responses to happy facial expressions in major depression following antidepressant treatment. <i>American Journal of Psychiatry</i> , 2007 , 164, 599-607	11.9	221
87	Prognostic and diagnostic potential of the structural neuroanatomy of depression. <i>PLoS ONE</i> , 2009 , 4, e6353	3.7	173
86	Functional coupling of the amygdala in depressed patients treated with antidepressant medication. <i>Neuropsychopharmacology</i> , 2008 , 33, 1909-18	8.7	170
85	A systematic review of the neurophysiology of mindfulness on EEG oscillations. <i>Neuroscience and Biobehavioral Reviews</i> , 2015 , 57, 401-10	9	155
84	Neural basis of the emotional Stroop interference effect in major depression. <i>Psychological Medicine</i> , 2008 , 38, 247-56	6.9	143
83	Pattern of neural responses to verbal fluency shows diagnostic specificity for schizophrenia and bipolar disorder. <i>BMC Psychiatry</i> , 2011 , 11, 18	4.2	139
82	Acoustic noise and functional magnetic resonance imaging: current strategies and future prospects. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 497-510	5.6	139

81	An fMRI study of verbal self-monitoring: neural correlates of auditory verbal feedback. <i>Cerebral Cortex</i> , 2006 , 16, 969-77	5.1	138
80	A longitudinal functional magnetic resonance imaging study of verbal working memory in depression after antidepressant therapy. <i>Biological Psychiatry</i> , 2007 , 62, 1236-43	7.9	137
79	A Functional Magnetic Resonance Imaging Study of Overt Letter Verbal Fluency Using a Clustered Acquisition Sequence: Greater Anterior Cingulate Activation with Increased Task Demand. <i>NeuroImage</i> , 2002 , 17, 871-879	7.9	137
78	Tryptophan depletion reduces right inferior prefrontal activation during response inhibition in fast, event-related fMRI. <i>Psychopharmacology</i> , 2005 , 179, 791-803	4.7	134
77	Misattribution of speech and impaired connectivity in patients with auditory verbal hallucinations. <i>Human Brain Mapping</i> , 2007 , 28, 1213-22	5.9	132
76	Misattribution of external speech in patients with hallucinations and delusions. <i>Schizophrenia Research</i> , 2004 , 69, 277-87	3.6	116
75	Machine learning classification with confidence: application of transductive conformal predictors to MRI-based diagnostic and prognostic markers in depression. <i>NeuroImage</i> , 2011 , 56, 809-13	7.9	110
74	Efficacy and acceptability of non-invasive brain stimulation for the treatment of adult unipolar and bipolar depression: A systematic review and meta-analysis of randomised sham-controlled trials. <i>Neuroscience and Biobehavioral Reviews</i> , 2018 , 92, 291-303	9	109
73	Neural correlates of sad faces predict clinical remission to cognitive behavioural therapy in depression. <i>NeuroReport</i> , 2009 , 20, 637-41	1.7	108
72	Neuroanatomy of verbal working memory as a diagnostic biomarker for depression. <i>NeuroReport</i> , 2008 , 19, 1507-11	1.7	100
71	Neural correlates of the misattribution of speech in schizophrenia. <i>British Journal of Psychiatry</i> , 2007 , 190, 162-9	5.4	99
70	White matter abnormalities and illness severity in major depressive disorder. <i>British Journal of Psychiatry</i> , 2012 , 201, 33-9	5.4	98
69	Modafinil augmentation therapy in unipolar and bipolar depression: a systematic review and meta-analysis of randomized controlled trials. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, 1101-7	4.6	95
68	Comparative efficacy and acceptability of non-surgical brain stimulation for the acute treatment of major depressive episodes in adults: systematic review and network meta-analysis. <i>BMJ, The</i> , 2019 , 364, l1079	5.9	93
67	Effects of psychotic state and task demand on prefrontal function in schizophrenia: an fMRI study of overt verbal fluency. <i>American Journal of Psychiatry</i> , 2005 , 162, 485-94	11.9	91
66	Meta-analyses of structural regional cerebral effects in type 1 and type 2 diabetes. <i>Brain Imaging and Behavior</i> , 2015 , 9, 651-62	4.1	77
65	Subregional hippocampal deformations in major depressive disorder. <i>Journal of Affective Disorders</i> , 2010 , 126, 272-7	6.6	77
64	Epistasis between the DAT 3TUTR VNTR and the COMT Val158Met SNP on cortical function in healthy subjects and patients with schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 13600-5	11.5	72

63	Neuroimaging-based biomarkers in psychiatry: clinical opportunities of a paradigm shift. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 499-508	4.8	68
62	No effect of 5HTTLPR or BDNF Val66Met polymorphism on hippocampal morphology in major depression. <i>Genes, Brain and Behavior</i> , 2011 , 10, 756-64	3.6	67
61	Modulation of amygdala response and connectivity in depression by serotonin transporter polymorphism and diagnosis. <i>Journal of Affective Disorders</i> , 2013 , 150, 96-103	6.6	60
60	The effects of neuregulin1 on brain function in controls and patients with schizophrenia and bipolar disorder. <i>NeuroImage</i> , 2008 , 42, 817-26	7.9	59
59	Opposite effects of catechol-O-methyltransferase Val158Met on cortical function in healthy subjects and patients with schizophrenia. <i>Biological Psychiatry</i> , 2009 , 65, 473-80	7.9	56
58	Multimodal functional and structural neuroimaging investigation of major depressive disorder following treatment with duloxetine. <i>BMC Psychiatry</i> , 2015 , 15, 82	4.2	54
57	A functional magnetic resonance imaging study of overt letter verbal fluency using a clustered acquisition sequence: greater anterior cingulate activation with increased task demand. <i>NeuroImage</i> , 2002 , 17, 871-9	7.9	50
56	Effect of disrupted-in-schizophrenia-1 on pre-frontal cortical function. <i>Molecular Psychiatry</i> , 2008 , 13, 915-7, 909	15.1	49
55	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
54	ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. <i>Translational Psychiatry</i> , 2020 , 10, 172	8.6	46
53	Functional MRI of verbal self-monitoring in schizophrenia: performance and illness-specific effects. <i>Schizophrenia Bulletin</i> , 2010 , 36, 740-55	1.3	46
52	Modulation of effective connectivity by cognitive demand in phonological verbal fluency. <i>NeuroImage</i> , 2006 , 30, 266-71	7.9	43
51	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
50	Modulatory effects of brain-derived neurotrophic factor Val66Met polymorphism on prefrontal regions in major depressive disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 379-84	5.4	42
49	Neural correlates of the misattribution of self-generated speech. <i>Human Brain Mapping</i> , 2005 , 26, 44-53	5.9	41
48	Effect of acute tryptophan depletion on pre-frontal engagement. <i>Psychopharmacology</i> , 2006 , 187, 486-97	7.7	36
47	Effects of ketamine on prefrontal and striatal regions in an overt verbal fluency task: a functional magnetic resonance imaging study. <i>Psychopharmacology</i> , 2005 , 183, 92-102	4.7	36
46	Affective modulation of external misattribution bias in source monitoring in schizophrenia. <i>Psychological Medicine</i> , 2008 , 38, 821-4	6.9	35

45	Cortisol responses to serial MRI scans in healthy adults and in depression. <i>Psychoneuroendocrinology</i> , 2011 , 36, 737-41	5	34
44	Altered effect of dopamine transporter 3TTR VNTR genotype on prefrontal and striatal function in schizophrenia. <i>Archives of General Psychiatry</i> , 2009 , 66, 1162-72		34
43	Body mass index, but not FTO genotype or major depressive disorder, influences brain structure. <i>Neuroscience</i> , 2013 , 252, 109-17	3.9	32
42	Noradrenergic dysfunction in the prefrontal cortex in depression: an [15O] H ₂ O PET study of the neuromodulatory effects of clonidine. <i>Biological Psychiatry</i> , 2001 , 49, 317-25	7.9	32
41	Increased inferior frontal activation during word generation: a marker of genetic risk for schizophrenia but not bipolar disorder?. <i>Human Brain Mapping</i> , 2009 , 30, 3287-98	5.9	31
40	Interactive impact of childhood maltreatment, depression, and age on cortical brain structure: mega-analytic findings from a large multi-site cohort. <i>Psychological Medicine</i> , 2020 , 50, 1020-1031	6.9	30
39	Modulation of neural response to happy and sad faces by acute tryptophan depletion. <i>Psychopharmacology</i> , 2007 , 193, 31-44	4.7	29
38	Functional neuroimaging in psychiatry. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1999 , 354, 1359-70	5.8	29
37	The effect of psychosis associated CACNA1C, and its epistasis with ZNF804A, on brain function. <i>Genes, Brain and Behavior</i> , 2019 , 18, e12510	3.6	27
36	The neuroscience of sadness: A multidisciplinary synthesis and collaborative review. <i>Neuroscience and Biobehavioral Reviews</i> , 2020 , 111, 199-228	9	23
35	Increased superior temporal activation associated with external misattributions of self-generated speech in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 100, 361-3	3.6	23
34	Unravelling the GSK3 β -related genotypic interaction network influencing hippocampal volume in recurrent major depressive disorder. <i>Psychiatric Genetics</i> , 2018 , 28, 77-84	2.9	23
33	Associations between polygenic risk scores for four psychiatric illnesses and brain structure using multivariate pattern recognition. <i>NeuroImage: Clinical</i> , 2018 , 20, 1026-1036	5.3	23
32	A systematic review and meta-analysis of the neural correlates of psychological therapies in major depression. <i>Psychiatry Research - Neuroimaging</i> , 2018 , 279, 31-39	2.9	22
31	Differential effects of DAAO on regional activation and functional connectivity in schizophrenia, bipolar disorder and controls. <i>NeuroImage</i> , 2011 , 56, 2283-91	7.9	22
30	Amygdala activation to masked happy facial expressions. <i>Journal of the International Neuropsychological Society</i> , 2010 , 16, 383-7	3.1	22
29	Depression, Confidence, and Decision: Evidence Against Depressive Realism. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2005 , 27, 243-252	2	22
28	Neural effects of cognitive-behavioural therapy on dysfunctional attitudes in depression. <i>Psychological Medicine</i> , 2015 , 45, 1425-33	6.9	18

27	No association of Disrupted-in-Schizophrenia-1 variation with prefrontal function in patients with schizophrenia and bipolar disorder. <i>Genes, Brain and Behavior</i> , 2011 , 10, 276-85	3.6	18
26	Hippocampal abnormalities and age in chronic schizophrenia: morphometric study across the adult lifespan. <i>British Journal of Psychiatry</i> , 2014 , 205, 369-75	5.4	17
25	Effect of D-amino acid oxidase activator (DAOA; G72) on brain function during verbal fluency. <i>Human Brain Mapping</i> , 2012 , 33, 143-53	5.9	15
24	Is a Journal Club Effective for Teaching Critical Appraisal Skills?. <i>Academic Psychiatry</i> , 1999 , 23, 205-209	1.1	15
23	Diagnostic potential of structural neuroimaging for depression from a multi-ethnic community sample. <i>BJPsych Open</i> , 2016 , 2, 247-254	5	15
22	Ketamine-induced disruption of verbal self-monitoring linked to superior temporal activation. <i>Pharmacopsychiatry</i> , 2011 , 44, 33-48	2	13
21	Recent Advances in Neuroimaging of Mood Disorders: Structural and Functional Neural Correlates of Depression, Changes with Therapy, and Potential for Clinical Biomarkers. <i>Current Treatment Options in Psychiatry</i> , 2014 , 1, 278-293	3.1	10
20	Genetic vulnerability to psychosis and cortical function: epistatic effects between DAOA and G72. <i>Current Pharmaceutical Design</i> , 2012 , 18, 510-7	3.3	9
19	Interaction between effects of genes coding for dopamine and glutamate transmission on striatal and parahippocampal function. <i>Human Brain Mapping</i> , 2013 , 34, 2244-58	5.9	8
18	Effects of antidepressant therapy on neural components of verbal working memory in depression. <i>Journal of Psychopharmacology</i> , 2017 , 31, 1176-1183	4.6	8
17	Anodal transcranial direct current stimulation over the right dorsolateral prefrontal cortex enhances reflective judgment and decision-making. <i>Brain Stimulation</i> , 2019 , 12, 652-658	5.1	8
16	Addressing heterogeneity (and homogeneity) in treatment mechanisms in depression and the potential to develop diagnostic and predictive biomarkers. <i>NeuroImage: Clinical</i> , 2019 , 24, 101997	5.3	7
15	Brain-derived neurotrophic factor association with amygdala response in major depressive disorder. <i>Journal of Affective Disorders</i> , 2020 , 267, 103-106	6.6	7
14	The DISC1 Ser704Cys polymorphism is associated with prefrontal function in healthy individuals. <i>Molecular Psychiatry</i> , 2008 , 13, 909-909	15.1	6
13	Brain Correlates of Suicide Attempt in 18,925 Participants Across 18 International Cohorts. <i>Biological Psychiatry</i> , 2021 , 90, 243-252	7.9	5
12	Other race effect on amygdala response during affective facial processing in major depression. <i>Neuroscience Letters</i> , 2018 , 662, 381-384	3.3	2
11	Hearing voices or hearing the self in disguise? Revealing the neural correlates of auditory hallucinations in schizophrenia 2003 , 425-435		2
10	Widespread Morphometric Abnormalities in Major Depression: Neuroplasticity and Potential for Biomarker Development. <i>Neuroimaging Clinics of North America</i> , 2020 , 30, 85-95	3	2

9	Situational factors shape moral judgements in the trolley dilemma in Eastern, Southern and Western countries in a culturally diverse sample.. <i>Nature Human Behaviour</i> , 2022 ,	12.8	2
8	AuthorsTreply. <i>British Journal of Psychiatry</i> , 2015 , 207, 363-4	5.4	1
7	Psychotherapy and Antidepressant Treatment Effects on the Functional Neuroanatomy of Depression. <i>Psychopathology Review</i> , 2016 , a3, 16-28		1
6	Is tDCS a potential first line treatment for major depression?. <i>International Review of Psychiatry</i> , 2021 , 33, 250-265	3.6	1
5	Characterizing Heterogeneity in Neuroimaging, Cognition, Clinical Symptoms, and Genetics Among Patients With Late-Life Depression.. <i>JAMA Psychiatry</i> , 2022 ,	14.5	1
4	Observing infants together: long-term experiences of observers and families. <i>Infant Observation</i> , 2021 , 24, 4-22	0	0
3	Linking Neuroimaging-Based Predictive Biomarkers and Mechanisms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018 , 3, 203-204	3.4	
2	Developing Predictive Biomarkers Goes Alongside Diagnostic Biotypes in Major Depressive Disorder. <i>Biological Psychiatry</i> , 2020 , 87, 386-387	7.9	
1	Motor adaptation and internal model formation in a robot-mediated forcefield. <i>Psychoradiology</i> , 2021 , 1, 73-87		