

# Vahid Khosravani

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9247002/publications.pdf>

Version: 2024-02-01

51  
papers

839  
citations

623574

14  
h-index

610775

24  
g-index

52  
all docs

52  
docs citations

52  
times ranked

721  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The alexithymia, emotion regulation, emotion regulation difficulties, positive and negative affects, and suicidal risk in alcohol-dependent outpatients. <i>Psychiatry Research</i> , 2017, 252, 223-230.  | 1.7 | 76        |
| 2  | The impact of the coronavirus pandemic on specific symptom dimensions and severity in OCD: A comparison before and during COVID-19 in the context of stress responses. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2021, 29, 100626.                        | 0.7 | 62        |
| 3  | Difficulties in emotion regulation mediate negative and positive affects and craving in alcoholic patients. <i>Addictive Behaviors</i> , 2017, 71, 75-81.  | 1.7 | 57        |
| 4  | The Persian COVID stress scales (Persian-CSS) and COVID-19-related stress reactions in patients with obsessive-compulsive and anxiety disorders. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2021, 28, 100615.  | 0.7 | 54        |
| 5  | The relation of childhood trauma to suicide ideation in patients suffering from obsessive-compulsive disorder with lifetime suicide attempts. <i>Psychiatry Research</i> , 2017, 255, 139-145.   | 1.7 | 47        |
| 6  | Early maladaptive schemas and suicidal risk in an Iranian sample of patients with obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2017, 255, 441-448.  | 1.7 | 35        |
| 7  | Childhood trauma and the likelihood of increased suicidal risk in schizophrenia. <i>Psychiatry Research</i> , 2019, 275, 100-107.  | 1.7 | 32        |
| 8  | The relationship between alexithymia and symptom dimensions in patients with obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2017, 14, 127-133.  | 0.7 | 26        |
| 9  | Early maladaptive schemas and suicidal risk in inpatients with bipolar disorder. <i>Psychiatry Research</i> , 2019, 271, 351-359.  | 1.7 | 23        |
| 10 | The role of emotion dysregulation in the relation of childhood trauma to heroin craving in individuals with heroin dependence. <i>Drug and Alcohol Dependence</i> , 2019, 195, 132-139.  | 1.6 | 21        |
| 11 | The alexithymia, cognitive emotion regulation, and physical symptoms in Iranian asthmatic patients. <i>Personality and Individual Differences</i> , 2016, 101, 214-219.  | 1.6 | 20        |
| 12 | Early maladaptive schemas, behavioral inhibition/approach systems, and defense styles in the abusers of opiate, stimulant, and cannabis drugs and healthy subjects. <i>Journal of Substance Use</i> , 2017, 22, 317-323.   | 0.3 | 18        |
| 13 | Direct and indirect associations between perception of childhood trauma and suicidal ideation through emotion dysregulation in males who use heroin. <i>Addictive Behaviors</i> , 2019, 98, 106011.  | 1.7 | 18        |
| 14 | The associations of obsessive-compulsive symptom dimensions and general severity with suicidal ideation in patients with obsessive-compulsive disorder: The role of specific stress responses to COVID-19. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1391-1402. | 1.4 | 18        |
| 15 | Effects of childhood emotional maltreatment on depressive symptoms through emotion dysregulation in treatment-seeking patients with heroin-dependence. <i>Journal of Affective Disorders</i> , 2019, 256, 448-457.   | 2.0 | 17        |
| 16 | The Persian Version of the COVID-19 Phobia Scale (Persian-C19P-S) and the Differences in COVID-19-Related Phobic Reactions in Patients with Anxiety Disorders. <i>International Journal of Mental Health and Addiction</i> , 2022, 20, 2419-2435.                              | 4.4 | 17        |
| 17 | Childhood maltreatment, cognitive emotion regulation strategies, and alcohol craving and dependence in alcohol-dependent males: Direct and indirect pathways. <i>Child Abuse and Neglect</i> , 2019, 98, 104197.   | 1.3 | 15        |
| 18 | Early maladaptive schemas in patients with schizophrenia and non-patients with high and low schizotypal traits and their differences based on depression severity. <i>Comprehensive Psychiatry</i> , 2019, 88, 1-8.  | 1.5 | 14        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Difficulties in emotion regulation and symptom dimensions in patients with obsessive-compulsive disorder. <i>Current Psychology</i> , 2020, 39, 1578-1588.  | 1.7 | 14        |
| 20 | Direct and Indirect Effects of Behavioral Inhibition/Activation Systems on Depression and Current Suicidal Ideation Through Rumination and Self-Reflection. <i>Archives of Suicide Research</i> , 2020, 24, 568-588.  | 1.2 | 14        |
| 21 | The role of childhood maltreatment in cortisol in the hypothalamic-pituitary-adrenal (HPA) axis in methamphetamine-dependent individuals with and without depression comorbidity and suicide attempts. <i>Journal of Affective Disorders</i> , 2020, 263, 274-281.                | 2.0 | 14        |
| 22 | The Persian version of the Dimensional Obsessive-Compulsive Scale (P-DOCS): A psychometric evaluation. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2020, 25, 100522.   | 0.7 | 14        |
| 23 | The mediating effects of cognitive emotion regulation strategies on the relationship between alexithymia and physical symptoms: Evidence from Iranian asthmatic patients. <i>Psychiatry Research</i> , 2017, 247, 144-151.  | 1.7 | 13        |
| 24 | Alexithymia influences craving through facets of emotion regulation in alcoholic patients. <i>Journal of Substance Use</i> , 2018, 23, 29-35.   | 0.3 | 11        |
| 25 | Early maladaptive schemas, behavioral inhibition system, behavioral approach system, and defense styles in natural drug abusers. <i>Polish Annals of Medicine</i> , 2016, 23, 6-14.   | 0.3 | 10        |
| 26 | Effects of Neuropsychological Systems on Psychopathology Through Cognitive Emotion Regulation Strategies in Individuals with Suicide Attempts. <i>Cognitive Therapy and Research</i> , 2020, 44, 229-239.   | 1.2 | 10        |
| 27 | The Emotional Schemas and Obsessive-Compulsive Symptom Dimensions in People with Obsessive-Compulsive Disorder. <i>International Journal of Cognitive Therapy</i> , 2020, 13, 341-357.  | 1.3 | 10        |
| 28 | Early maladaptive schemas in patients with obsessive-compulsive disorder, bipolar disorder, and schizophrenia: A comparative study. <i>Current Psychology</i> , 2021, 40, 2442-2452.  | 1.7 | 10        |
| 29 | The effects of childhood emotional maltreatment and alexithymia on depressive and manic symptoms and suicidal ideation in females with bipolar disorder: emotion dysregulation as a mediator. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021, 25, 90-102. | 1.2 | 10        |
| 30 | The effect of childhood maltreatment on suicidal ideation through cognitive emotion regulation strategies and specific obsessive-compulsive symptoms in obsessive-compulsive disorder. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1435-1444.                        | 1.4 | 10        |
| 31 | Early maladaptive schemas, behavioral inhibition/approach systems, and defense styles in the users of natural and synthetic substances and healthy subjects. <i>Journal of Substance Use</i> , 2017, 22, 168-175.   | 0.3 | 9         |
| 32 | The Young Schema Questionnaire-Short Form: a Persian Version Among a Large Sample of Psychiatric Patients. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 949-967.   | 4.4 | 9         |
| 33 | Alexithymia, empathy, negative affect and physical symptoms in patients with asthma. <i>Clinical Psychology and Psychotherapy</i> , 2020, 27, 736-748.  | 1.4 | 9         |
| 34 | The effects of emotion dysregulation and negative affect on urge to smoke and nicotine dependence: The different roles of metacognitions about smoking. <i>Addictive Behaviors</i> , 2022, 124, 107108.   | 1.7 | 9         |
| 35 | The independent contribution of desire thinking to problematic social media use. <i>Current Psychology</i> , 2023, 42, 20492-20501.   | 1.7 | 9         |
| 36 | The relation of early maladaptive schemas and behavioral inhibition/approach systems to defense styles in abusers of synthetic drug: a cross-sectional study. <i>Journal of Substance Use</i> , 2016, 21, 652-661.  | 0.3 | 8         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Early Maladaptive Schemas Are Associated with Increased Suicidal Risk among Individuals with Schizophrenia. <i>International Journal of Cognitive Therapy</i> , 2019, 12, 274-291.  | 1.3 | 8         |
| 38 | The psychometric properties of the Persian version of the metacognitions about Smoking Questionnaire among smokers. <i>Addictive Behaviors</i> , 2018, 84, 62-68.   | 1.7 | 7         |
| 39 | Psychometric properties of the Persian versions of the Positive Alcohol Metacognitions Scale (Persian-PAMS) and the Negative Alcohol Metacognitions Scale (Persian-NAMS) in alcohol-dependent individuals. <i>Addictive Behaviors</i> , 2020, 101, 106113.                  | 1.7 | 7         |
| 40 | Psychometric evaluation of the Vancouver Obsessional-Compulsive Inventory (VOCI) and its adaptation based on the DSM-5 in Iranian patients with obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2020, 25, 100536.             | 0.7 | 7         |
| 41 | Distress tolerance and special alcohol metacognitions behave differently in the association of negative affect with alcohol-related patterns in men with problematic alcohol use in the abstinence phase. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 345-354. | 1.4 | 7         |
| 42 | The desire thinking questionnaire-Persian version (DTQ-P) and its association with addictive behaviors in individuals with alcohol use disorder, nicotine dependence, and problematic social media use. <i>Addictive Behaviors</i> , 2022, 125, 107144.                     | 1.7 | 7         |
| 43 | The Obsessive-Compulsive Inventory-Revised (OCI-R): Further psychometric examination and its adaptation to the DSM-5 in Iranian patients with obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2020, 26, 100547.               | 0.7 | 6         |
| 44 | Psychometric properties of the highly sensitive person scale and its relation to symptom dimensions in patients with obsessive-compulsive disorder. <i>Current Psychology</i> , 2021, 40, 2725-2734.  | 1.7 | 5         |
| 45 | Anxiety in social interactions and nicotine dependence in nicotine-dependent men: The role of metacognitions about smoking. <i>Addictive Behaviors</i> , 2021, 112, 106656.   | 1.7 | 5         |
| 46 | The comparison of impulsivity and craving in stimulant-dependent, opiate-dependent and normal individuals. <i>Journal of Substance Use</i> , 2018, 23, 312-317.   | 0.3 | 4         |
| 47 | Investigation of the factorial structure and psychometric properties of the Persian version of the Toronto Alexithymia Scale-20 in patients with psychiatric disorders. <i>Current Psychology</i> , 2019, 40, 3783.   | 1.7 | 4         |
| 48 | Childhood adversity affects symptomatology via behavioral inhibition in patients with obsessive-compulsive disorder. <i>Current Psychology</i> , 2023, 42, 13560-13570.   | 1.7 | 4         |
| 49 | Desire thinking as an underlying mechanism in Alcohol Use Disorder and nicotine dependence. <i>Clinical Psychology and Psychotherapy</i> , 0, , .   | 1.4 | 3         |
| 50 | Psychometric Properties of the Leahy Emotional Schema Scale-II among Iranian Students. <i>International Journal of Cognitive Therapy</i> , 2021, 14, 455-472.   | 1.3 | 2         |
| 51 | Confirmatory evaluation of the bipolar depression rating scale (BDRS) in a large sample of female patients with bipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2022, 26, 85-91.  | 1.2 | 0         |