Christopher W Vaughan

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9247355/christopher-w-vaughan-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 3,832 35 79 h-index g-index citations papers 81 4,240 5.4 7.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
79	Oral efficacy of (P)-tetrahydrocannabinol and cannabidiol in a mouse neuropathic pain model. <i>Neuropharmacology</i> , 2021 , 189, 108529	5.5	4
78	The anticonvulsant zonisamide positively modulates recombinant and native glycine receptors at clinically relevant concentrations. <i>Neuropharmacology</i> , 2021 , 182, 108371	5.5	2
77	Mechanisms of endocannabinoid control of synaptic plasticity. <i>Neuropharmacology</i> , 2021 , 197, 108736	5.5	4
76	Inflammation induces developmentally regulated sumatriptan inhibition of spinal synaptic transmission. <i>British Journal of Pharmacology</i> , 2020 , 177, 3730-3743	8.6	1
75	A new mouse line with reduced GluA2 Q/R site RNA editing exhibits loss of dendritic spines, hippocampal CA1-neuron loss, learning and memory impairments and NMDA receptor-independent seizure vulnerability. <i>Molecular Brain</i> , 2020 , 13, 27	4.5	23
74	Decreased neural expression of the noradrenaline transporter in the papillary dermis after partial sciatic nerve lesion. <i>Journal of Chemical Neuroanatomy</i> , 2020 , 107, 101806	3.2	
73	Opioid presynaptic disinhibition of the midbrain periaqueductal grey descending analgesic pathway. <i>British Journal of Pharmacology</i> , 2020 , 177, 2320-2332	8.6	10
72	Endogenous cannabinoid modulation of restraint stress-induced analgesia in thermal nociception. Journal of Neurochemistry, 2020 , 152, 92-102	6	3
71	Correction to: Electrophysiological Actions of N/OFQ. <i>Handbook of Experimental Pharmacology</i> , 2019 , 254, 417	3.2	
70	Electrophysiological Actions of N/OFQ. Handbook of Experimental Pharmacology, 2019, 254, 91-130	3.2	7
69	Virtual Reality interventions for acute and chronic pain management. <i>International Journal of Biochemistry and Cell Biology</i> , 2019 , 114, 105568	5.6	52
68	THC and gabapentin interactions in a mouse neuropathic pain model. <i>Neuropharmacology</i> , 2019 , 144, 115-121	5.5	27
67	Plant-Based Cannabinoids for the Treatment of Chronic Neuropathic Pain. <i>Medicines (Basel, Switzerland)</i> , 2018 , 5,	4.1	7
66	The tarantula toxin ÆTRTX-Pre1a highlights the importance of the S1-S2 voltage-sensor region for sodium channel subtype selectivity. <i>Scientific Reports</i> , 2017 , 7, 974	4.9	14
65	Cannabis constituent synergy in a mouse neuropathic pain model. <i>Pain</i> , 2017 , 158, 2452-2460	8	48
64	Chronic morphine reduces the readily releasable pool of GABA, a presynaptic mechanism of opioid tolerance. <i>Journal of Physiology</i> , 2017 , 595, 6541-6555	3.9	19
63	Endocannabinoids control vesicle release mode at midbrain periaqueductal grey inhibitory synapses. <i>Journal of Physiology</i> , 2017 , 595, 165-178	3.9	11

(2011-2016)

62	Opioid and cannabinoid synergy in a mouse neuropathic pain model. <i>British Journal of Pharmacology</i> , 2016 , 173, 2521-31	8.6	40
61	Actions of the dual FAAH/MAGL inhibitor JZL195 in a murine neuropathic pain model. <i>British Journal of Pharmacology</i> , 2016 , 173, 77-87	8.6	40
60	CHARACTERIZATION OF SYNTHETIC IRCINIANIN ANALOGUES AS POTENT AND SELECTIVE MODULATORS OF B GLYCINE RECEPTOR. <i>FASEB Journal</i> , 2015 , 29, 770.6	0.9	
59	Upregulation of 1 1-adrenoceptors on cutaneous nerve fibres after partial sciatic nerve ligation and in complex regional pain syndrome type II. <i>Pain</i> , 2014 , 155, 606-616	8	39
58	Menthol enhances phasic and tonic GABAA receptor-mediated currents in midbrain periaqueductal grey neurons. <i>British Journal of Pharmacology</i> , 2014 , 171, 2803-13	8.6	30
57	Descending modulation of pain: the GABA disinhibition hypothesis of analgesia. <i>Current Opinion in Neurobiology</i> , 2014 , 29, 159-64	7.6	153
56	Actions of the dual FAAH/MAGL inhibitor JZL195 in a murine inflammatory pain model. <i>Neuropharmacology</i> , 2014 , 81, 224-30	5.5	42
55	Nordihydroguaiaretic acid activates hTRPA1 and modulates behavioral responses to noxious cold in mice. <i>Pharmacology Research and Perspectives</i> , 2014 , 2, e00079	3.1	3
54	Targeting the endogenous cannabinoid system to treat neuropathic pain. <i>Frontiers in Pharmacology</i> , 2014 , 5, 28	5.6	15
53	Endocannabinoid modulation by FAAH and monoacylglycerol lipase within the analgesic circuitry of the periaqueductal grey. <i>British Journal of Pharmacology</i> , 2014 , 171, 5225-36	8.6	15
52	Serotonergic modulation of neuronal activity in rat midbrain periaqueductal gray. <i>Journal of Neurophysiology</i> , 2013 , 109, 2712-9	3.2	4
51	Postsynaptic mGluR mediated excitation of neurons in midbrain periaqueductal grey. <i>Neuropharmacology</i> , 2013 , 66, 348-54	5.5	8
50	Spinal actions of Econotoxins, CVID, MVIIA and related peptides in a rat neuropathic pain model. <i>British Journal of Pharmacology</i> , 2013 , 170, 245-54	8.6	21
49	Presynaptic gating of excitation in the dorsal raphe nucleus by GABA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 15800-5	11.5	35
48	Role of 5-HT(1) receptor subtypes in the modulation of pain and synaptic transmission in rat spinal superficial dorsal horn. <i>British Journal of Pharmacology</i> , 2012 , 165, 1956-1965	8.6	46
47	Inhibition of fatty acid amide hydrolase unmasks CB1 receptor and TRPV1 channel-mediated modulation of glutamatergic synaptic transmission in midbrain periaqueductal grey. <i>British Journal of Pharmacology</i> , 2011 , 163, 1214-22	8.6	56
46	Cholecystokinin exerts an effect via the endocannabinoid system to inhibit GABAergic transmission in midbrain periaqueductal gray. <i>Neuropsychopharmacology</i> , 2011 , 36, 1801-10	8.7	35
45	Opioid receptor modulation of GABAergic and serotonergic spinally projecting neurons of the rostral ventromedial medulla in mice. <i>Journal of Neurophysiology</i> , 2011 , 106, 731-40	3.2	25

44	N-arachidonyl-glycine modulates synaptic transmission in superficial dorsal horn. <i>British Journal of Pharmacology</i> , 2010 , 161, 925-35	8.6	39
43	Dissociation of <code>Band</code> Eppioid inhibition of glutamatergic synaptic transmission in superficial dorsal horn. <i>Molecular Pain</i> , 2010 , 6, 71	3.4	10
42	Substance P drives endocannabinoid-mediated disinhibition in a midbrain descending analgesic pathway. <i>Journal of Neuroscience</i> , 2009 , 29, 7220-9	6.6	37
41	Primary afferents with TRPM8 and TRPA1 profiles target distinct subpopulations of rat superficial dorsal horn neurones. <i>British Journal of Pharmacology</i> , 2009 , 157, 371-80	8.6	66
40	Sumatriptan inhibits synaptic transmission in the rat midbrain periaqueductal grey. <i>Molecular Pain</i> , 2008 , 4, 54	3.4	34
39	Actions of N-arachidonyl-glycine in a rat neuropathic pain model. <i>Neuropharmacology</i> , 2008 , 54, 189-93	5.5	75
38	Glutamate spillover modulates GABAergic synaptic transmission in the rat midbrain periaqueductal grey via metabotropic glutamate receptors and endocannabinoid signaling. <i>Journal of Neuroscience</i> , 2008 , 28, 808-15	6.6	63
37	Muscarinic modulation of synaptic transmission via endocannabinoid signalling in the rat midbrain periaqueductal gray. <i>Molecular Pharmacology</i> , 2008 , 74, 1392-8	4.3	29
36	Actions of the endocannabinoid transport inhibitor AM404 in neuropathic and inflammatory pain models. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 1186-90	3	33
35	Actions of N-arachidonyl-glycine in a rat inflammatory pain model. <i>Molecular Pain</i> , 2007 , 3, 24	3.4	55
34	muO-conotoxin MrVIB selectively blocks Nav1.8 sensory neuron specific sodium channels and chronic pain behavior without motor deficits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17030-5	11.5	161
33	Stressed-out endogenous cannabinoids relieve pain. <i>Trends in Pharmacological Sciences</i> , 2006 , 27, 69-71	13.2	17
32	Actions of the FAAH inhibitor URB597 in neuropathic and inflammatory chronic pain models. <i>British Journal of Pharmacology</i> , 2006 , 147, 281-8	8.6	219
31	Effect of the cannabinoid ajulemic acid on rat models of neuropathic and inflammatory pain. <i>Neuroscience Letters</i> , 2005 , 382, 231-5	3.3	20
30	GABA transporter currents activated by protein kinase A excite midbrain neurons during opioid withdrawal. <i>Neuron</i> , 2005 , 45, 433-45	13.9	63
29	Postsynaptic actions of substance P on rat periaqueductal grey neurons in vitro. Neuropharmacology, 2005 , 49, 587-95	5.5	29
28	delta-opioid receptor-mediated actions on rostral ventromedial medulla neurons. <i>Neuroscience</i> , 2005 , 132, 239-44	3.9	11
27	Humanizing mice: catching up with elusive B1 receptors. <i>British Journal of Pharmacology</i> , 2005 , 144, 885	5- % .6	2

(1998-2004)

26	Cellular actions of somatostatin on rat periaqueductal grey neurons in vitro. <i>British Journal of Pharmacology</i> , 2004 , 142, 1273-80	8.6	22
25	Multiple metabotropic glutamate receptor subtypes modulate GABAergic neurotransmission in rat periaqueductal grey neurons in vitro. <i>Neuropharmacology</i> , 2004 , 46, 927-34	5.5	32
24	Serotonergic and nonserotonergic dorsal raphe neurons are pharmacologically and electrophysiologically heterogeneous. <i>Journal of Neurophysiology</i> , 2004 , 92, 3532-7	3.2	51
23	Developmental changes in the alpha-adrenergic responses of rat periaqueductal grey neurons. <i>NeuroReport</i> , 2003 , 14, 1637-9	1.7	3
22	Cellular actions of opioids on periaqueductal grey neurons from C57B16/J mice and mutant mice lacking MOR-1. <i>British Journal of Pharmacology</i> , 2003 , 139, 362-7	8.6	33
21	Modulation of GABA release during morphine withdrawal in midbrain neurons in vitro. <i>Neuropharmacology</i> , 2003 , 45, 575-84	5.5	65
20	The actions of anandamide on rat superficial medullary dorsal horn neurons in vitro. <i>Journal of Physiology</i> , 2003 , 548, 121-9	3.9	49
19	Rostral ventromedial medulla neurons that project to the spinal cord express multiple opioid receptor phenotypes. <i>Journal of Neuroscience</i> , 2002 , 22, 10847-55	6.6	82
18	Capsaicin activation of glutamatergic synaptic transmission in the rat locus coeruleus in vitro. <i>Journal of Physiology</i> , 2002 , 543, 531-40	3.9	129
17	Cannabinoid actions on rat superficial medullary dorsal horn neurons in vitro. <i>Journal of Physiology</i> , 2001 , 534, 805-12	3.9	56
16	Actions of nociceptin/orphanin FQ and other prepronociceptin products on rat rostral ventromedial medulla neurons in vitro. <i>Journal of Physiology</i> , 2001 , 534, 849-59	3.9	46
15	Cellular actions of opioids and other analgesics: implications for synergism in pain relief. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2000 , 27, 520-3	3	67
14	An analgesic role for cannabinoids. <i>Medical Journal of Australia</i> , 2000 , 173, 270-2	4	8
13	Inhibition by adenosine receptor agonists of synaptic transmission in rat periaqueductal grey neurons. <i>Journal of Physiology</i> , 1999 , 516 (Pt 1), 219-25	3.9	41
12	Cannabinoid receptor activation inhibits GABAergic neurotransmission in rostral ventromedial medulla neurons in vitro. <i>British Journal of Pharmacology</i> , 1999 , 127, 935-40	8.6	108
11	Nociceptin, Phe(1)psi-nociceptin(1 - 13), nocistatin and prepronociceptin(154 - 181) effects on calcium channel currents and a potassium current in rat locus coeruleus in vitro. <i>British Journal of Pharmacology</i> , 1999 , 128, 1779-87	8.6	35
10	Opioids, NSAIDs and 5-lipoxygenase inhibitors act synergistically in brain via arachidonic acid metabolism. <i>Inflammation Research</i> , 1999 , 48, 1-4	7.2	56
9	Enhanced opioid efficacy in opioid dependence is caused by an altered signal transduction pathway. <i>Journal of Neuroscience</i> , 1998 , 18, 10269-76	6.6	134

8	Actions of the ORL1 receptor ligand nociceptin on membrane properties of rat periaqueductal gray neurons in vitro. <i>Journal of Neuroscience</i> , 1997 , 17, 996-1003	6.6	162
7	How opioids inhibit GABA-mediated neurotransmission. <i>Nature</i> , 1997 , 390, 611-4	50.4	405
6	Increase by the ORL1 receptor (opioid receptor-like1) ligand, nociceptin, of inwardly rectifying K conductance in dorsal raphe nucleus neurones. <i>British Journal of Pharmacology</i> , 1996 , 117, 1609-11	8.6	191
5	Nociceptin receptor coupling to a potassium conductance in rat locus coeruleus neurones in vitro. <i>British Journal of Pharmacology</i> , 1996 , 119, 1614-8	8.6	183
4	Gender, bladder distension and hypogastric nerve activity in the cat. <i>Journal of the Autonomic Nervous System</i> , 1994 , 47, 59-67		2
3	Hypogastric nerve section reveals a role for both afferent and efferent fibres in the feline continence process. <i>Journal of the Autonomic Nervous System</i> , 1992 , 41, 197-207		6
2	Rate of bladder distension and hypogastric nerve activity in the cat. <i>Journal of the Autonomic Nervous System</i> , 1991 , 34, 129-37		8
1	Hypogastric nerve activity to the feline bladder during slow filling. <i>Journal of the Autonomic Nervous System</i> , 1988 , 25, 41-7		21