Chunyan Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/924877/publications.pdf

Version: 2024-02-01

99 4,269 34 62
papers citations h-index g-index

99 99 5742 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Annual greenhouse gas emissions from sheepfolds and cattle sheds. Soil Use and Management, 2022, 38, 369-380.	4.9	6
2	A review of the importance of mineral nitrogen cycling in the plant-soil-microbe system of permafrost-affected soilsâ€"changing the paradigm. Environmental Research Letters, 2022, 17, 013004.	5.2	29
3	How to Improve Cumulative Methane and Nitrous Oxide Flux Estimations of the Nonâ€6teadyâ€6tate Chamber Method?. Journal of Geophysical Research G: Biogeosciences, 2022, 127, .	3.0	1
4	Update of a biogeochemical model with process-based algorithms to predict ammonia volatilization from fertilized cultivated uplands and rice paddy fields. Biogeosciences, 2022, 19, 3001-3019.	3.3	2
5	Alder-induced stimulation of soil gross nitrogen turnover in a permafrost-affected peatland of Northeast China. Soil Biology and Biochemistry, 2022, 172, 108757.	8.8	9
6	Elevated atmospheric CO ₂ reduces yieldâ€scaled N ₂ O fluxes from subtropical rice systems: Six siteâ€years field experiments. Global Change Biology, 2021, 27, 327-339.	9.5	19
7	Less intensive nitrate leaching from Phaeozems cultivated with maize generally occurs in northeastern China. Agriculture, Ecosystems and Environment, 2021, 310, 107303.	5.3	11
8	An improved process-oriented hydro-biogeochemical model for simulating dynamic fluxes of methane and nitrous oxide in alpine ecosystems with seasonally frozen soils. Biogeosciences, 2021, 18, 4211-4225.	3.3	0
9	Continuous Flow Synthesis of Persistent Luminescent Chromium-Doped Zinc Gallate Nanoparticles. Journal of Physical Chemistry Letters, 2021, 12, 7067-7075.	4.6	8
10	Attempt to correct grassland N2O fluxes biased by the DN-based opaque static chamber measurement. Atmospheric Environment, 2021, 264, 118687.	4.1	3
11	Doping Lanthanide Nanocrystals With Non-lanthanide Ions to Simultaneously Enhance Up- and Down-Conversion Luminescence. Frontiers in Chemistry, 2020, 8, 832.	3.6	21
12	Revisiting the Concentration Observations and Source Apportionment of Atmospheric Ammonia. Advances in Atmospheric Sciences, 2020, 37, 933-938.	4.3	36
13	The Forgotten Nutrient—The Role of Nitrogen in Permafrost Soils of Northern China. Advances in Atmospheric Sciences, 2020, 37, 793-799.	4.3	7
14	Dinitrogen (N2) pulse emissions during freeze-thaw cycles from montane grassland soil. Biology and Fertility of Soils, 2020, 56, 959-972.	4.3	17
15	Soil N intensity as a measure to estimate annual N2O and NO fluxes from natural and managed ecosystems. Current Opinion in Environmental Sustainability, 2020, 47, 1-6.	6.3	19
16	Ammonia should be considered in field experiments mimicking nitrogen deposition. Atmospheric and Oceanic Science Letters, 2020, 13, 248-251.	1.3	9
17	Effects of fertilization and stand age on N ₂ O and NO emissions from tea plantations: a site-scale study in a subtropical region using a modified biogeochemical model. Atmospheric Chemistry and Physics, 2020, 20, 6903-6919.	4.9	10
18	Activable Multi-Modal Nanoprobes for Imaging Diagnosis and Therapy of Tumors. Frontiers in Chemistry, 2020, 8, 572471.	3.6	9

#	Article	IF	CITATIONS
19	Tea-planted soils as global hotspots for N ₂ O emissions from croplands. Environmental Research Letters, 2020, 15, 104018.	5.2	23
20	Benefits of integrated nutrient management on N2O and NO mitigations in water-saving ground cover rice production systems. Science of the Total Environment, 2019, 646, 1155-1163.	8.0	28
21	Net ecosystem carbon and greenhouse gas budgets in fiber and cereal cropping systems. Science of the Total Environment, 2019, 647, 895-904.	8.0	31
22	Using a modified DNDC biogeochemical model to optimize field management of a multi-crop (cotton,) Tj ETQq0	0	Overlock 10
23	Annual dynamics of soil gross nitrogen turnover and nitrous oxide emissions in an alpine shrub meadow. Soil Biology and Biochemistry, 2019, 138, 107576.	8.8	24
24	Drip irrigation or reduced N-fertilizer rate can mitigate the high annual N2O+NO fluxes from Chinese intensive greenhouse vegetable systems. Atmospheric Environment, 2019, 212, 183-193.	4.1	66
25	Characteristics of annual greenhouse gas flux and NO release from alpine meadow and forest on the eastern Tibetan Plateau. Agricultural and Forest Meteorology, 2019, 272-273, 166-175.	4.8	19
26	Year-round measurements of nitrous oxide emissions and direct emission factors in extensively managed croplands under an alpine climate. Agricultural and Forest Meteorology, 2019, 274, 18-28.	4.8	7
27	Unimodal Response of Soil Methane Consumption to Increasing Nitrogen Additions. Environmental Science & Environmental Science	10.0	33
28	Modeling ammonia volatilization following the application of synthetic fertilizers to cultivated uplands with calcareous soils using an improved DNDC biogeochemistry model. Science of the Total Environment, 2019, 660, 931-946.	8.0	33
29	Emitting/Sensitizing Ions Spatially Separated Lanthanide Nanocrystals for Visualizing Tumors Simultaneously through Up―and Down onversion Nearâ€Infrared II Luminescence In Vivo. Small, 2019, 15, e1905344.	10.0	41
30	Characterizing nitric oxide emissions from two typical alpine ecosystems. Journal of Environmental Sciences, 2019, 77, 312-322.	6.1	0
31	Annual methane emissions from degraded alpine wetlands in the eastern Tibetan Plateau. Science of the Total Environment, 2019, 657, 1323-1333.	8.0	21
32	Long-term grazing effects on soil-atmosphere exchanges of CO2, CH4 and N2O at different grasslands in Inner Mongolia: A soil core study. Ecological Indicators, 2019, 105, 316-328.	6.3	20
33	Influences of observation method, season, soil depth, land use and management practice on soil dissolvable organic carbon concentrations: A meta-analysis. Science of the Total Environment, 2018, 631-632, 105-114.	8.0	18
34	Timely Visualization of the Collaterals Formed during Acute Ischemic Stroke with Fe ₃ O ₄ Nanoparticleâ€based MR Imaging Probe. Small, 2018, 14, e1800573.	10.0	24
35	Annual N2O emissions from conventionally grazed typical alpine grass meadows in the eastern Qinghai–Tibetan Plateau. Science of the Total Environment, 2018, 625, 885-899.	8.0	30
36	Quantification of year-round methane and nitrous oxide fluxes in a typical alpine shrub meadow on the Qinghai-Tibetan Plateau. Agriculture, Ecosystems and Environment, 2018, 255, 27-36.	5.3	34

#	Article	IF	CITATIONS
37	Stand age amplifies greenhouse gas and NO releases following conversion of rice paddy to tea plantations in subtropical China. Agricultural and Forest Meteorology, 2018, 248, 386-396.	4.8	29
38	Molecular mechanisms for delicately tuning the morphology and properties of Fe ₃ O ₄ nanoparticle clusters. CrystEngComm, 2018, 20, 2421-2429.	2.6	11
39	Dual-Ratiometric Target-Triggered Fluorescent Probe for Simultaneous Quantitative Visualization of Tumor Microenvironment Protease Activity and pH <i>in Vivo</i> . Journal of the American Chemical Society, 2018, 140, 211-218.	13.7	207
40	A process-oriented hydro-biogeochemical model enabling simulation of gaseous carbon and nitrogen emissions and hydrologic nitrogen losses from a subtropical catchment. Science of the Total Environment, 2018, 616-617, 305-317.	8.0	21
41	Increasing grassland degradation stimulates the non-growing season CO2 emissions from an alpine meadow on the Qinghai–Tibetan Plateau. Environmental Science and Pollution Research, 2018, 25, 26576-26591.	5.3	27
42	A Novel Histochemical Staining Approach for Rareâ€Earthâ€Based Nanoprobes. Advanced Therapeutics, 2018, 1, 1800005.	3.2	11
43	MRI Probes: Timely Visualization of the Collaterals Formed during Acute Ischemic Stroke with Fe ₃ O ₄ Nanoparticleâ€based MR Imaging Probe (Small 23/2018). Small, 2018, 14, 1870108.	10.0	6
44	Formation and growth mechanism of flakeâ€belt integrative Ag nanocrystals. Micro and Nano Letters, 2018, 13, 882-886.	1.3	0
45	Improving rice production sustainability by reducing water demand and greenhouse gas emissions with biodegradable films. Scientific Reports, 2017, 7, 39855.	3.3	55
46	Straw return reduces yield-scaled N 2 O plus NO emissions from annual winter wheat-based cropping systems in the North China Plain. Science of the Total Environment, 2017, 590-591, 174-185.	8.0	79
47	Tumor Microenvironmentâ€Triggered Aggregation of Antiphagocytosis ^{99m} Tcâ€Labeled Fe ₃ O ₄ Nanoprobes for Enhanced Tumor Imaging In Vivo. Advanced Materials, 2017, 29, 1701095.	21.0	162
48	Reducing N2O and NO emissions while sustaining crop productivity in a Chinese vegetable-cereal double cropping system. Environmental Pollution, 2017, 231, 929-941.	7. 5	44
49	White Light-Emitting Diodes Based on Individual Polymerized Carbon Nanodots. Scientific Reports, 2017, 7, 12146.	3.3	40
50	Urea deep placement reduces yield-scaled greenhouse gas (CH4 and N2O) and NO emissions from a ground cover rice production system. Scientific Reports, 2017, 7, 11415.	3.3	36
51	Full-band UV shielding and highly daylight luminescent silane-functionalized graphene quantum dot nanofluids and their arbitrary polymerized hybrid gel glasses. Journal of Materials Chemistry C, 2016, 4, 9879-9886.	5.5	68
52	Effects of grazing and climate variability on grassland ecosystem functions in Inner Mongolia: Synthesis of a 6-year grazing experiment. Journal of Arid Environments, 2016, 135, 50-63.	2.4	56
53	Nitric acid-mediated shape-controlled synthesis and catalytic activity of silver hierarchical microcrystals. RSC Advances, 2016, 6, 21511-21516.	3.6	13
54	Detection of early primary colorectal cancer with upconversion luminescent NP-based molecular probes. Nanoscale, 2016, 8, 12579-12587.	5.6	36

#	Article	IF	Citations
55	Protease-Activated Ratiometric Fluorescent Probe for pH Mapping of Malignant Tumors. ACS Nano, 2015, 9, 3199-3205.	14.6	102
56	Flow Synthesis of Biocompatible Fe ₃ O ₄ Nanoparticles: Insight into the Effects of Residence Time, Fluid Velocity, and Tube Reactor Dimension on Particle Size Distribution. Chemistry of Materials, 2015, 27, 1299-1305.	6.7	64
57	Characteristics of annual nitrous and nitric oxide emissions from major cereal crops in the North China Plain under alternative fertilizer management. Agriculture, Ecosystems and Environment, 2015, 207, 67-78.	5.3	55
58	Comparison of the DNDC, LandscapeDNDC and IAP-N-GAS models for simulating nitrous oxide and nitric oxide emissions from the winter wheat–summer maize rotation system. Agricultural Systems, 2015, 140, 1-10.	6.1	32
59	Chemical Spacer Design for Engineering the Relaxometric Properties of Core–Shell Structured Rare Earth Nanoparticles. Chemistry of Materials, 2015, 27, 7918-7925.	6.7	24
60	Annual nitric and nitrous oxide fluxes from Chinese subtropical plastic greenhouse and conventional vegetable cultivations. Environmental Pollution, 2015, 196, 89-97.	7.5	44
61	Are Rareâ€Earth Nanoparticles Suitable for In Vivo Applications?. Advanced Materials, 2014, 26, 6922-6932.	21.0	166
62	Nanocrystals: Restructuring and Remodeling of NaREF ₄ Nanocrystals by Electron Irradiation (Small 22/2014). Small, 2014, 10, 4800-4800.	10.0	0
63	Upconversion luminescence nanoparticles-based lateral flow immunochromatographic assay for cephalexin detection. Journal of Materials Chemistry C, 2014, 2, 9637-9642.	5.5	48
64	Magnetically engineered Cd-free quantum dots as dual-modality probes for fluorescence/magnetic resonance imaging of tumors. Biomaterials, 2014, 35, 1608-1617.	11.4	110
65	The increasing distribution area of zokor mounds weaken greenhouse gas uptakes by alpine meadows in the Qinghai–Tibetan Plateau. Soil Biology and Biochemistry, 2014, 71, 105-112.	8.8	45
66	Three-year measurements of nitrous oxide emissions from cotton and wheat–maize rotational cropping systems. Atmospheric Environment, 2014, 96, 201-208.	4.1	24
67	Nanoparticles: Are Rare-Earth Nanoparticles Suitable for In Vivo Applications? (Adv. Mater. 40/2014). Advanced Materials, 2014, 26, 6921-6921.	21.0	1
68	Magnetic/Upconversion Fluorescent NaGdF ₄ :Yb,Er Nanoparticle-Based Dual-Modal Molecular Probes for Imaging Tiny Tumors <i>in Vivo</i> . ACS Nano, 2013, 7, 7227-7240.	14.6	336
69	Comparison between static chamber and tunable diode laser-based eddy covariance techniques for measuring nitrous oxide fluxes from a cotton field. Agricultural and Forest Meteorology, 2013, 171-172, 9-19.	4.8	97
70	Preparation and conductive mechanism of copper nanoparticles ink. Journal of Materials Science: Materials in Electronics, 2013, 24, 5175-5182.	2.2	17
71	Three-arm star compounds composed of 1,3,5-tri(azobenzeneethynyl)benzene cores and flexible PEO arms: synthesis, optical functions, hybrid Ormosil gel glasses. Journal of Materials Chemistry C, 2013, 1, 1791.	5.5	23
72	Carbon dioxide emission from temperate semiarid steppe during the non-growing season. Atmospheric Environment, 2013, 64, 141-149.	4.1	27

#	Article	IF	CITATIONS
73	Paper-based nanosilver conductive ink. Journal of Materials Science: Materials in Electronics, 2013, 24, 628-634.	2.2	26
74	Annual emissions of nitrous oxide and nitric oxide from rice-wheat rotation and vegetable fields: a case study in the Tai-Lake region, China. Plant and Soil, 2012, 360, 37-53.	3.7	44
75	Characteristics of multiple-year nitrous oxide emissions from conventional vegetable fields in southeastern China. Journal of Geophysical Research, 2011, 116, .	3.3	50
76	Measurements of Biosphere–Atmosphere Exchange of CH4 in Terrestrial Ecosystems. Methods in Enzymology, 2011, 495, 271-287.	1.0	23
77	Annual methane uptake by temperate semiarid steppes as regulated by stocking rates, aboveground plant biomass and topsoil air permeability. Global Change Biology, 2011, 17, 2803-2816.	9.5	103
78	Lateral Flow Immunochromatographic Assay for Sensitive Pesticide Detection by Using Fe ₃ O ₄ Nanoparticle Aggregates as Color Reagents. Analytical Chemistry, 2011, 83, 6778-6784.	6.5	216
79	Effects of irrigation, fertilization and crop straw management on nitrous oxide and nitric oxide emissions from a wheat–maize rotation field in northern China. Agriculture, Ecosystems and Environment, 2011, 140, 226-233.	5.3	195
80	A process-based model of N2O emission from a rice-winter wheat rotation agro-ecosystem: Structure, validation and sensitivity. Advances in Atmospheric Sciences, 2010, 27, 137-150.	4.3	7
81	Effects of nitrogen fertilizer on CH4 emission from rice fields: multi-site field observations. Plant and Soil, 2010, 326, 393-401.	3.7	89
82	Nitrous oxide and nitric oxide emissions from an irrigated cotton field in Northern China. Plant and Soil, 2010, 332, 123-134.	3.7	108
83	Nitric oxide emissions from rice-wheat rotation fields in eastern China: effect of fertilization, soil water content, and crop residue. Plant and Soil, 2010, 336, 87-98.	3.7	21
84	Annual methane uptake by typical semiarid steppe in Inner Mongolia. Journal of Geophysical Research, 2010, 115, .	3.3	23
85	Effects of tillage during the nonwaterlogged period on nitrous oxide and nitric oxide emissions in typical Chinese riceâ€wheat rotation ecosystems. Journal of Geophysical Research, 2010, 115, .	3.3	13
86	Comparison of manual and automated chambers for field measurements of N2O, CH4, CO2 fluxes from cultivated land. Atmospheric Environment, 2009, 43, 1888-1896.	4.1	73
87	Growing season methane budget of an Inner Mongolian steppe. Atmospheric Environment, 2009, 43, 3086-3095.	4.1	28
88	Dinitrogen fixation by biological soil crusts in an Inner Mongolian steppe. Biology and Fertility of Soils, 2009, 45, 679-690.	4.3	28
89	Sheepfolds as "hotspots―of nitric oxide (NO) emission in an Inner Mongolian steppe. Agriculture, Ecosystems and Environment, 2009, 134, 136-142.	5 . 3	12
90	Description and application of a model for simulating regional nitrogen cycling and calculating nitrogen flux. Advances in Atmospheric Sciences, 2008, 25, 181-201.	4.3	11

#	ARTICLE	IF	CITATION
91	Effects of irrigation on nitrous oxide, methane and carbon dioxide fluxes in an Inner Mongolian steppe. Advances in Atmospheric Sciences, 2008, 25, 748-756.	4.3	32
92	Fabrication of Micrometer-Scale Anatase-Phase TiO2Congeries Assembled with Hollow Spheres. Journal of the American Ceramic Society, 2008, 91, 2067-2070.	3.8	10
93	Quantifying net ecosystem carbon dioxide exchange of a shortâ€plant cropland with intermittent chamber measurements. Global Biogeochemical Cycles, 2008, 22, .	4.9	49
94	Winter-grazing reduces methane uptake by soils of a typical semi-arid steppe in Inner Mongolia, China. Atmospheric Environment, 2007, 41, 5948-5958.	4.1	88
95	Microbial N Turnover and N-Oxide (N2O/NO/NO2) Fluxes in Semi-arid Grassland of Inner Mongolia. Ecosystems, 2007, 10, 623-634.	3.4	67
96	N2O, CH4 and CO2 emissions from seasonal tropical rainforests and a rubber plantation in Southwest China. Plant and Soil, 2006, 289, 335-353.	3.7	136
97	Photo-induced DNA cleavage in self-assembly multilayer films. New Journal of Chemistry, 2002, 26, 617-620.	2.8	16
98	Preparation, stability and two-dimensional ordered arrangement of gold nanoparticles capped by surfactants with different chain lengths. Science in China Series B: Chemistry, 2002, 45, 358-364.	0.8	4
99	Investigation on composite Au /TiO2 nanoparticles (I). Science Bulletin, 1998, 43, 210-213.	1.7	2