

Yasumasa Ikeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9249244/publications.pdf>

Version: 2024-02-01

123
papers

2,809
citations

172207

29
h-index

197535

49
g-index

129
all docs

129
docs citations

129
times ranked

4515
citing authors

#	ARTICLE	IF	CITATIONS
1	Disruption of Nuclear Vitamin D Receptor Gene Causes Enhanced Thrombogenicity in Mice. <i>Journal of Biological Chemistry</i> , 2004, 279, 35798-35802.	1.6	225
2	Cardiac-specific Deletion of LKB1 Leads to Hypertrophy and Dysfunction. <i>Journal of Biological Chemistry</i> , 2009, 284, 35839-35849.	1.6	151
3	Androgen Receptor Gene Knockout Male Mice Exhibit Impaired Cardiac Growth and Exacerbation of Angiotensin II-induced Cardiac Fibrosis. <i>Journal of Biological Chemistry</i> , 2005, 280, 29661-29666.	1.6	128
4	Estrogen Regulates Hepcidin Expression via GPR30-BMP6-Dependent Signaling in Hepatocytes. <i>PLoS ONE</i> , 2012, 7, e40465.	1.1	110
5	Adiponectin deficiency: a model of pulmonary hypertension associated with pulmonary vascular disease. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2009, 297, L432-L438.	1.3	103
6	Iron reduction by deferoxamine leads to amelioration of adiposity via the regulation of oxidative stress and inflammation in obese and type 2 diabetes KKAy mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2012, 302, E77-E86.	1.8	89
7	Pharmacology in Health Food: Metabolism of Quercetin In Vivo and Its Protective Effect Against Arteriosclerosis. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 466-470.	1.1	87
8	Pitavastatin, an HMG-CoA Reductase Inhibitor, Exerts eNOS-Independent Protective Actions Against Angiotensin II-Induced Cardiovascular Remodeling and Renal Insufficiency. <i>Circulation Research</i> , 2008, 102, 68-76.	2.0	77
9	Heparin Cofactor II Is a Novel Protective Factor Against Carotid Atherosclerosis in Elderly Individuals. <i>Circulation</i> , 2004, 109, 2761-2765.	1.6	73
10	Iron Chelation by Deferoxamine Prevents Renal Interstitial Fibrosis in Mice with Unilateral Ureteral Obstruction. <i>PLoS ONE</i> , 2014, 9, e89355.	1.1	68
11	Deferoxamine promotes angiogenesis via the activation of vascular endothelial cell function. <i>Atherosclerosis</i> , 2011, 215, 339-347.	0.4	66
12	Androgen-Androgen Receptor System Protects against Angiotensin II-Induced Vascular Remodeling. <i>Endocrinology</i> , 2009, 150, 2857-2864.	1.4	57
13	Androgen Receptor Counteracts Doxorubicin-Induced Cardiotoxicity in Male Mice. <i>Molecular Endocrinology</i> , 2010, 24, 1338-1348.	3.7	57
14	Endothelial Nitric Oxide Synthase-Independent Protective Action of Statin Against Angiotensin II-Induced Atrial Remodeling via Reduced Oxidant Injury. <i>Hypertension</i> , 2010, 55, 918-923.	1.3	54
15	Deletion of Hypoxia-Inducible Factor-1 α in Adipocytes Enhances Glucagon-Like Peptide-1 Secretion and Reduces Adipose Tissue Inflammation. <i>PLoS ONE</i> , 2014, 9, e93856.	1.1	54
16	Cyclooxygenase-2 induction by adiponectin is regulated by a sphingosine kinase-1 dependent mechanism in cardiac myocytes. <i>FEBS Letters</i> , 2008, 582, 1147-1150.	1.3	52
17	Androgen Receptor Promotes Sex-Independent Angiogenesis in Response to Ischemia and Is Required for Activation of Vascular Endothelial Growth Factor Receptor Signaling. <i>Circulation</i> , 2013, 128, 60-71.	1.6	52
18	Smooth muscle cell-specific Hif-1 α deficiency suppresses angiotensin II-induced vascular remodelling in mice. <i>Cardiovascular Research</i> , 2014, 102, 460-468.	1.8	51

#	ARTICLE	IF	CITATIONS
19	Dietary nitrite ameliorates renal injury in L-NAME-induced hypertensive rats. <i>Nitric Oxide - Biology and Chemistry</i> , 2010, 22, 98-103.	1.2	44
20	Dietary iron restriction inhibits progression of diabetic nephropathy in db/db mice. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F1028-F1036.	1.3	44
21	The uremic toxin indoxyl sulfate interferes with iron metabolism by regulating hepcidin in chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 586-597.	0.4	42
22	Strain-dependent embryonic lethality and exaggerated vascular remodeling in heparin cofactor II-deficient mice. <i>Journal of Clinical Investigation</i> , 2007, 117, 1514-1526.	3.9	41
23	Dehydroepiandrosterone sulfate is inversely associated with sex-dependent diverse carotid atherosclerosis regardless of endothelial function. <i>Atherosclerosis</i> , 2010, 212, 310-315.	0.4	39
24	Transforming Growth Factor- β 1 as a Common Target Molecule for Development of Cardiovascular Diseases, Renal Insufficiency and Metabolic Syndrome. <i>Cardiology Research and Practice</i> , 2011, 2011, 1-9.	0.5	38
25	Role of ferroptosis in cisplatin-induced acute nephrotoxicity in mice. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 67, 126798.	1.5	37
26	High plasma aldosterone concentration is a novel risk factor of cognitive impairment in patients with hypertension. <i>Hypertension Research</i> , 2011, 34, 74-78.	1.5	36
27	Heparin Cofactor II, a Serine Protease Inhibitor, Promotes Angiogenesis via Activation of the AMP-activated Protein Kinase-Endothelial Nitric-oxide Synthase Signaling Pathway. <i>Journal of Biological Chemistry</i> , 2012, 287, 34256-34263.	1.6	34
28	Diphenhydramine may be a preventive medicine against cisplatin-induced kidney toxicity. <i>Kidney International</i> , 2021, 99, 885-899.	2.6	33
29	Systemic Preconditioning by a Prolyl Hydroxylase Inhibitor Promotes Prevention of Skin Flap Necrosis via HIF-1-Induced Bone Marrow-Derived Cells. <i>PLoS ONE</i> , 2012, 7, e42964.	1.1	33
30	Iron-induced skeletal muscle atrophy involves an Akt-forkhead box O3-ubiquitin ligase-dependent pathway. <i>Journal of Trace Elements in Medicine and Biology</i> , 2016, 35, 66-76.	1.5	32
31	Renoprotective effects of a factor Xa inhibitor: fusion of basic research and a database analysis. <i>Scientific Reports</i> , 2018, 8, 10858.	1.6	30
32	Inhibition of Thrombin Action Ameliorates Insulin Resistance in Type 2 Diabetic db/db Mice. <i>Endocrinology</i> , 2010, 151, 513-519.	1.4	29
33	Basic fibroblast growth factor regulates glucose metabolism through glucose transporter 1 induced by hypoxia-inducible factor-1 α in adipocytes. <i>International Journal of Biochemistry and Cell Biology</i> , 2011, 43, 1602-1611.	1.2	26
34	Effects of androgens on cardiovascular remodeling. <i>Journal of Endocrinology</i> , 2012, 214, 1-10.	1.2	26
35	Heparin Cofactor II Protects Against Angiotensin II-Induced Cardiac Remodeling Via Attenuation of Oxidative Stress in Mice. <i>Hypertension</i> , 2010, 56, 430-436.	1.3	25
36	Dietary iron restriction alleviates renal tubulointerstitial injury induced by protein overload in mice. <i>Scientific Reports</i> , 2017, 7, 10621.	1.6	25

#	ARTICLE	IF	CITATIONS
37	Development of a novel aortic dissection mouse model and evaluation of drug efficacy using in-vivo assays and database analyses. <i>Journal of Hypertension</i> , 2019, 37, 73-83.	0.3	25
38	Iron accumulation causes impaired myogenesis correlated with MAPK signaling pathway inhibition by oxidative stress. <i>FASEB Journal</i> , 2019, 33, 9551-9564.	0.2	24
39	Proton pump inhibitors block iron absorption through direct regulation of hepcidin via the aryl hydrocarbon receptor-mediated pathway. <i>Toxicology Letters</i> , 2020, 318, 86-91.	0.4	23
40	Effect of angiotensin II on iron-transporting protein expression and subsequent intracellular labile iron concentration in human glomerular endothelial cells. <i>Hypertension Research</i> , 2010, 33, 713-721.	1.5	21
41	Deletion of H-ferritin in macrophages alleviates obesity and diabetes induced by high-fat diet in mice. <i>Diabetologia</i> , 2020, 63, 1588-1602.	2.9	21
42	Angiotensin II alters the expression of duodenal iron transporters, hepatic hepcidin, and body iron distribution in mice. <i>European Journal of Nutrition</i> , 2015, 54, 709-719.	1.8	20
43	Roles of the Androgen " Androgen Receptor System in Vascular Angiogenesis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 257-265.	0.9	20
44	Topical application of nitrosonifedipine, a novel radical scavenger, ameliorates ischemic skin flap necrosis in a mouse model. <i>Wound Repair and Regeneration</i> , 2017, 25, 217-223.	1.5	20
45	Iron suppresses erythropoietin expression via oxidative stress-dependent hypoxia-inducible factor-2 alpha inactivation. <i>Laboratory Investigation</i> , 2017, 97, 555-566.	1.7	19
46	A Long-Term High-Fat Diet Changes Iron Distribution in the Body, Increasing Iron Accumulation Specifically in the Mouse Spleen. <i>Journal of Nutritional Science and Vitaminology</i> , 2015, 61, 20-27.	0.2	18
47	Mechanisms of the pH- and Oxygen-Dependent Oxidation Activities of Artesunate. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 555-563.	0.6	18
48	Xanthine Oxidase Inhibition by Febuxostat in Macrophages Suppresses Angiotensin II-Induced Aortic Fibrosis. <i>American Journal of Hypertension</i> , 2019, 32, 249-256.	1.0	18
49	Heparin Cofactor II is an Independent Protective Factor against Peripheral Arterial Disease in Elderly Subjects with Cardiovascular Risk Factors. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009, 16, 127-134.	0.9	17
50	Antioxidant Effects of Photodegradation Product of Nifedipine. <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 208-214.	0.6	17
51	Hydrocortisone administration was associated with improved survival in Japanese patients with cardiac arrest. <i>Scientific Reports</i> , 2017, 7, 17919.	1.6	17
52	Bilirubin exerts pro-angiogenic property through Akt-eNOS-dependent pathway. <i>Hypertension Research</i> , 2015, 38, 733-740.	1.5	16
53	Infective Endocarditis Caused by <i>Lactobacillus</i> . <i>Internal Medicine</i> , 2008, 47, 1113-1116.	0.3	15
54	Bovine Milk-derived Lactoferrin Exerts Proangiogenic Effects in an Src-Akt-eNOS-dependent Manner in Response to Ischemia. <i>Journal of Cardiovascular Pharmacology</i> , 2013, 61, 423-429.	0.8	15

#	ARTICLE	IF	CITATIONS
55	Irinotecan-induced neutropenia is reduced by oral alkalization drugs: analysis using retrospective chart reviews and the spontaneous reporting database. <i>Supportive Care in Cancer</i> , 2019, 27, 849-856.	1.0	15
56	Successful Combination Therapy "Flunarizine, Pentoxifylline, and Cholestyramine" for Spur Cell Anemia. <i>International Journal of Hematology</i> , 2001, 73, 351-355.	0.7	14
57	Protective effect of photodegradation product of nifedipine against tumor necrosis factor alpha-induced oxidative stress in human glomerular endothelial cells. <i>Journal of Medical Investigation</i> , 2011, 58, 118-126.	0.2	14
58	Nitrosonifedipine ameliorates angiotensin II-induced vascular remodeling via antioxidative effects. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013, 386, 29-39.	1.4	13
59	Acute Myocardial Infarction in a Patient with Essential Thrombocythemia Who Underwent Successful Stenting. <i>Angiology</i> , 2005, 56, 771-774.	0.8	11
60	Angiotensin II Receptor Blocker Improves Tumor Necrosis Factor- α -Induced Cytotoxicity via Antioxidative Effect in Human Glomerular Endothelial Cells. <i>Pharmacology</i> , 2012, 90, 324-331.	0.9	11
61	Successful percutaneous coronary intervention for acute myocardial infarction caused by simultaneous occlusion of two major coronary arteries in patients with diabetes mellitus. <i>Acta Cardiologica</i> , 2005, 60, 225-228.	0.3	11
62	Angiotensin II receptor blocker attenuates PDGF-induced mesangial cell migration in a receptor-independent manner. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 364-372.	0.4	10
63	Nitrosonifedipine Ameliorates the Progression of Type 2 Diabetic Nephropathy by Exerting Antioxidative Effects. <i>PLoS ONE</i> , 2014, 9, e86335.	1.1	10
64	Overexpressed HIF-2 β in Endothelial Cells Promotes Vascularization and Improves Random Pattern Skin Flap Survival. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2014, 2, e132.	0.3	10
65	Novel Hydrophilic Camptothecin Derivatives Conjugated to Branched Glycerol Trimer Suppress Tumor Growth without Causing Diarrhea in Murine Xenograft Models of Human Lung Cancer. <i>Molecular Pharmaceutics</i> , 2020, 17, 1049-1058.	2.3	10
66	Investigation of drugs affecting hypertension in bevacizumab-treated patients and examination of the impact on the therapeutic effect. <i>Cancer Medicine</i> , 2021, 10, 164-172.	1.3	10
67	Activation of Peroxisome Proliferator-Activated Receptor β in Megakaryocytes Reduces Platelet-Derived Growth Factor-BB in Platelets. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 138-147.	0.9	10
68	Improvement of Cardiac Diastolic Function and Prognosis After Autologous Peripheral Blood Stem Cell Transplantation in AL Cardiac Amyloidosis. <i>Internal Medicine</i> , 2007, 46, 1705-1710.	0.3	9
69	Inhibitory effects of adiponectin on platelet-derived growth factor-induced mesangial cell migration. <i>Journal of Endocrinology</i> , 2009, 202, 309-316.	1.2	9
70	Effects of Statins on Cardiorenal Syndrome. <i>International Journal of Vascular Medicine</i> , 2012, 2012, 1-7.	0.4	9
71	The Role of Heparin Cofactor β in the Regulation of Insulin Sensitivity and Maintenance of Glucose Homeostasis in Humans and Mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 1215-1230.	0.9	9
72	Nitrite Activates 5 α -AMP-Activated Protein Kinase-Endothelial Nitric Oxide Synthase Pathway in Human Glomerular Endothelial Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2017, 40, 1866-1872.	0.6	8

#	ARTICLE	IF	CITATIONS
73	Nitrosonifedipine, a Photodegradation Product of Nifedipine, Suppresses Pharmacologically Induced Aortic Aneurysm Formation. <i>Pharmacology</i> , 2018, 102, 287-299.	0.9	8
74	Rho-associated protein kinase and cyclophilin a are involved in inorganic phosphate-induced calcification signaling in vascular smooth muscle cells. <i>Journal of Pharmacological Sciences</i> , 2020, 142, 109-115.	1.1	8
75	Dual disruption of eNOS and ApoE gene accelerates kidney fibrosis and senescence after injury. <i>Biochemical and Biophysical Research Communications</i> , 2021, 556, 142-148.	1.0	8
76	Plasma heparin cofactor II activity is inversely associated with left atrial volume and diastolic dysfunction in humans with cardiovascular risk factors. <i>Hypertension Research</i> , 2011, 34, 225-231.	1.5	7
77	Hypoxia Decreases Glucagon-Like Peptide-1 Secretion from the GLUTag Cell Line. <i>Biological and Pharmaceutical Bulletin</i> , 2015, 38, 514-521.	0.6	7
78	Methanol extraction fraction from Citrus Sudachi peel exerts lipid reducing effects in cultured cells. <i>Journal of Medical Investigation</i> , 2018, 65, 225-230.	0.2	7
79	Pathophysiological Response to Hypoxia – From the Molecular Mechanisms of Malady to Drug Discovery: Inflammatory Responses of Hypoxia-Inducible Factor 1 α (HIF-1 α) in T Cells Observed in Development of Vascular Remodeling. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 433-439.	1.1	6
80	The role of iron in obesity and diabetes. <i>Journal of Medical Investigation</i> , 2022, 69, 1-7.	0.2	6
81	Endothelial Nitric Oxide Synthase-Independent Pleiotropic Effects of Pitavastatin Against Atherogenesis and Limb Ischemia in Mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018, 25, 65-80.	0.9	5
82	Novel roles of HIF-PHIs in chronic kidney disease: the link between iron metabolism, kidney function, and FGF23. <i>Kidney International</i> , 2021, 100, 14-16.	2.6	5
83	Intra-Vascular Ultrasound Findings of Diffuse Coronary Atherosclerotic Change in Systemic Lupus Erythematosus With Secondary Antiphospholipid Syndrome. <i>Circulation Journal</i> , 2006, 70, 1082-1085.	0.7	4
84	HIF-1 α /ARNT complex regulates hair development via induction of p21 Waf1/Cip1 and p27 Kip1. <i>FASEB Journal</i> , 2014, 28, 2517-2524.	0.2	4
85	Decrease in plasma brain natriuretic peptide level in the early phase after the start of carvedilol therapy is a novel predictor of long-term outcome in patients with chronic heart failure. <i>Acta Cardiologica</i> , 2009, 64, 589-595.	0.3	4
86	Fibroblast-specific ERK5 deficiency changes tumor vasculature and exacerbates tumor progression in a mouse model. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 1239-1250.	1.4	3
87	Effects of Palonosetron on Nausea and Vomiting Induced by Multiple-Day Chemotherapy: A Retrospective Study. <i>Biological and Pharmaceutical Bulletin</i> , 2021, 44, 478-484.	0.6	3
88	Plasma Heparin Cofactor II Activity Is Inversely Associated with Albuminuria and Its Annual Deterioration in Patients with Diabetes. <i>Journal of Diabetes Investigation</i> , 2021, , .	1.1	3
89	Examination of the antiepileptic effects of valacyclovir using kindling mice – search for novel antiepileptic agents by drug repositioning using a large medical information database. <i>European Journal of Pharmacology</i> , 2021, 902, 174099.	1.7	2
90	Ferritin induces IL-1 β production through inflammasome activation via NF- κ B-dependent manner in macrophages (835.3). <i>FASEB Journal</i> , 2014, 28, 835.3.	0.2	2

#	ARTICLE	IF	CITATIONS
91	The novel preventive effect of a Japanese ethical Kampo extract formulation TJ-90 (Seihaito) against cisplatin-induced nephrotoxicity. <i>Phytomedicine</i> , 2022, 103, 154213.	2.3	2
92	Aspirin inhibits thrombin action on endothelial cells via up-regulation of aminopeptidase N/CD13 expression. <i>Atherosclerosis</i> , 2005, 183, 49-55.	0.4	1
93	Abstract 313: Protective Effects of Iron-Restricted Food against Diabetic Nephropathy in db/db Mice. <i>Hypertension</i> , 2012, 60, .	1.3	1
94	Infective Endocarditis Caused by <i>Lactobacillus</i> . <i>Internal Medicine</i> , 2008, 47, 1162-1162.	0.3	0
95	Essential oil from sudachi peel improves glucose and lipid metabolism. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S90.	1.1	0
96	MP462IRON RESTRICTION PREVENTS RENAL TUBULOINTERSTITIAL INJURY INDUCED BY ALBUMIN OVERLOAD IN MICE. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii598-iii598.	0.4	0
97	SP404DIRECT FACTOR XA INHIBITOR PREVENTS RENAL INTERSTITIAL FIBROSIS IN MICE WITH UNILATERAL URETERAL OBSTRUCTION. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii255-iii255.	0.4	0
98	Identification of a candidate drug for the prevention of cisplatin-induced nephrotoxicity by a database analysis-basic research-clinical study. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2021, 94, 2-O-D3-1.	0.0	0
99	The authors reply. <i>Kidney International</i> , 2021, 99, 1026.	2.6	0
100	Effects of nitrosonifedipine, a photodegradation product of nifedipine, on diabetic nephropathy in type II diabetic mice. <i>FASEB Journal</i> , 2012, 26, 691.2.	0.2	0
101	Abstract 371: Nitrosonifedipine, a Photodegradation Product of Nifedipine, Prevents the Progression of Diabetic Nephropathy in Type II Diabetic Mice. <i>Hypertension</i> , 2012, 60, .	1.3	0
102	The effect of dietary iron restriction against diabetic nephropathy in db/db mice. <i>FASEB Journal</i> , 2013, 27, 917.6.	0.2	0
103	The Effects of Bilirubin on Angiogenesis in Mice with Hindlimb Ischemia. <i>FASEB Journal</i> , 2015, 29, 639.1.	0.2	0
104	Renoprotective effects of edoxaban, a factor Xa inhibitor. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO2-4-7.	0.0	0
105	Efect of nicorandil on survival of patients with cardiac arrest using large-scale medical claims database. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO4-1-59.	0.0	0
106	Search for drugs that attenuate the antitumor effect of bevacizumab using adverse event database. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO1-8-41.	0.0	0
107	Proton Pump Inhibitor Involves Abnormality of Iron Metabolism through Hcpidin Regulation. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-5-24.	0.0	0
108	Febuxostat ameliorates angiotensin II-induced aortic fibrosis via suppressing macrophage-derived TGF- β 2 expression. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-3-51.	0.0	0

#	ARTICLE	IF	CITATIONS
109	A limonene-derivative purified from peels of Citrus Sudachi ameliorates lipid and glucose metabolism through upregulating sirt1. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-7-30.	0.0	0
110	The effect of quercetin on aortic aneurysms in mice. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO1-2-82.	0.0	0
111	Abstract P260: Utilizing Real-World Big Data in the Search for New Renoprotective Drugs. Hypertension, 2018, 72, .	1.3	0
112	Search for preventive drugs against anticancer drug-induced side effects using a large-scale medical information database. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 2-AS1-3.	0.0	0
113	Significance of iron and therapeutic application in diseases. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 1-S02-1.	0.0	0
114	The effect of quercetin on aortic aneurysms and dissection in pharmacologically-induced model mice.. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 1-P-062.	0.0	0
115	Effect of the new preventive medicine on cisplatin-induced acute kidney injury. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 3-P-076.	0.0	0
116	Significance of SGLT2 in glucagon secretion from $\hat{I}\pm$ -TC cells. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 1-O-11.	0.0	0
117	Iron metabolism abnormality in skeletal muscle atrophy associated with chronic renal failure. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 3-P-078.	0.0	0
118	Search for preventive drugs against oxaliplatin-induced peripheral neuropathy through drug repositioning. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 1-SS-58.	0.0	0
119	Iron accumulation negatively regulates skeletal muscle myogenesis. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2019, 92, 2-O-31.	0.0	0
120	The involvement of ferroptosis on cisplatin-induced nephrotoxicity. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 2-O-060.	0.0	0
121	Effect of new preventive medicine on pentylenetetrazol-induced kindled mice using database analyses. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 1-SS-34.	0.0	0
122	Chronic exposure to hypoxia facilitates chemotherapy sensitivity with downregulation of MDR1.. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 3-O-121.	0.0	0
123	Effects of quercetin against inflammation and endothelial dysfunction in the aortas from aneurysm model mice.. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2020, 93, 1-SS-30.	0.0	0