

# Xiao-bing Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9249672/publications.pdf>

Version: 2024-02-01

28  
papers

1,148  
citations

471509

17  
h-index

552781

26  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1931  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modulation of Immune Reaction in Hydrodynamic Gene Therapy for Hemophilia A. <i>Human Gene Therapy</i> , 2022, 33, 404-420.	2.7	2
2	Improved and Flexible HDR Editing by Targeting Introns in iPSCs. <i>Stem Cell Reviews and Reports</i> , 2022, 18, 1822-1833.	3.8	6
3	Matrix reverses immortalization-mediated stem cell fate determination. <i>Biomaterials</i> , 2021, 265, 120387.	11.4	15
4	Gene knockout in highly purified mouse hematopoietic stem cells by CRISPR/Cas9 technology. <i>Journal of Immunological Methods</i> , 2021, 495, 113070.	1.4	4
5	Effective control of large deletions after double-strand breaks by homology-directed repair and dsODN insertion. <i>Genome Biology</i> , 2021, 22, 236.	8.8	36
6	R4 RGS proteins suppress engraftment of human hematopoietic stem/progenitor cells by modulating SDF-1/CXCR4 signaling. <i>Blood Advances</i> , 2021, 5, 4380-4392.	5.2	4
7	Stem cells immortalized by hTERT perform differently from those immortalized by SV40LT in proliferation, differentiation, and reconstruction of matrix microenvironment. <i>Acta Biomaterialia</i> , 2021, 136, 184-198.	8.3	5
8	Dynamics and competition of CRISPR-Cas9 ribonucleoproteins and AAV donor-mediated NHEJ, MMEJ and HDR editing. <i>Nucleic Acids Research</i> , 2021, 49, 969-985.	14.5	90
9	CD9 blockade suppresses disease progression of high-risk pediatric B-cell precursor acute lymphoblastic leukemia and enhances chemosensitivity. <i>Leukemia</i> , 2020, 34, 709-720.	7.2	13
10	Single-Cell RNA-Seq Reveals that CD9 Is a Negative Marker of Glucose-Responsive Pancreatic $\beta$ -like Cells Derived from Human Pluripotent Stem Cells. <i>Stem Cell Reports</i> , 2020, 15, 1111-1126.	4.8	35
11	Curing hemophilia A by NHEJ-mediated ectopic F8 insertion in the mouse. <i>Genome Biology</i> , 2019, 20, 276.	8.8	50
12	Highly efficient genome editing via CRISPR-Cas9 in human pluripotent stem cells is achieved by transient BCL-XL overexpression. <i>Nucleic Acids Research</i> , 2018, 46, 10195-10215.	14.5	93
13	High-Level Precise Knockin of iPSCs by Simultaneous Reprogramming and Genome Editing of Human Peripheral Blood Mononuclear Cells. <i>Stem Cell Reports</i> , 2018, 10, 1821-1834.	4.8	21
14	Optimizing the method for generation of integration-free induced pluripotent stem cells from human peripheral blood. <i>Stem Cell Research and Therapy</i> , 2018, 9, 163.	5.5	27
15	Efficient precise knockin with a double cut HDR donor after CRISPR/Cas9-mediated double-stranded DNA cleavage. <i>Genome Biology</i> , 2017, 18, 35.	8.8	348
16	Generation of Integration-free Induced Pluripotent Stem Cells from Human Peripheral Blood Mononuclear Cells Using Episomal Vectors. <i>Journal of Visualized Experiments</i> , 2017, , .	0.3	13
17	TSLP or IL-7 provide an IL-7R $\alpha$ signal that is critical for human B lymphopoiesis. <i>European Journal of Immunology</i> , 2016, 46, 2155-2161.	2.9	34
18	Enhanced Generation of Integration-free iPSCs from Human Adult Peripheral Blood Mononuclear Cells with an Optimal Combination of Episomal Vectors. <i>Stem Cell Reports</i> , 2016, 6, 873-884.	4.8	48

#	ARTICLE	IF	CITATIONS
19	Different Effects of sgRNA Length on CRISPR-mediated Gene Knockout Efficiency. <i>Scientific Reports</i> , 2016, 6, 28566.	3.3	77
20	R4 Rgs Subfamily Proteins Negatively Regulates SDF-1/CXCR4 Signaling in CD34+ Hematopoietic Stem and Progenitor Cells. <i>Blood</i> , 2016, 128, 5048-5048.	1.4	0
21	Direct Conversion of Cord Blood CD34+ Cells Into Neural Stem Cells by OCT4. <i>Stem Cells Translational Medicine</i> , 2015, 4, 755-763.	3.3	24
22	Directed cardiomyogenesis of human pluripotent stem cells by modulating Wnt/ $\beta$ 2-catenin and BMP signalling with small molecules. <i>Biochemical Journal</i> , 2015, 469, 235-241.	3.7	20
23	PDGFB-based stem cell gene therapy increases bone strength in the mouse. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3893-900.	7.1	53
24	Patient-specific cardiovascular progenitor cells derived from integration-free induced pluripotent stem cells for vascular tissue regeneration. <i>Biomaterials</i> , 2015, 73, 51-59.	11.4	25
25	The Tetraspanin CD9 Regulates Engraftment and Mobilization of Human CD34+ Hematopoietic Stem/Progenitor Cells and Modulates VLA-4 Activity. <i>Blood</i> , 2015, 126, 1169-1169.	1.4	0
26	RGS1 and RGS13 Regulate SDF-1-Mediated Responses and Homing in Human Cord Blood CD34+ Hematopoietic Stem/Progenitor Cells. <i>Blood</i> , 2015, 126, 2371-2371.	1.4	0
27	Generation of iPS Cells from Human Peripheral Blood Mononuclear Cells Using Episomal Vectors. <i>Methods in Molecular Biology</i> , 2014, 1357, 57-69.	0.9	47
28	Cellular Reprogramming of Human Peripheral Blood Cells. <i>Genomics, Proteomics and Bioinformatics</i> , 2013, 11, 264-274.	6.9	50