
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9250962/publications.pdf Version: 2024-02-01



CUO-HUA FENC

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Barium titanate piezoelectric-film-based beam-array airflow sensor for wearable breath-monitoring application. Journal of Micromechanics and Microengineering, 2022, 32, 015009.                                     | 2.6 | 5         |
| 2  | Pressure Enhancing and Operating Frequency Tunable Pmut with Compressible Parylene Helmholtz<br>Resonanting Chamber and Active Backing Plate. , 2022, , .  |     | 0         |
| 3  | Smart Tape For Monitoring Human Joint Motion and Sweat with Unique Stiffness Design of<br>Piezoelectric Sensing Mechanisim in Stretching and Bending Motion. , 2022, , .   |     | 1         |
| 4  | Piezoelectrically and Capacitively Integrated Wearable Device with Stretchable Ability for Monitoring Rapid Change in Gait and Precisely Step Counting. , 2021, , .  |     | 0         |
| 5  | Hand Gesture Detection and Recognition Using Spectrogram and Image Processing Technique with a Single Pair of Ultrasonic Transducers. Applied Sciences (Switzerland), 2021, 11, 5407.                                | 2.5 | 6         |
| 6  | Sound Pressure and Bandwidth Enhanced PMUT with Volume Controllable Helmhotz Resonator for Respiratory Monitoring. , 2021, , .   |     | 2         |
| 7  | Electroactive polymer-based inner vessel-wall pressure transducer capable of integration with a PTA balloon catheter for examining blood vessel health. Materials Science and Engineering C, 2020, 114, 111047.      | 7.3 | 2         |
| 8  | Magnetic-repulsion-coupled piezoelectric-film-based stretchable and flexible acoustic emission sensor. Smart Materials and Structures, 2020, 29, 035027.   | 3.5 | 7         |
| 9  | An Out-of-Plane Operated Soft Engine Driving Stretchable Zone Plate for Adjusting Focal Point of an<br>Ultrasonic Beam. Sensors, 2019, 19, 3819.   | 3.8 | 1         |
| 10 | Piezoelectric Micromachined Ultrasonic Transducers with a Cost-Effective Bottom-Up Fabrication Scheme for Millimeter-Scale Range Finding. Sensors, 2019, 19, 4696.   | 3.8 | 16        |
| 11 | Piezoelectric Micromachined Ultrasonic Transducer with a Universal Bottom-Up Fabrication<br>Approach Implemented on a Foil as Doppler Radar for Gesture Recognition. , 2019, , .                                     |     | 3         |
| 12 | Double Functional Piezoelectric Film Based Stretchable and Flexible Acoustic Emission Sensor with<br>Unique Magnetic Repulsion Sensing Enhancement and Contact Force Self-Detectability. , 2019, , .                 |     | 0         |
| 13 | Out-of-Plane Long-Range Operated Soft Engine with Driving Stretchable Zone Plate and Led Abilities for Tunable Focused Therapeutic Ultrasonic and Infrared Heating Applications. , 2019, , .                         |     | 0         |
| 14 | Investigation of tactile bump array actuated with ionic polymer–metal composite cantilever beams for refreshable braille display application. Sensors and Actuators A: Physical, 2018, 275, 137-147.                 | 4.1 | 21        |
| 15 | PZT and PNIPAM Film-Based Flexible and Stretchable Electronics for Knee Health Monitoring and Enhanced Drug Delivery. IEEE Sensors Journal, 2018, 18, 9736-9743.   | 4.7 | 18        |
| 16 | Smart Material Constructed Flexible and Stretchable Electronics for Knee Joint Health Monitoring and Improved Drug Delivery. , 2018, , .   |     | 0         |
| 17 | Examining the misalignment of a linear guideway pair on a feed drive system under different ball screw preload levels with a cost-effective MEMS vibration sensing system. Precision Engineering, 2017, 50, 467-481. | 3.4 | 9         |
| 18 | Residual-stress-balanced piezoelectric film based direction sensitive flow shear-stress sensor for quadcopter navigation. , 2017, , .  |     | 0         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Multisection bendable ring-buckle-type soft actuator with phase control ability for artificial esophagus applications. , 2017, , .   |     | 1         |
| 20 | Electroactive polymer actuated gripper enhanced with iron oxide nanoparticles and water supply mechanism for millimeter-sized fish roe manipulation. , 2017, , .   |     | 2         |
| 21 | Hydrothermally synthesized PZT film grown in highly concentrated KOH solution with large<br>electromechanical coupling coefficient for resonator. Royal Society Open Science, 2017, 4, 171363.                         | 2.4 | 15        |
| 22 | Stretchable smart patch: Serpentine network connected functional node array with enhanced acoustic emission detectability and thermo-activated drug delivery functions. , 2017, , .                                    |     | 1         |
| 23 | PTA balloon catheter integrated electroactive polymer transducer for sensing vascular blockage and disturbing vessel plaques. , 2017, , .  |     | Ο         |
| 24 | Investigation on the Mechanical and Electrical Behavior of a Tuning Fork-Shaped Ionic Polymer Metal<br>Composite Actuator with a Continuous Water Supply Mechanism. Sensors, 2016, 16, 433.                            | 3.8 | 8         |
| 25 | Micromachined lead zirconium titanate thin-film-cantilever-based acoustic emission sensor with poly(N-isopropylacrylamide) actuator for increasing contact pressure. Smart Materials and Structures, 2016, 25, 055046. | 3.5 | 15        |
| 26 | Arch-Shaped Ionic Polymer–Metal Composite Actuator Integratable With Micromachined Functional<br>Tools for Micromanipulation. IEEE Sensors Journal, 2016, 16, 7109-7115.   | 4.7 | 6         |
| 27 | Piezoelectric-film-based acoustic emission sensor array with thermoactuator for monitoring knee joint conditions. Sensors and Actuators A: Physical, 2016, 246, 180-191.   | 4.1 | 18        |
| 28 | Flexible acoustic emission sensor array with thermoresponsive actuator enhancing sensitivity for monitoring osteoarthritis. , 2015, , .  |     | 1         |
| 29 | A tentacle-like doubule section curvature tunable actuator with light guiding/drug delivery ability for biomecial applications. , 2015, , .  |     | 1         |
| 30 | A digital tactile actuator array with normal and shear contact force controllability for refreshable<br>Braille display application. , 2015, , .   |     | 4         |
| 31 | Double-section curvature tunable functional actuator with micromachined buckle and grid wire for electricity delivery. Smart Materials and Structures, 2015, 24, 095010.   | 3.5 | 9         |
| 32 | Micromanipulation tool replaceable soft actuator with gripping force enhancing and output motion converting mechanisms. , 2015, , .  |     | 6         |
| 33 | Fabrication and Characterization of a Micromachined Swirl-Shaped Ionic Polymer Metal Composite<br>Actuator with Electrodes Exhibiting Asymmetric Resistance. Sensors, 2014, 14, 8380-8397.                             | 3.8 | 14        |
| 34 | A biomimetic soft robotic arm for dynamic curvature/haptic sensing with self-power generation ability. , 2014, , .   |     | 1         |
| 35 | A room-temperature processed parylene-patterned helical ionic polymer–metal composite spring actuator with selectable active region. Smart Materials and Structures, 2014, 23, 045002.                                 | 3.5 | 9         |
| 36 | An arc-shaped polyvinylidene fluoride/ionic polymer metal composite dynamic curvature sensor with contact detection and scanning ability. Sensors and Actuators A: Physical, 2014, 208, 130-140.                       | 4.1 | 14        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | A self-strain feedback tuning-fork-shaped ionic polymer metal composite clamping actuator with soft<br>matter elasticity-detecting capability for biomedical applications. Materials Science and Engineering C,<br>2014, 45, 241-249.                         | 7.3  | 21        |
| 38 | Fabrication of piezoelectric components for a tunable and efficient device for DNA delivery into mammalian cells. Ultrasonics Sonochemistry, 2014, 21, 819-825.   | 8.2  | 4         |
| 39 | Nonspecific binding removal and specific binding regeneration using longitudinal acoustic waves. RSC<br>Advances, 2013, 3, 16159.   | 3.6  | 2         |
| 40 | Lab on a soft robot: Electrically controlled tuning fork shaped IPMC clamping actuator with ultrasonic imaging and displacement self-detecting capabilities. , 2013, , .  |      | 1         |
| 41 | A droplet-based piezoelectric concave diaphragm biosensor with self-enhancing functionality for<br>label-free detection of protein–ligand interactions. Sensors and Actuators B: Chemical, 2013, 182,<br>809-817.   | 7.8  | 2         |
| 42 | A Spherically-Shaped PZT Thin Film Ultrasonic Transducer with an Acoustic Impedance Gradient<br>Matching Layer Based on a Micromachined Periodically Structured Flexible Substrate. Sensors, 2013,<br>13, 13543-13559.  | 3.8  | 16        |
| 43 | Simple-structured capillary-force-dominated tunable-focus liquid lens based on the<br>higher-order-harmonic resonance of a piezoelectric ring transducer. Applied Optics, 2013, 52, 829.  | 1.8  | 14        |
| 44 | A smart acoustic emission and mechanical impedance hybrid sensor with static force detecting and dynamic measuring capabilities. , 2013, , .  |      | 2         |
| 45 | A tactile function embedded flexible dynamic curvature sensor with rotational scanning detection ability. , 2013, , .   |      | 1         |
| 46 | Threeâ€dimensional multielectrodeâ€controlled two orthogonal direction bendable IPMC actuator with an active clasp. Polymer Engineering and Science, 2013, 53, 2004-2017.   | 3.1  | 12        |
| 47 | Acoustic energy driven focus-tunable liquid microlens array for Shack-Hartmann wavefront sensor application. , 2012, , .  |      | 0         |
| 48 | Fabrication of arbitrary curvature focused PZT thin film ultrasonic transducer with tunable acoustic impedance based on micropatterned flexible substrate. , 2012, , .  |      | 0         |
| 49 | A micromachined, high signal-to-noise ratio, acoustic emission sensor and its application to monitor dynamic wear. Sensors and Actuators A: Physical, 2012, 188, 56-65.   | 4.1  | 14        |
| 50 | Investigation of ball screw preload variation based on dynamic modeling of a preload adjustable<br>feed-drive system and spectrum analysis of ball-nuts sensed vibration signals. International Journal of<br>Machine Tools and Manufacture, 2012, 52, 85-96. | 13.4 | 118       |
| 51 | Establishing a cost-effective sensing system and signal processing method to diagnose preload levels of ball screws. Mechanical Systems and Signal Processing, 2012, 28, 78-88.   | 8.0  | 37        |
| 52 | Built-in Temperature Detecting System for Diagnosing Ball-Screw Preload Variation of a Feed Drive<br>System. Sensor Letters, 2012, 10, 1131-1136.   | 0.4  | 1         |
| 53 | Development of Tuning Fork-shaped Clamps with Nickel-electroded Ionic Polymer Metal Composites.<br>International Journal of Automation and Smart Technology, 2012, 2, 55-62.  | 0.4  | 2         |
| 54 | Micromachined Transformer-Type Tunable Inductor for RF/Microwave Applications. Advanced Science<br>Letters, 2012, 8, 247-251.   | 0.2  | 0         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Frequency controlled ultrasonic microfluidic chip for rapid particle manipulation. , 2011, , .  |     | 0         |
| 56 | Green vehicle shock absorber: Micromachined wavy shaped piezoelectric cushion energy harvester and its power generating demonstration based on real navigation. , 2011, , .   |     | 1         |
| 57 | Development of PZT-based ultrasonic concave diaphragm transducer with engineerable acoustic beam focal range. , 2011, , .   |     | 0         |
| 58 | PZT-based concave diaphragm transducer with compliant supporting layer for releasing residual stress. Microelectronic Engineering, 2011, 88, 3199-3206.   | 2.4 | 8         |
| 59 | Micromachined optical fiber enclosed 4-electrode IPMC actuator with multidirectional control ability for biomedical application. Biomedical Microdevices, 2011, 13, 169-177.  | 2.8 | 50        |
| 60 | Fabrication and characterization of thermally driven fast turn-on microvalve with adjustable backpressure design. Microelectronic Engineering, 2011, 88, 187-194.   | 2.4 | 14        |
| 61 | 3D omnidiectional contollable elastic IPMC tweezer with self-sensing and adjustable clamping force abilities for biomedical applications. , 2011, , .   |     | 6         |
| 62 | Investigation of electrical to mechanical energy conversion of a three-dimensional four-electrode<br>multidirectional-controllable IPMC transducer with/without an optical fiber enclosed. Smart<br>Materials and Structures, 2011, 20, 015027. | 3.5 | 12        |
| 63 | Micromachined flexible diaphragm backed PZT ultrasonic transducer with a controllable self-focused acoustic beam. Measurement Science and Technology, 2011, 22, 125204.   | 2.6 | 6         |
| 64 | Gold nanoparticles immobilized quartz crystal microbalance biochip with ultrasonic standing wave enhancement for real-time sensing protein-ligand interaction. , 2011, , .  |     | 0         |
| 65 | Self-powered high signal-to-noise ratio acoustic emission sensor and its demonstration on detecting dynamic friction variation. , 2011, , .   |     | 3         |
| 66 | Acoustic emission sensor with structure-enhanced sensing mechanism based on micro-embossed piezoelectric polymer. Sensors and Actuators A: Physical, 2010, 162, 100-106.  | 4.1 | 45        |
| 67 | Quartz crystal microbalance biochip with ultrasonic standing wave enhancement. Sensors and Actuators B: Chemical, 2010, 150, 601-608.   | 7.8 | 4         |
| 68 | Numerical study on dynamic characteristics of micromachined ionic polymer metal composite devices based on molecular-scale modeling. Computational Materials Science, 2010, 50, 158-166.  | 3.0 | 13        |
| 69 | Development of 3D 4-electrode IPMC actuator with accurate omnidirectional control ability for microendoscopic surgical application. , 2009, , .   |     | 2         |
| 70 | An eyeball-like biconvex/meniscus lens optical system with fluidic-controlled focus for tunable lens applications. , 2009, , .  |     | 2         |
| 71 | Development of structure enhanced micromachined acoustic emission sensors with wide-bandwidth and improved sensitivity. , 2009, , .   |     | 1         |
| 72 | A PZT-driven atomizer based on a vibrating flexible membrane and a micro-machined trumpet-shaped nozzle array. Microsystem Technologies, 2009, 15, 865-873.   | 2.0 | 9         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Fabrication and characterization of optofluidic flexible meniscus–biconvex lens system. Sensors and Actuators A: Physical, 2009, 156, 342-349.                                 | 4.1 | 8         |
| 74 | Flexible meniscus/biconvex lens system with fluidic-controlled tunable-focus applications. Applied Optics, 2009, 48, 3284.   | 2.1 | 26        |
| 75 | Development of wide frequency range-operated micromachined piezoelectric generators based on figure-of-merit analysis. Microsystem Technologies, 2008, 14, 419-425.            | 2.0 | 19        |
| 76 | Fabrication and characterization of arbitrary shaped μIPMC transducers for accurately controlled biomedical applications. Sensors and Actuators A: Physical, 2008, 143, 34-40. | 4.1 | 35        |
| 77 | Improved cost-effective fabrication of arbitrarily shaped μIPMC transducers. Journal of<br>Micromechanics and Microengineering, 2008, 18, 015016.                              | 2.6 | 15        |
| 78 | A piezoelectric dome-shaped-diaphragm transducer for microgenerator applications. Smart Materials and Structures, 2007, 16, 2636-2644.   | 3.5 | 12        |
| 79 | Universal Concept for Fabricating Arbitrary Shaped μIPMC Transducers and Its Application on Developing Accurately Controlled Surgical Devices. , 2007, , .                     |     | 3         |
| 80 | Optimal FOM Designed Piezoelectric Microgenerator with Energy Harvesting in a Wide Vibration Bandwidth. , 2007, , .  |     | 12        |
| 81 | Universal concept for fabricating arbitrary shaped μIPMC transducers and its application on developing accurately controlled surgical devices. , 2007, , .                     |     | 1         |
| 82 | PZT bimorph actuated atomizer based on higher order harmonic resonance and reduced operating pressure. Sensors and Actuators A: Physical, 2007, 136, 434-440.                  | 4.1 | 6         |
| 83 | Fabrication of MEMS ZnO dome-shaped-diaphragm transducers for high-frequency ultrasonic imaging.<br>Journal of Micromechanics and Microengineering, 2005, 15, 586-590.         | 2.6 | 39        |
| 84 | Piezoelectrically actuated dome-shaped diaphragm micropump. Journal of Microelectromechanical Systems, 2005, 14, 192-199.  | 2.5 | 58        |
| 85 | Micropump based on PZT unimorph and one-way parylene valves. Journal of Micromechanics and Microengineering, 2004, 14, 429-435.  | 2.6 | 98        |
| 86 | Universal concept for fabricating micron to millimeter sized 3-D parylene structures on rigid and flexible substrates. , 0, , .  |     | 5         |
| 87 | Fabrication of MEMS ZnO dome-shaped-diaphragm transducers for high frequency ultrasonic imaging. , 0, , .  |     | 0         |