

Pierrick Clement

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9252144/pierrick-clement-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22
papers

304
citations

10
h-index

17
g-index

22
ext. papers

362
ext. citations

7.5
avg, IF

3.1
L-index

#	Paper	IF	Citations
22	In Vitro Cytocompatibility Assessment of Ti-Modified, Silicon-oxycarbide-Based, Polymer-Derived, Ceramic-Implantable Electrodes under Pacing Conditions. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 17244-17253	9.5	10
21	Carbon nanomaterials functionalized with macrocyclic compounds for sensing vapors of aromatic VOCs 2020 , 223-237		3
20	Printed transducers using nanomaterials for gas sensing. <i>Materials Today: Proceedings</i> , 2019 , 6, 306-309	1.4	
19	Direct Synthesis of Multiplexed Metal-Nanowire-Based Devices by Using Carbon Nanotubes as Vector Templates. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 9928-9932	16.4	4
18	A One-Step Chemical Strategy for the Formation of Carbon Nanotube Junctions in Aqueous Solution: Reaction of DNA-Wrapped Carbon Nanotubes with Diazonium Salts. <i>ChemPlusChem</i> , 2019 , 84, 1235-1238	2.8	6
17	Direct Synthesis of Multiplexed Metal-Nanowire-Based Devices by Using Carbon Nanotubes as Vector Templates. <i>Angewandte Chemie</i> , 2019 , 131, 10033-10037	3.6	2
16	Reconfigurable Carbon Nanotube Multiplexed Sensing Devices. <i>Nano Letters</i> , 2018 , 18, 4130-4135	11.5	35
15	Tuning the Coupling in Single-Molecule Heterostructures: DNA-Programmed and Reconfigurable Carbon Nanotube-Based Nanohybrids. <i>Advanced Science</i> , 2018 , 5, 1800596	13.6	16
14	Gas discrimination using screen-printed piezoelectric cantilevers coated with carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2016 , 237, 1056-1065	8.5	19
13	One-step firing for electroded PZT thick films applied to MEMS. <i>Smart Materials and Structures</i> , 2015 , 24, 025020	3.4	13
12	Pt- and Pd-decorated MWCNTs for vapour and gas detection at room temperature. <i>Beilstein Journal of Nanotechnology</i> , 2015 , 6, 919-27	3	25
11	Gas Discrimination Using Screen-printed Piezoelectric Cantilevers Coated with Carbon Nanotubes. <i>Procedia Engineering</i> , 2015 , 120, 987-992		3
10	Oxygen plasma treated carbon nanotubes for the wireless monitoring of nitrogen dioxide levels. <i>Sensors and Actuators B: Chemical</i> , 2015 , 208, 444-449	8.5	18
9	Bezene Detection: Deep Cavitand Self-Assembled on Au NPs-MWCNT as Highly Sensitive Benzene Sensing Interface (Adv. Funct. Mater. 26/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 4172-4172	15.6	
8	Deep Cavitand Self-Assembled on Au NPs-MWCNT as Highly Sensitive Benzene Sensing Interface. <i>Advanced Functional Materials</i> , 2015 , 25, 4011-4020	15.6	54
7	Rhodium-decorated MWCNTs for detecting organic vapours. <i>International Journal of Nanotechnology</i> , 2015 , 12, 562	1.5	6
6	Nitrogen Dioxide Wireless Sensor Based on Carbon Nanotubes and UWB RFID Technology. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1145-1148	3.8	7

5	Iron oxide and oxygen plasma functionalized multi-walled carbon nanotubes for the discrimination of volatile organic compounds. <i>Carbon</i> , 2014 , 78, 510-520	10.4	29
4	Use of a CNT-coated Piezoelectric Cantilever with Double Transduction As a Gas Sensor for Benzene Detection at Room Temperature. <i>Procedia Engineering</i> , 2014 , 87, 708-711		6
3	Multi-walled carbon nanotubes for volatile organic compound detection. <i>Sensors and Actuators B: Chemical</i> , 2013 , 182, 344-350	8.5	36
2	Functionalised multi-walled carbon nanotubes for chemical vapour detection. <i>International Journal of Nanotechnology</i> , 2013 , 10, 485	1.5	11
1	RF sputtering as a tool for plasma treating and metal decoration. <i>Procedia Engineering</i> , 2011 , 25, 223-226		1