Sergey Ivanchev

List of Publications by Citations

Source: https://exaly.com/author-pdf/925291/sergey-ivanchev-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107 884 16 24 g-index

114 949 1.6 avg, IF L-index

#	Paper	IF	Citations
107	Hollow-particle latexes: Preparation and properties. <i>Journal of Polymer Science Part A</i> , 2001 , 39, 1435-	14 <u>4</u> 9	60
106	Membranes and nanotechnologies. <i>Nanotechnologies in Russia</i> , 2008 , 3, 656-687	0.6	57
105	Polymer membranes for fuel cells: manufacture, structure, modification, properties. <i>Russian Chemical Reviews</i> , 2010 , 79, 101-117	6.8	53
104	A new polymeric silicone hydrogel for medical applications: synthesis and properties. <i>Polymers for Advanced Technologies</i> , 2006 , 17, 872-877	3.2	43
103	Monodisperse carboxylated polystyrene particles: synthesis, electrokinetic and adsorptive properties. <i>Polymer</i> , 2005 , 46, 1417-1425	3.9	32
102	Nanostructures in polymer systems. <i>Polymer Science - Series B</i> , 2006 , 48, 213-225	0.8	31
101	Fluorinated proton-conduction nafion-type membranes, the past and the future. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 569-584	0.8	27
100	Design of arylimine postmetallocene catalytic systems for olefin polymerization: I. Synthesis of substituted 2-cycloalkyl- and 2,6-dicycloalkylanilines. <i>Russian Journal of General Chemistry</i> , 2004 , 74, 14	123:742	27 ²⁷
99	Quantum-chemical calculations of the effect of cycloaliphatic groups in Ediimine and bis(imino)pyridine ethylene polymerization precatalysts on their stabilities with respect to deactivation reactions. <i>Polymer</i> , 2004 , 45, 6453-6459	3.9	25
98	Properties of oriented film tapes prepared via solid-state processing of a nascent ultrahigh-molecular-weight polyethylene reactor powder synthesized with a postmetallocene catalyst. <i>Polymer Science - Series A</i> , 2012 , 54, 950-954	1.2	24
97	New Bis(arylimino)pyridyl Complexes as Components of Catalysts for Ethylene Polymerization. <i>Kinetics and Catalysis</i> , 2004 , 45, 176-182	1.5	21
96	Composite polymer hydrogels. <i>Polymer Science - Series A</i> , 2009 , 51, 743-760	1.2	20
95	Elementary reactions of the emulsions polymerization of styrene with the localization of radical formation acts at the interface. <i>Journal of Polymer Science Part A</i> , 1987 , 25, 47-62	2.5	18
94	Synthesis of salicylaldehydes bearing bulky substituents in the positions 3 and 5. <i>Russian Chemical Bulletin</i> , 2007 , 56, 1125-1129	1.7	16
93	The Reaction Mechanism of the Transetherification and Crosslinking of Melamine Resins. <i>Macromolecular Symposia</i> , 2004 , 217, 431-443	0.8	16
92	Promotion by supports of the reactivity of propagating species of Ziegler supported catalytic systems for the polymerization and copolymerization of olefins. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1980 , 18, 2045-2050		16
91	New silicone hydrogels based on interpenetrating polymer networks comprising polysiloxane and poly(vinyl alcohol) networks. <i>Polymers for Advanced Technologies</i> , 2009 , 20, 367-377	3.2	15

(2011-1980)

90	The number of propagating species and some rate constants of elementary acts for the polymerization of ethylene and Bolefins using supported Ziegler catalysts. <i>European Polymer Journal</i> , 1980 , 16, 937-940	5.2	15	
89	Scientific principles of a new process for manufacturing perfluorinated polymer electrolytes for fuel cells. <i>Petroleum Chemistry</i> , 2012 , 52, 453-461	1.1	13	
88	Design of Schiff base-like postmetallocene catalytic systems for polymerization of olefins: II. Synthesis of 2,6-bis(aryliminoalkyl)pyridines with cycloalkyl substituents. <i>Russian Journal of General Chemistry</i> , 2004 , 74, 1575-1578	0.7	13	
87	Structure characterization of perfluorosulfonic short side chain polymer membranes. <i>RSC Advances</i> , 2015 , 5, 73820-73826	3.7	12	
86	Structure and Catalytic Activity of Titanium and Zirconium Phenoxyimine Complexes. <i>Doklady Physical Chemistry</i> , 2005 , 404, 165-168	0.8	11	
85	New Multifunctional Bis(imino)pyridine-Iron Chloride Complexes and Ethylene Polymerization Catalysts on Their Basis. <i>Doklady Physical Chemistry</i> , 2005 , 404, 182-185	0.8	11	
84	Structure and property optimization of perfluorinated short side chain membranes for hydrogen fuel cells using orientational stretching. <i>RSC Advances</i> , 2016 , 6, 108864-108875	3.7	10	
83	Relationship between the Morphology, Nanostructure, and Strength Properties of Aquivion Type Perfluorinated Proton-Conducting Membranes Prepared by Casting from Solution. <i>Russian Journal of Applied Chemistry</i> , 2018 , 91, 101-104	0.8	9	
82	Ethylene polymerization using catalysts based on binuclear phenoxyimine titanium halide complexes. <i>European Polymer Journal</i> , 2012 , 48, 191-199	5.2	9	
81	PolymerIhorganic selective adsorbents for gas chromatography produced by graft polymerization. <i>Journal of Chromatography A</i> , 1990 , 520, 21-31	4.5	9	
80	Self-immobilized catalysts for ethylene polymerization based on various phenoxyimine titanium halide complexes. <i>Russian Chemical Bulletin</i> , 2012 , 61, 836-842	1.7	8	
79	Monodisperse Particles Based on Copolymers of Methyl methacrylate or Styrene with N-Vinylformamide. <i>Macromolecular Symposia</i> , 2009 , 281, 61-68	0.8	8	
78	Living Polymerization of Ethylene on the Bis[N-(3-tert-butylsalicylidene)anilinato]titanium DichlorideMethylalumoxane Catalyst System. <i>Doklady Physical Chemistry</i> , 2004 , 394, 46-49	0.8	8	
77	Optimization of the conditions of ethylene polymerization into reactor powders of ultra-high-molecular-weight polyethylene suitable for solid-phase formation into oriented ultra-high-strength and ultra-high-modulus film yarns. <i>Doklady Physical Chemistry</i> , 2016 , 468, 89-92	0.8	7	
76	Design of postmetallocene catalytic systems of arylimine type for olefin polymerization: XIV. Synthesis of (N-Allyloxyaryl)salicylaldimine ligands and their complexes with titanium(IV) dichloride. <i>Russian Journal of Organic Chemistry</i> , 2012 , 48, 1071-1080	0.7	7	
75	Effect of preparation conditions on nanostructural features of the NAFION type perfluorinated proton conducting membranes. <i>Petroleum Chemistry</i> , 2012 , 52, 565-570	1.1	7	
74	Specific features of ethylene polymerization on self-immobilizing catalytic systems based on titanium bis(phenoxy imine) complexes. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 118-123	0.8	7	
73	Bioligand carriers based on methyl methacrylate copolymers with N-vinylformamide or glycidyl methacrylate. <i>Colloid Journal</i> , 2011 , 73, 76-82	1.1	7	

72	Polymerization of ethylene with self-immobilizing bis(phenoxyimine) catalytic systems. <i>Polymer Science - Series B</i> , 2009 , 51, 276-282	0.8	7
71	Features of self-immobilization of titanium phenoxyimine complexes in ethylene polymerization. <i>Doklady Physical Chemistry</i> , 2007 , 417, 301-303	0.8	7
70	Ethylene polymerization on titanium phenoxyimine complexes with different structures. <i>Kinetics and Catalysis</i> , 2007 , 48, 829-834	1.5	7
69	Transetherification of melamineformaldehyde resin methyl ethers and competing reaction of self-condensation. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 2977-2985	2.9	7
68	Submicron Sized Hollow Polymer Particles: Preparation and Properties. <i>Macromolecular Symposia</i> , 2005 , 226, 213-226	0.8	7
67	Synthesis of Polymethyl Methacrylate Microspheres in the Presence of Dextran and Its Derivatives. <i>Russian Journal of Applied Chemistry</i> , 2001 , 74, 489-493	0.8	7
66	Multicentered self-immobilized ethylene polymerization catalysts based on functionalized titanium halide salicylaldiminate complexes for the synthesis of ultra-high-molecular-weight polyethylene. <i>Russian Journal of Applied Chemistry</i> , 2012 , 85, 1404-1412	0.8	6
65	Polymer hydrogels with the memory effect for immobilization of drugs. <i>Polymer Science - Series A</i> , 2011 , 53, 323-335	1.2	6
64	Possibilities for optimization of technological modes for ethylene polymerization in autoclave and tubular reactors. <i>Chemical Engineering Journal</i> , 2005 , 107, 221-226	14.7	6
63	Water-Resistant Films and Coatings Based on Cross-Linking Styrene-Acrylate Latex Copolymers. <i>Russian Journal of Applied Chemistry</i> , 2001 , 74, 309-315	0.8	6
62	Origination and Transformation of the Monoclinic and Orthorhombic Phases in Reactor Powders of Ultrahigh Molecular Weight Polyethylene. <i>Physics of the Solid State</i> , 2018 , 60, 1897-1902	0.8	6
61	Perfluorinated Proton-Conducting Membrane Composites with Functionalized Nanodiamonds. <i>Membranes and Membrane Technologies</i> , 2020 , 2, 1-9	1.7	5
60	Design of postmetallocene catalytic systems of arylimine type for olefi n polymerization: XV. Synthesis of (N-Aryl)salicylaldimine ligands containing a but-3-enyloxy group and their complexes with titanium(IV) dichloride. <i>Russian Journal of Organic Chemistry</i> , 2013 , 49, 1150-1156	0.7	5
59	Thermodynamic properties of water in perfluorinated membranes of Nafion and Aquivion types, prepared by emulsion polymerization. <i>Russian Journal of Applied Chemistry</i> , 2014 , 87, 1314-1318	0.8	5
58	Copolymerization of tetrafluoroethylene with perfluoro(3,6-dioxa-4-methyl-7-octene)sulfonyl fluoride in a water-emulsion medium. <i>Doklady Chemistry</i> , 2011 , 437, 66-68	0.8	5
57	Catalytic activity of systems based on titanium bis(phenoxy imine) complexes: Effect of the ligand structure. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 1515-1522	0.8	5
56	Synthesis of Monodisperse Polystyrene Particles in the Presence of Sodium Dodecyl Sulfate and Carboxyl-containing Initiator. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1008-1012	0.8	5
55	Some peculiar features of radiation grafting of monomers of various structures and reactivities onto polyolefins. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 711-718	2.9	5

(2008-1980)

54	Kinetic features of cationic oligomerization of epoxides. <i>Journal of Polymer Science: Polymer Chemistry Edition</i> , 1980 , 18, 2051-2059		5	
53	Composite proton-conducting membranes with nanodiamonds. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2020 , 28, 140-146	1.8	5	
52	Design of postmetallocene catalytic systems of arylimine type for olefin polymerization: XVI. Synthesis of (N-aryl)salicylaldimines containing pent-4-enyloxy group and their complexes with titanium(IV) dichloride. <i>Russian Journal of Organic Chemistry</i> , 2014 , 50, 191-199	0.7	4	
51	Design of postmetallocene Schiff base-like catalytic systems for polymerization of olefins: XI. Synthesis of Schiff bases containing cycloalkyl substituents from 2-acetyl-6-bromopyridine. <i>Russian Journal of Organic Chemistry</i> , 2009 , 45, 44-47	0.7	4	
50	Design of postmetallocene catalytic systems of aryliminetype for olefins polymerization: XIII. Synthesis of tetradentate bis(2-hydroxy-1-naphthaldimine) ligands and their complexes with titanium(IV) dichloride. <i>Russian Journal of Organic Chemistry</i> , 2010 , 46, 746-752	0.7	4	
49	Magnetic polymer particles: Synthesis and properties. <i>Russian Journal of General Chemistry</i> , 2007 , 77, 354-362	0.7	4	
48	Design of schiff base-like postmetallocene catalytic systems for polymerization of olefins: VIII. Synthesis of N-(o-cycloalkylphenyl) 2-hydroxynaphthalene-1-carbaldehyde imines. <i>Russian Journal of Organic Chemistry</i> , 2008 , 44, 103-106	0.7	4	
47	Polymer hydrogels based on 2-hydroxyethyl methacrylate: Modification, sorption, and desorption of aminoglycosides. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 584-589	0.8	4	
46	Bifunctional monodisperse microspheres of copolymers of methyl methacrylate and N-vinylformamide. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1660-1665	0.8	4	
45	Quantum-Chemical Calculation of the Thermal Stability of Bis(imine) and Bis(imino)pyridine Catalysts of Ethylene Polymerization. <i>Doklady Physical Chemistry</i> , 2003 , 393, 334-336	0.8	4	
44	Design of Schiff Base-Like Postmetallocene Catalytic Systems for Polymerization of Olefins: III. Synthesis of 1,2-Bis-(arylimino)acenaphthenes Having Cyclic Substituents. <i>Russian Journal of Organic Chemistry</i> , 2005 , 41, 1329-1332	0.7	4	
43	Nuclear quadrupole resonance spectroscopic studies of the structure of unsupported titanium-magnesium catalyst for olefin polymerization. <i>Reaction Kinetics and Catalysis Letters</i> , 1982 , 21, 269-271		4	
42	Performance of the hydrogenBir fuel cell with a Russian analogue of the Aquivion solid polymer electrolyte. <i>Doklady Physical Chemistry</i> , 2015 , 464, 227-230	0.8	3	
41	Catalytic activity of new binuclear titanium chloride bis(phenoxyimine) complexes in ethylene polymerization. <i>Doklady Physical Chemistry</i> , 2009 , 424, 17-20	0.8	3	
40	Design of postmetallocene Schiff base-like catalytic systems for polymerization of olefins: XII. Synthesis of tetradentate bis-salicylaldehyde imine ligands. <i>Russian Journal of Organic Chemistry</i> , 2009 , 45, 528-535	0.7	3	
39	Design of Schiff base-like postmetallocene catalytic systems for polymerization of olefins: V. Synthesis of salicylaldehyde imine ligands containing cycloalkyl substituents. <i>Russian Journal of Organic Chemistry</i> , 2007 , 43, 1671-1676	0.7	3	
38	Mathematical modeling and experimental study of high-pressure ethylene polymerization reactors. <i>Chemical Engineering Journal</i> , 2007 , 134, 175-179	14.7	3	
37	Design of Schiff base-like postmetallocene catalytic systems for polymerization of olefins: IX. Synthesis of salicylaldehydes containing an isobornyl substituent and hydroxyphenyl imine ligands based thereon. <i>Russian Journal of Organic Chemistry</i> , 2008 , 44, 107-113	0.7	3	

36	Quantum-chemical study of the structure and catalytic activity of titanium and zirconium bis(phenoxyimine) complexes. <i>Doklady Physical Chemistry</i> , 2006 , 410, 269-271	0.8	3
35	Binding of protein to polystyrene particles in the presence of polyvinylpyrrolidone in the surface layer. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 2011-2016	0.8	3
34	The synthesis and study of the physicochemical and catalytic properties of composites with the sulfated perfluoropolymer/carbon nanofiber composition. <i>Kinetics and Catalysis</i> , 2017 , 58, 655-662	1.5	2
33	Design of postmetallocene catalytic systems of arylimine type for olefin polymerization: XVII. Synthesis of methoxy-substituted (p-aryl)salicylaldimines containing Ealkenyloxy group, and their complexes with titanium(IV) dichloride. <i>Russian Journal of Organic Chemistry</i> , 2014 , 50, 1565-1572	0.7	2
32	Investigation of polymer hydrogels with memory effect for cefazolin immobilization by small-angle neutron scattering. <i>Journal of Surface Investigation</i> , 2012 , 6, 825-832	0.5	2
31	Small-angle neutron scattering from polymer hydrogels with memory effect for medicine immobilization. <i>Crystallography Reports</i> , 2011 , 56, 1114-1117	0.6	2
30	Instability of hollow polymeric microspheres upon swelling. <i>Doklady Physics</i> , 2007 , 52, 37-40	0.8	2
29	Some capabilities of neutron methods for investigating materials and components of devices used in hydrogen power engineering. <i>Crystallography Reports</i> , 2007 , 52, 512-520	0.6	2
28	Preparative microwave-assisted synthesis of N-salicylidene-4-triphenylmethylanilines. <i>Russian Journal of Organic Chemistry</i> , 2008 , 44, 927-928	0.7	2
27	Polymerization of ethylene by SiO2-supported two-component catalytic systems containing bis(imino)pyridine and bis(imine) ligands. <i>Polymer Science - Series A</i> , 2006 , 48, 251-256	1.2	2
26	Preparation of cationic latices comprising hollow thermostable particles. <i>Journal of Polymer Science Part A</i> , 2004 , 42, 2225-2234	2.5	2
25	New Possibilities for Controlling the Morphology of Core-Shell Latex Particles During Emulsion Polymerization. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 1987-1992	0.8	2
24	Morphology, Nanostructure, and Processability of Reactor Powders of Ultrahigh-Molecular-Weight Polyethylene Produced on Self-Immobilizing Catalytic Systems. <i>Doklady Chemistry</i> , 2018 , 478, 16-19	0.8	1
23	Polymeric hydrogels with memory effect for immobilization of binary drug combinations. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 1587-1593	0.8	1
22	Polymer hydrogels with the memory effect for immobilization of drugs. <i>Polymer Science - Series B</i> , 2014 , 56, 863-870	0.8	1
21	Polymer Membranes for Fuel Cells: Achievements and Problems. <i>NATO Science for Peace and Security Series C: Environmental Security</i> , 2011 , 245-267	0.3	1
20	Design of Schiff base-like postmetallocene catalytic systems for polymerization of olefins: X. Synthesis of phenoxy imino ligands with bulky substituents. <i>Russian Journal of Organic Chemistry</i> , 2009 , 45, 30-36	0.7	1
19	Polymerization of ethylene in the presence of bis(phenoxyimine) complexes of titanium chloride that contain various substituents in a phenoxy group. <i>Polymer Science - Series B</i> , 2010 , 52, 443-449	0.8	1

(2010-2007)

18	organic-inorganic cross-linked structures prepared from reactive n-butyl methacrylate-3-(trimethoxysilyl)propyl methacrylate copolymers. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 93-101	0.8	1	
17	Design of schiff base-like postmetallocene catalytic systems for polymerization of olefins: IV. Synthesis of 2-(aryliminomethyl)-pyrrole and 7-(aryliminomethyl)indole derivatives containing cycloalkyl substituents. <i>Russian Journal of Organic Chemistry</i> , 2007 , 43, 571-575	0.7	1	
16	Monodisperse Microspheres Based on Acrolein Copolymers. <i>Russian Journal of Applied Chemistry</i> , 2001 , 74, 1728-1734	0.8	1	
15	Investigation by pyrolysisgas chromatography of the composition of multicomponent polymeric mircoheterogeneous systems based on some vinyl monomers. <i>Journal of Chromatography A</i> , 1987 , 404, 183-193	4.5	1	
14	Pattern of Monoclinic Phase Distribution in Nascent UHMWPE Particles. <i>Physics of the Solid State</i> , 2020 , 62, 1493-1499	0.8	1	
13	Convenient synthesis of 3,5-disubstituted N-Salicylidene-4-allyloxyanilines. <i>Russian Journal of Organic Chemistry</i> , 2010 , 46, 1888-1890	0.7	O	
12	Preparative procedure for the synthesis of 4-allyloxypyridine-2,6-dicarboxylic acid. <i>Russian Journal of Organic Chemistry</i> , 2007 , 43, 156-157	0.7	О	
11	Synthesis of diimine ligands with cycloalkyl substituents based on 4,6-dibenzofuran-and 4,6-dibenzothiophenedicarboxaldehydes. <i>Russian Chemical Bulletin</i> , 2007 , 56, 1174-1177	1.7	0	
10	Reactor Powders of Ultra-high Molecular Weight Polyethylene for Solid-state Processing into High-strength Materials and Products. <i>Polymer Science - Series A</i> ,1	1.2	О	
9	Surface modification of polystyrene microspheres with synthetic antigenic determinants of human immunodeficiency virus. <i>Polymer Science - Series A</i> , 2007 , 49, 564-570	1.2		
8	Styrene-acrylate copolymer plastisols with stable colloidal properties. <i>Polymer Science - Series A</i> , 2007 , 49, 1086-1092	1.2		
7	Proton-conducting membranes based on multicomponent copolymers. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 1213-1219	0.8		
6	Compound Latexes for Antistatic Coatings. Russian Journal of Applied Chemistry, 2002, 75, 1705-1708	0.8		
5	Synthesis of Monodisperse Polymethyl Methacrylate Particles in Buffer Solutions under the Action of Carboxyl-Containing Initiator. <i>Russian Journal of Applied Chemistry</i> , 2002 , 75, 1993-1998	0.8		
4	Optimization of Polymerization in Autoclave and Tubular Reactors. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 113-119	0.8		
3	Segregation of Polymers in the Course of Film Formation from a Mixture of Latexes. <i>Russian Journal of Applied Chemistry</i> , 2001 , 74, 1173-1177	0.8		
2	Design of Schiff base-like postmetallocene catalytic systems for polymerization of olefins: IX. Synthesis of salicylaldehydes containing an isobornyl substituent and hydroxyphenyl imine ligands based thereon 2010 , 44, 107			
1	Design of schiff base-like postmetallocene catalytic systems for polymerization of olefins: VIII. Synthesis of N-(o-cycloalkylphenyl) 2-hydroxynaphthalene-1-carbaldehyde imines 2010 , 44, 103			