
Humberto Correa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9253541/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Facial Expressiveness in Patients With Schizophrenia Compared to Depressed Patients and Nonpatient Comparison Subjects. American Journal of Psychiatry, 2005, 162, 92-101.	4.0	148
2	Suicide behavior and neuropsychological assessment of type I bipolar patients. Journal of Affective Disorders, 2009, 112, 231-236.	2.0	141
3	Male and Female Physician Suicidality. JAMA Psychiatry, 2020, 77, 587.	6.0	103
4	Postpartum depression: A systematic review of the genetics involved. World Journal of Psychiatry, 2015, 5, 103.	1.3	74
5	Thyroid axis activity and serotonin function in major depressive episode. Psychoneuroendocrinology, 1999, 24, 695-712.	1.3	65
6	Prolactin response to d-fenfluramine and suicidal behavior in depressed patients. Psychiatry Research, 2000, 93, 189-199.	1.7	65
7	Increased serum levels of CCL11/eotaxin in schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 710-714.	2.5	65
8	Suicidal Behavior in Bipolar Disorder. Journal of Clinical Psychiatry, 2009, 70, 13-18.	1.1	65
9	Behavioral disorders and low quality of life in children and adolescents with chronic kidney disease. Pediatric Nephrology, 2011, 26, 281-290.	0.9	57
10	Decision-making impairment is related to serotonin transporter promoter polymorphism in a sample of patients with obsessive–compulsive disorder. Behavioural Brain Research, 2008, 195, 159-163.	1.2	54
11	Obsessive–compulsive disorder and immunology: A review. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 1139-1146.	2.5	53
12	Neuropsychological assessment of impulsive behavior in abstinent alcohol-dependent subjects. Revista Brasileira De Psiquiatria, 2009, 31, 4-9.	0.9	52
13	Significant sleep disturbances in euthymic bipolar patients. Comprehensive Psychiatry, 2013, 54, 1003-1008.	1.5	51
14	Is the serotonin transporter polymorphism (5-HTTLPR) a potential marker for suicidal behavior in bipolar disorder patients?. Journal of Affective Disorders, 2010, 125, 98-102.	2.0	50
15	Brazilian Portuguese version of the Iowa Gambling Task: transcultural adaptation and discriminant validity. Revista Brasileira De Psiquiatria, 2008, 30, 144-148.	0.9	47
16	Decision-making impairment in obsessive-compulsive disorder as measured by the Iowa Gambling Task. Arquivos De Neuro-Psiquiatria, 2011, 69, 642-647.	0.3	45
17	Lack of effect of HPA axis hyperactivity on hormonal responses to d-fenfluramine in major depressed patients: implications for pathogenesis of suicidal behaviour. Psychoneuroendocrinology, 2001, 26, 521-537.	1.3	44
18	Suicidality in Opioid-Dependent Subjects. American Journal on Addictions, 2008, 17, 187-194.	1.3	44

#	Article	IF	CITATIONS
19	An association study between the Val66Met polymorphism of the BDNF gene and postpartum depression. Archives of Women's Mental Health, 2010, 13, 285-289.	1.2	44
20	The 5-HTTLPR polymorphism, impulsivity and suicide behavior in euthymic bipolar patients. Journal of Affective Disorders, 2011, 133, 221-226.	2.0	43
21	Serotonergic function and suicidal behavior in schizophrenia. Schizophrenia Research, 2002, 56, 75-85.	1.1	38
22	Suicide Attempts and Family History of Suicide in Three Psychiatric Populations. Suicide and Life-Threatening Behavior, 2005, 35, 702-713.	0.9	36
23	Normative data of the Barratt Impulsiveness Scale 11 (BIS-11) for Brazilian adults. Revista Brasileira De Psiquiatria, 2015, 37, 245-248.	0.9	36
24	Escala de Depressão Pós-natal de Edimburgo para triagem no sistema público de saúde. Revista De Saude Publica, 2009, 43, 79-84.	0.7	35
25	Suicidality among pregnant women in Brazil: prevalence and risk factors. Archives of Women's Mental Health, 2016, 19, 343-348.	1.2	35
26	Dopaminergic function and the cortisol response to dexamethasone in psychotic depression. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2000, 24, 207-225.	2.5	34
27	Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data metaâ€analysis. International Journal of Methods in Psychiatric Research, 2019, 28, e1803.	1.1	34
28	The role of 5-HTTLPR polymorphism in antidepressant-associated mania in bipolar disorder. Journal of Affective Disorders, 2009, 112, 267-272.	2.0	33
29	Affective temperaments and antidepressant response in the clinical management of mood disorders. Journal of Affective Disorders, 2014, 155, 138-141.	2.0	33
30	Gray matter brain volumes in childhood-maltreated patients with bipolar disorder type I: A voxel-based morphometric study. Journal of Affective Disorders, 2016, 197, 74-80.	2.0	33
31	Impulsivity and the 5-HTTLPR Polymorphism in a Non-Clinical Sample. PLoS ONE, 2011, 6, e16927.	1.1	33
32	Delusional parasitosis or Ekbom syndrome: a case series. General Hospital Psychiatry, 2006, 28, 85-87.	1.2	31
33	What is the best tool for screening antenatal depression?. Journal of Affective Disorders, 2015, 178, 12-17.	2.0	31
34	A dimensional impulsive-aggressive phenotype is associated with the A218C polymorphism of the tryptophan hydroxylase gene: A pilot study in well-characterized impulsive inpatients. American Journal of Medical Genetics Part A, 2002, 114, 553-557.	2.4	28
35	Structural brain abnormalities in patients with type I bipolar disorder and suicidal behavior. Psychiatry Research - Neuroimaging, 2017, 265, 9-17.	0.9	28
36	The role of BDNF genetic polymorphisms in bipolar disorder with psychiatric comorbidities. Journal of Affective Disorders, 2011, 131, 307-311.	2.0	27

#	Article	IF	CITATIONS
37	ls religiosity a protective factor against suicidal behavior in bipolar I outpatients?. Journal of Affective Disorders, 2015, 186, 156-161.	2.0	27
38	Successful augmentation with aripiprazole in clomipramine-refractory obsessive–compulsive disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1550-1551.	2.5	26
39	Is Circadian Rhythm Disruption Important in Obsessive-Compulsive Disorder (OCD)? A Case of Successful Augmentation With Agomelatine for the Treatment of OCD. Clinical Neuropharmacology, 2011, 34, 139-140.	0.2	25
40	When self-report diverges from performance: The usage of BIS-11 along with neuropsychological tests. Psychiatry Research, 2014, 218, 236-243.	1.7	25
41	Bipolar disorder first episode and suicidal behavior: are there differences according to type of suicide attempt?. Revista Brasileira De Psiquiatria, 2009, 31, 114-118.	0.9	24
42	Affective temperaments: Familiality and clinical use in mood disorders. Journal of Affective Disorders, 2013, 148, 53-56.	2.0	24
43	A voxel-based morphometry study of gray matter correlates of facial emotion recognition in bipolar disorder. Psychiatry Research - Neuroimaging, 2015, 233, 158-164.	0.9	23
44	Association between the Catechol O-Methyltransferase (COMT) Val158met Polymorphism and Different Dimensions of Impulsivity. PLoS ONE, 2013, 8, e73509.	1.1	22
45	The Tower of London Test: Different Scoring Criteria for Diagnosing Alzheimer's Disease and Mild Cognitive Impairment. Psychological Reports, 2012, 110, 477-488.	0.9	21
46	A review of psychiatric genetics research in the Brazilian population. Revista Brasileira De Psiquiatria, 2009, 31, 154-162.	0.9	20
47	Positive association between MET allele (BDNF Val66Met polymorphism) and obsessive-compulsive disorder. Revista Brasileira De Psiquiatria, 2010, 32, 323-324.	0.9	19
48	Borderline personality features possibly related to cingulate and orbitofrontal cortices dysfunction due to schizencephaly. Clinical Neurology and Neurosurgery, 2008, 110, 396-399.	0.6	18
49	Noradrenergic dysfunction and antidepressant treatment response. European Neuropsychopharmacology, 2001, 11, 163-168.	0.3	17
50	Association of polymorphisms of the tryptophan hydroxylase 2 gene with risk for bipolar disorder or suicidal behavior. Journal of Psychiatric Research, 2010, 44, 271-274.	1.5	17
51	Association study of tryptophan hydroxylase 2 gene polymorphisms in bipolar disorder patients with panic disorder comorbidity. Psychiatric Genetics, 2011, 21, 106-111.	0.6	17
52	A kinematic analysis of the association between impulsivity and manual aiming control. Human Movement Science, 2012, 31, 811-823.	0.6	16
53	Neural correlates of hallucinations in bipolar disorder. Revista Brasileira De Psiquiatria, 2016, 38, 1-5.	0.9	16
54	Genetic variations in FOXO3A are associated with Bipolar Disorder without confering vulnerability for suicidal behavior. Journal of Affective Disorders, 2011, 133, 633-637.	2.0	15

#	Article	IF	CITATIONS
55	A kinematic analysis of manual aiming control on euthymic bipolar disorder. Psychiatry Research, 2013, 208, 140-144.	1.7	15
56	Association study of T102C 5-HT _{2A} polymorphism in schizophrenic patients: diagnosis, psychopathology, and suicidal behavior. Dialogues in Clinical Neuroscience, 2007, 9, 97-101.	1.8	15
57	Association Between Tryptophan Hydroxylase-2 Gene and Late-Onset Depression. American Journal of Geriatric Psychiatry, 2011, 19, 825-829.	0.6	14
58	Why psychiatric treatment must not be neglected during the COVID-19 pandemic. Revista Brasileira De Psiquiatria, 2020, 42, 449-449.	0.9	14
59	Stuporous catatonia in an elderly bipolar patient: response to olanzapine. Australian and New Zealand Journal of Psychiatry, 2006, 40, 498-498.	1.3	13
60	Childhood-maltreatment subtypes in bipolar patients with suicidal behavior: systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2020, 42, 558-567.	0.9	13
61	A successful outcome with valproic acid in a case of mania secondary to stroke of the right frontal lobe. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2008, 32, 587-588.	2.5	12
62	Associations between polymorphic variants of the tryptophan hydroxylase 2 gene and obsessive-compulsive disorder. Revista Brasileira De Psiquiatria, 2011, 33, 176-180.	0.9	12
63	Sex Differences in Dimensions of Impulsivity in a Non-Clinical Sample. Perceptual and Motor Skills, 2013, 117, 601-607.	0.6	12
64	Cortisol, DHEA, and depression in the elderly: the influence of physical capacity. Arquivos De Neuro-Psiquiatria, 2016, 74, 456-461.	0.3	12
65	HMNC1 gene polymorphism associated with postpartum depression. Revista Brasileira De Psiquiatria, 2014, 36, 96-97.	0.9	12
66	Propriedades psicométricas de um protocolo neuropsicológico breve para uso em populações geriátricas. Revista De Psiquiatria Clinica, 2010, 37, 251-255.	0.6	11
67	Brazilian Psychiatric Association guidelines for the management of suicidal behavior. Part 1. Risk factors, protective factors, and assessment. Revista Brasileira De Psiquiatria, 2021, 43, 525-537.	0.9	11
68	Brazilian Psychiatric Association guidelines for the management of suicidal behavior. Part 2. Screening, intervention, and prevention. Revista Brasileira De Psiquiatria, 2021, 43, 538-549.	0.9	11
69	Sensorimotor performance in euthymic bipolar disorder: the MPraxis (PennCNP) analysis. Revista Brasileira De Psiquiatria, 2014, 36, 248-250.	0.9	9
70	Impulsivity components measured by the Brazilian version of the Barratt Impulsiveness Scale (BIS-11). Psicologia: Reflexao E Critica, 2015, 28, 96-105.	0.4	9
71	Managing severe behavioral symptoms of a patient with anti-NMDAR encephalitis: case report and findings in current literature. Trends in Psychiatry and Psychotherapy, 2015, 37, 47-50.	0.4	9
72	Influence of COMT ValMet polymorphism on emotional decision-making: A sex-dependent relationship?. Psychiatry Research, 2016, 246, 650-655.	1.7	9

#	Article	IF	CITATIONS
73	The impact of clinical comorbidities and residual depressive symptoms in sleep quality in euthymic/interepisodic bipolar subjects. Psychiatry Research, 2018, 268, 165-168.	1.7	9
74	Facial emotion recognition deficits in relatives of children with autism are not associated with 5HTTLPR. Revista Brasileira De Psiquiatria, 2011, 33, 261-267.	0.9	9
75	Can variation in aquaporin 4 gene be associated with different outcomes in traumatic brain edema?. Neuroscience Letters, 2007, 426, 133-134.	1.0	8
76	The role of genetic variation of BDNF gene in antidepressant-induced mania in bipolar disorder. Psychiatry Research, 2010, 180, 54-56.	1.7	8
77	Revisiting the Anakin Skywalker diagnostic: Transcending the diagnostic criteria. Psychiatry Research, 2012, 198, 179.	1.7	8
78	Obsessive-compulsive disorder and 5-HTTLPR. Revista Brasileira De Psiquiatria, 2009, 31, 287-288.	0.9	7
79	Sexual abuse and suicide attempt in bipolar type I patients. Revista Brasileira De Psiquiatria, 2015, 37, 180-182.	0.9	7
80	Increased surgical morbidity of psychiatric patients submitted to appendectomy. Revista Brasileira De Psiquiatria, 2007, 29, 192-193.	0.9	7
81	Addition of lamotrigine to valproic acid: A successful outcome in a case of rapid-cycling bipolar affective disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2007, 31, 1548-1549.	2.5	6
82	Postpartum depression and comorbid disorders: frequency and relevance to clinical management. Archives of Women's Mental Health, 2009, 12, 451-451.	1.2	6
83	Association of Per3 gene with bipolar disorder: comment on "Association study of 21 circadian genes with bipolar I disorder, schizoaffective disorder, and schizophrenia― Bipolar Disorders, 2010, 12, 875-876.	1.1	6
84	Relationship between neuropsychological and clinical aspects and suicide attempts in euthymic bipolar patients. Psicologia: Reflexao E Critica, 2013, 26, 160-167.	0.4	6
85	Poststroke manic symptoms: an unusual neuropsychiatric condition. Revista Brasileira De Psiquiatria, 2008, 30, 173-174.	0.9	6
86	Childhood trauma and factors associated with depression among inpatients with cardiovascular disease. World Journal of Psychiatry, 2017, 7, 106.	1.3	6
87	Produção brasileira em periódicos psiquiátricos de alto fator de impacto em 2005. Jornal Brasileiro De Psiquiatria, 2006, 55, 120-124.	0.2	5
88	Limbic encephalitis manifesting as a psychotic disorder. Revista Brasileira De Psiquiatria, 2006, 28, 163-164.	0.9	5
89	Addition of trazodone to sertraline: a probable synergistic action in a case of obsessive-compulsive disorder. Revista Brasileira De Psiquiatria, 2007, 29, 381-382.	0.9	5
90	BDNF and episodic memory in patients with bipolar disorder. Revista Brasileira De Psiquiatria, 2011, 33, 96-97.	0.9	5

#	Article	IF	CITATIONS
91	Research on serotonin and suicidal behavior: neuroendocrine and molecular approaches. Dialogues in Clinical Neuroscience, 2002, 4, 408-416.	1.8	5
92	Physician suicide demographics and the COVID-19 pandemic. Revista Brasileira De Psiquiatria, 2022, 44, 124-135.	0.9	5
93	Obsessive–compulsive disorder secondary to temporal lobe epilepsy with response to carbamazepine treatment. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 568-569.	2.5	3
94	A proposal for a new Brazilian six-item version of the Edinburgh Postnatal Depression Scale. Trends in Psychiatry and Psychotherapy, 2017, 39, 29-33.	0.4	3
95	Challenges and potential solutions for physician suicide risk factors in the COVID-19 era: psychiatric comorbidities, judicialization of medicine, and burnout. Trends in Psychiatry and Psychotherapy, 2023,	0.4	3
96	Association between the Catechol-O-Methyltransferase (COMT) Val158Met Polymorphism and Manual Aiming Control in Healthy Subjects. PLoS ONE, 2014, 9, e99698.	1.1	3
97	Prevalence of self-injurious behavior in people with intellectual development disorder. Revista Brasileira De Psiquiatria, 2015, 37, 266-267.	0.9	3
98	Sleep quality and suicidal behavior in euthymic bipolar patients. Trends in Psychiatry and Psychotherapy, 2016, 38, 183-184.	0.4	3
99	<i>ACP1</i> Gene Polymorphism Associated with Suicide Attempt Type in Bipolar Disorder Patients. Psychiatry Investigation, 2017, 14, 909.	0.7	3
100	Addressing interpersonal conflict among healthcare workers during the coronavirus pandemic. Revista Brasileira De Psiquiatria, 2020, 42, 572-573.	0.9	3
101	Atividade fÃsica e desempenho em tarefas de funções executivas em idosos saudáveis: dados preliminares. Revista De Psiquiatria Clinica, 2010, 37, 109-112.	0.6	2
102	Neuropsychological rehabilitation for bipolar disorder — A single case design. Translational Neuroscience, 2013, 4, .	0.7	2
103	Estudos de associação entre transtorno obsessivo-compulsivo e genes candidatos: uma revisão. Jornal Brasileiro De Psiquiatria, 2006, 55, 288-295.	0.2	2
104	Was the exacerbation of PTSD symptoms after high doses of venlafaxine due to the noradrenergic mechanism? A case report. Revista Brasileira De Psiquiatria, 2007, 29, 94-94.	0.9	2
105	Suicide and Suicidality in Women. , 2020, , 221-225.		2
106	SÃndromes neuropsiquiátricas pós-estreptocócicas. Jornal Brasileiro De Psiquiatria, 2006, 55, 62-69.	0.2	1
107	Complete Atrioventricular Block in a Young Schizophrenia Patient. Journal of Neuropsychiatry and Clinical Neurosciences, 2010, 22, 247.e30-247.e31.	0.9	1
108	Antipsicóticos atÃpicos e comportamento suicida em pacientes esquizofrênicos ou esquizoafetivos. Revista De Psiquiatria Clinica, 2010, 37, 228-232.	0.6	1

#	Article	IF	CITATIONS
109	Molecular medicine: a path towards a personalized medicine. Revista Brasileira De Psiquiatria, 2012, 34, 82-91.	0.9	1
110	Population stratification in European South-American subjects and its importance to psychiatric genetics research in Brazil. Revista Brasileira De Psiquiatria, 2010, 32, 93-94.	0.9	1
111	Depression and quality of life in individuals with Stargardt's disease. Jornal Brasileiro De Psiquiatria, 2020, 69, 44-47.	0.2	1
112	Effects of Methylphenidate on Cognition and Behaviour: Ruptured Communicant Aneurysm of the Anterior Artery. Australian and New Zealand Journal of Psychiatry, 2007, 41, 554-556.	1.3	0
113	IS COVID-19 PANDEMIC A RISK FACTOR FOR MENTAL DISORDERS IN WOMEN DURING PERINATAL PERIOD?. Health and Society, 2021, 1, .	0.0	0
114	Behavioral disinhibition without persistent mood elevation after high dose citalopram treatment. Revista Brasileira De Psiquiatria, 2007, 29, 384-385.	0.9	0
115	Desafios no estudo da prevalência da depressão pós-parto. Jornal Brasileiro De Psiquiatria, 2010, 59, 255-256.	0.2	0
116	Abuso e negligência na infância e comportamento suicida: pode a epigenética interligá-los?. Revista De Psiquiatria Do Rio Grande Do Sul, 2011, 33, 1-2.	0.3	0