

# Humberto Correa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9253541/publications.pdf>

Version: 2024-02-01

116  
papers

2,616  
citations

159573

30  
h-index

243610

44  
g-index

126  
all docs

126  
docs citations

126  
times ranked

3898  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Challenges and potential solutions for physician suicide risk factors in the COVID-19 era: psychiatric comorbidities, judicialization of medicine, and burnout. Trends in Psychiatry and Psychotherapy, 2023, , .  | 0.8  | 3         |
| 2  | Physician suicide demographics and the COVID-19 pandemic. Revista Brasileira De Psiquiatria, 2022, 44, 124-135.  | 1.7  | 5         |
| 3  | IS COVID-19 PANDEMIC A RISK FACTOR FOR MENTAL DISORDERS IN WOMEN DURING PERINATAL PERIOD?. Health and Society, 2021, 1, .  | 0.0  | 0         |
| 4  | Brazilian Psychiatric Association guidelines for the management of suicidal behavior. Part 1. Risk factors, protective factors, and assessment. Revista Brasileira De Psiquiatria, 2021, 43, 525-537.  | 1.7  | 11        |
| 5  | Brazilian Psychiatric Association guidelines for the management of suicidal behavior. Part 2. Screening, intervention, and prevention. Revista Brasileira De Psiquiatria, 2021, 43, 538-549.   | 1.7  | 11        |
| 6  | Male and Female Physician Suicidality. JAMA Psychiatry, 2020, 77, 587.   | 11.0 | 103       |
| 7  | Why psychiatric treatment must not be neglected during the COVID-19 pandemic. Revista Brasileira De Psiquiatria, 2020, 42, 449-449.  | 1.7  | 14        |
| 8  | Depression and quality of life in individuals with Stargardt's disease. Jornal Brasileiro De Psiquiatria, 2020, 69, 44-47.   | 0.7  | 1         |
| 9  | Suicide and Suicidality in Women. , 2020, , 221-225.   |      | 2         |
| 10 | Childhood-maltreatment subtypes in bipolar patients with suicidal behavior: systematic review and meta-analysis. Revista Brasileira De Psiquiatria, 2020, 42, 558-567.   | 1.7  | 13        |
| 11 | Addressing interpersonal conflict among healthcare workers during the coronavirus pandemic. Revista Brasileira De Psiquiatria, 2020, 42, 572-573.  | 1.7  | 3         |
| 12 | Comparison of major depression diagnostic classification probability using the SCID, CIDI, and MINI diagnostic interviews among women in pregnancy or postpartum: An individual participant data meta-analysis. International Journal of Methods in Psychiatric Research, 2019, 28, e1803. | 2.1  | 34        |
| 13 | The impact of clinical comorbidities and residual depressive symptoms in sleep quality in euthymic/interepisodic bipolar subjects. Psychiatry Research, 2018, 268, 165-168.  | 3.3  | 9         |
| 14 | Structural brain abnormalities in patients with type I bipolar disorder and suicidal behavior. Psychiatry Research - Neuroimaging, 2017, 265, 9-17.  | 1.8  | 28        |
| 15 | A proposal for a new Brazilian six-item version of the Edinburgh Postnatal Depression Scale. Trends in Psychiatry and Psychotherapy, 2017, 39, 29-33.  | 0.8  | 3         |
| 16 | <i>ACYP1</i> Gene Polymorphism Associated with Suicide Attempt Type in Bipolar Disorder Patients. Psychiatry Investigation, 2017, 14, 909.   | 1.6  | 3         |
| 17 | Childhood trauma and factors associated with depression among inpatients with cardiovascular disease. World Journal of Psychiatry, 2017, 7, 106.   | 2.7  | 6         |
| 18 | Neural correlates of hallucinations in bipolar disorder. Revista Brasileira De Psiquiatria, 2016, 38, 1-5.   | 1.7  | 16        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Cortisol, DHEA, and depression in the elderly: the influence of physical capacity. <i>Arquivos De Neuro-Psiquiatria</i> , 2016, 74, 456-461.  | 0.8 | 12        |
| 20 | Influence of COMT ValMet polymorphism on emotional decision-making: A sex-dependent relationship?. <i>Psychiatry Research</i> , 2016, 246, 650-655.   | 3.3 | 9         |
| 21 | Gray matter brain volumes in childhood-maltreated patients with bipolar disorder type I: A voxel-based morphometric study. <i>Journal of Affective Disorders</i> , 2016, 197, 74-80.            | 4.1 | 33        |
| 22 | Suicidality among pregnant women in Brazil: prevalence and risk factors. <i>Archives of Women's Mental Health</i> , 2016, 19, 343-348.  | 2.6 | 35        |
| 23 | Sleep quality and suicidal behavior in euthymic bipolar patients. <i>Trends in Psychiatry and Psychotherapy</i> , 2016, 38, 183-184.  | 0.8 | 3         |
| 24 | Normative data of the Barratt Impulsiveness Scale 11 (BIS-11) for Brazilian adults. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 245-248.   | 1.7 | 36        |
| 25 | Impulsivity components measured by the Brazilian version of the Barratt Impulsiveness Scale (BIS-11). <i>Psicologia: Reflexao E Critica</i> , 2015, 28, 96-105.                                 | 0.9 | 9         |
| 26 | Managing severe behavioral symptoms of a patient with anti-NMDAR encephalitis: case report and findings in current literature. <i>Trends in Psychiatry and Psychotherapy</i> , 2015, 37, 47-50. | 0.8 | 9         |
| 27 | Postpartum depression: A systematic review of the genetics involved. <i>World Journal of Psychiatry</i> , 2015, 5, 103.   | 2.7 | 74        |
| 28 | Is religiosity a protective factor against suicidal behavior in bipolar I outpatients?. <i>Journal of Affective Disorders</i> , 2015, 186, 156-161.   | 4.1 | 27        |
| 29 | A voxel-based morphometry study of gray matter correlates of facial emotion recognition in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 158-164.                    | 1.8 | 23        |
| 30 | What is the best tool for screening antenatal depression?. <i>Journal of Affective Disorders</i> , 2015, 178, 12-17.  | 4.1 | 31        |
| 31 | Sexual abuse and suicide attempt in bipolar type I patients. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 180-182.  | 1.7 | 7         |
| 32 | Prevalence of self-injurious behavior in people with intellectual development disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015, 37, 266-267.   | 1.7 | 3         |
| 33 | Sensorimotor performance in euthymic bipolar disorder: the MPraxis (PennCNP) analysis. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 248-250.  | 1.7 | 9         |
| 34 | When self-report diverges from performance: The usage of BIS-11 along with neuropsychological tests. <i>Psychiatry Research</i> , 2014, 218, 236-243.   | 3.3 | 25        |
| 35 | Affective temperaments and antidepressant response in the clinical management of mood disorders. <i>Journal of Affective Disorders</i> , 2014, 155, 138-141.                                    | 4.1 | 33        |
| 36 | Association between the Catechol-O-Methyltransferase (COMT) Val158Met Polymorphism and Manual Aiming Control in Healthy Subjects. <i>PLoS ONE</i> , 2014, 9, e99698.                            | 2.5 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | HMNC1 gene polymorphism associated with postpartum depression. <i>Revista Brasileira De Psiquiatria</i> , 2014, 36, 96-97.   | 1.7 | 12        |
| 38 | Neuropsychological rehabilitation for bipolar disorder – A single case design. <i>Translational Neuroscience</i> , 2013, 4, .  | 1.4 | 2         |
| 39 | A kinematic analysis of manual aiming control on euthymic bipolar disorder. <i>Psychiatry Research</i> , 2013, 208, 140-144.   | 3.3 | 15        |
| 40 | Affective temperaments: Familiarity and clinical use in mood disorders. <i>Journal of Affective Disorders</i> , 2013, 148, 53-56.  | 4.1 | 24        |
| 41 | Significant sleep disturbances in euthymic bipolar patients. <i>Comprehensive Psychiatry</i> , 2013, 54, 1003-1008.  | 3.1 | 51        |
| 42 | Sex Differences in Dimensions of Impulsivity in a Non-Clinical Sample. <i>Perceptual and Motor Skills</i> , 2013, 117, 601-607.  | 1.3 | 12        |
| 43 | Relationship between neuropsychological and clinical aspects and suicide attempts in euthymic bipolar patients. <i>Psicologia: Reflexao E Critica</i> , 2013, 26, 160-167.   | 0.9 | 6         |
| 44 | Association between the Catechol O-Methyltransferase (COMT) Val158met Polymorphism and Different Dimensions of Impulsivity. <i>PLoS ONE</i> , 2013, 8, e73509.   | 2.5 | 22        |
| 45 | The Tower of London Test: Different Scoring Criteria for Diagnosing Alzheimer's Disease and Mild Cognitive Impairment. <i>Psychological Reports</i> , 2012, 110, 477-488.  | 1.7 | 21        |
| 46 | Revisiting the Anakin Skywalker diagnostic: Transcending the diagnostic criteria. <i>Psychiatry Research</i> , 2012, 198, 179.   | 3.3 | 8         |
| 47 | Molecular medicine: a path towards a personalized medicine. <i>Revista Brasileira De Psiquiatria</i> , 2012, 34, 82-91.  | 1.7 | 1         |
| 48 | A kinematic analysis of the association between impulsivity and manual aiming control. <i>Human Movement Science</i> , 2012, 31, 811-823.  | 1.4 | 16        |
| 49 | Associations between polymorphic variants of the tryptophan hydroxylase 2 gene and obsessive-compulsive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 176-180.                                      | 1.7 | 12        |
| 50 | Decision-making impairment in obsessive-compulsive disorder as measured by the Iowa Gambling Task. <i>Arquivos De Neuro-Psiquiatria</i> , 2011, 69, 642-647.   | 0.8 | 45        |
| 51 | Association study of tryptophan hydroxylase 2 gene polymorphisms in bipolar disorder patients with panic disorder comorbidity. <i>Psychiatric Genetics</i> , 2011, 21, 106-111.                                      | 1.1 | 17        |
| 52 | Is Circadian Rhythm Disruption Important in Obsessive-Compulsive Disorder (OCD)? A Case of Successful Augmentation With Agomelatine for the Treatment of OCD. <i>Clinical Neuropharmacology</i> , 2011, 34, 139-140. | 0.7 | 25        |
| 53 | Association Between Tryptophan Hydroxylase-2 Gene and Late-Onset Depression. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 825-829.  | 1.2 | 14        |
| 54 | The role of BDNF genetic polymorphisms in bipolar disorder with psychiatric comorbidities. <i>Journal of Affective Disorders</i> , 2011, 131, 307-311.   | 4.1 | 27        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The 5-HTTLPR polymorphism, impulsivity and suicide behavior in euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2011, 133, 221-226.  | 4.1 | 43        |
| 56 | Genetic variations in FOXO3A are associated with Bipolar Disorder without conferring vulnerability for suicidal behavior. <i>Journal of Affective Disorders</i> , 2011, 133, 633-637.                                    | 4.1 | 15        |
| 57 | Behavioral disorders and low quality of life in children and adolescents with chronic kidney disease. <i>Pediatric Nephrology</i> , 2011, 26, 281-290.   | 1.7 | 57        |
| 58 | Impulsivity and the 5-HTTLPR Polymorphism in a Non-Clinical Sample. <i>PLoS ONE</i> , 2011, 6, e16927.   | 2.5 | 33        |
| 59 | BDNF and episodic memory in patients with bipolar disorder. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 96-97.  | 1.7 | 5         |
| 60 | Facial emotion recognition deficits in relatives of children with autism are not associated with 5HTTLPR. <i>Revista Brasileira De Psiquiatria</i> , 2011, 33, 261-267.  | 1.7 | 9         |
| 61 | Abuso e negligência na infância e comportamento suicida: pode a epigenética interligá-los?. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2011, 33, 1-2.  | 0.3 | 0         |
| 62 | Complete Atrioventricular Block in a Young Schizophrenia Patient. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010, 22, 247.e30-247.e31.  | 1.8 | 1         |
| 63 | An association study between the Val66Met polymorphism of the BDNF gene and postpartum depression. <i>Archives of Women's Mental Health</i> , 2010, 13, 285-289.   | 2.6 | 44        |
| 64 | Association of polymorphisms of the tryptophan hydroxylase 2 gene with risk for bipolar disorder or suicidal behavior. <i>Journal of Psychiatric Research</i> , 2010, 44, 271-274.                                       | 3.1 | 17        |
| 65 | Is the serotonin transporter polymorphism (5-HTTLPR) a potential marker for suicidal behavior in bipolar disorder patients?. <i>Journal of Affective Disorders</i> , 2010, 125, 98-102.                                  | 4.1 | 50        |
| 66 | Association of Per3 gene with bipolar disorder: comment on "Association study of 21 circadian genes with bipolar I disorder, schizoaffective disorder, and schizophrenia". <i>Bipolar Disorders</i> , 2010, 12, 875-876. | 1.9 | 6         |
| 67 | Atividade física e desempenho em tarefas de funções executivas em idosos saudáveis: dados preliminares. <i>Revista De Psiquiatria Clinica</i> , 2010, 37, 109-112.   | 0.6 | 2         |
| 68 | Antipsicóticos atípicos e comportamento suicida em pacientes esquizofrênicos ou esquizoafetivos. <i>Revista De Psiquiatria Clinica</i> , 2010, 37, 228-232.  | 0.6 | 1         |
| 69 | Propriedades psicométricas de um protocolo neuropsicológico breve para uso em populações geriátricas. <i>Revista De Psiquiatria Clinica</i> , 2010, 37, 251-255.   | 0.6 | 11        |
| 70 | The role of genetic variation of BDNF gene in antidepressant-induced mania in bipolar disorder. <i>Psychiatry Research</i> , 2010, 180, 54-56.   | 3.3 | 8         |
| 71 | Population stratification in European South-American subjects and its importance to psychiatric genetics research in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 93-94.                                 | 1.7 | 1         |
| 72 | Positive association between MET allele (BDNF Val66Met polymorphism) and obsessive-compulsive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2010, 32, 323-324.  | 1.7 | 19        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Desafios no estudo da prevalência da depressão pós-parto. <i>Jornal Brasileiro De Psiquiatria</i> , 2010, 59, 255-256.   | 0.7 | 0         |
| 74 | A review of psychiatric genetics research in the Brazilian population. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 154-162.   | 1.7 | 20        |
| 75 | Escala de Depressão Pós-natal de Edimburgo para triagem no sistema público de saúde. <i>Revista De Saude Publica</i> , 2009, 43, 79-84.  | 1.7 | 35        |
| 76 | Neuropsychological assessment of impulsive behavior in abstinent alcohol-dependent subjects. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 4-9.   | 1.7 | 52        |
| 77 | Bipolar disorder first episode and suicidal behavior: are there differences according to type of suicide attempt?. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 114-118.                         | 1.7 | 24        |
| 78 | Suicide behavior and neuropsychological assessment of type I bipolar patients. <i>Journal of Affective Disorders</i> , 2009, 112, 231-236.   | 4.1 | 141       |
| 79 | The role of 5-HTTLPR polymorphism in antidepressant-associated mania in bipolar disorder. <i>Journal of Affective Disorders</i> , 2009, 112, 267-272.  | 4.1 | 33        |
| 80 | Postpartum depression and comorbid disorders: frequency and relevance to clinical management. <i>Archives of Women's Mental Health</i> , 2009, 12, 451-451.  | 2.6 | 6         |
| 81 | Obsessive-compulsive disorder secondary to temporal lobe epilepsy with response to carbamazepine treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 568-569.   | 4.8 | 3         |
| 82 | Obsessive-compulsive disorder and 5-HTTLPR. <i>Revista Brasileira De Psiquiatria</i> , 2009, 31, 287-288.  | 1.7 | 7         |
| 83 | Suicidal Behavior in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 13-18.  | 2.2 | 65        |
| 84 | Suicidality in Opioid-Dependent Subjects. <i>American Journal on Addictions</i> , 2008, 17, 187-194.   | 1.4 | 44        |
| 85 | A successful outcome with valproic acid in a case of mania secondary to stroke of the right frontal lobe. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 587-588.     | 4.8 | 12        |
| 86 | Increased serum levels of CCL11/eotaxin in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 710-714.   | 4.8 | 65        |
| 87 | Obsessive-compulsive disorder and immunology: A review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1139-1146.   | 4.8 | 53        |
| 88 | Decision-making impairment is related to serotonin transporter promoter polymorphism in a sample of patients with obsessive-compulsive disorder. <i>Behavioural Brain Research</i> , 2008, 195, 159-163. | 2.2 | 54        |
| 89 | Borderline personality features possibly related to cingulate and orbitofrontal cortices dysfunction due to schizencephaly. <i>Clinical Neurology and Neurosurgery</i> , 2008, 110, 396-399.             | 1.4 | 18        |
| 90 | Brazilian Portuguese version of the Iowa Gambling Task: transcultural adaptation and discriminant validity. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 144-148.                                | 1.7 | 47        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Poststroke manic symptoms: an unusual neuropsychiatric condition. <i>Revista Brasileira De Psiquiatria</i> , 2008, 30, 173-174.  | 1.7 | 6         |
| 92  | Effects of Methylphenidate on Cognition and Behaviour: Ruptured Communicant Aneurysm of the Anterior Artery. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 554-556.                          | 2.3 | 0         |
| 93  | Addition of lamotrigine to valproic acid: A successful outcome in a case of rapid-cycling bipolar affective disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1548-1549. | 4.8 | 6         |
| 94  | Successful augmentation with aripiprazole in clomipramine-refractory obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1550-1551.                   | 4.8 | 26        |
| 95  | Can variation in aquaporin 4 gene be associated with different outcomes in traumatic brain edema?. <i>Neuroscience Letters</i> , 2007, 426, 133-134.   | 2.1 | 8         |
| 96  | Was the exacerbation of PTSD symptoms after high doses of venlafaxine due to the noradrenergic mechanism? A case report. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 94-94.                               | 1.7 | 2         |
| 97  | Increased surgical morbidity of psychiatric patients submitted to appendectomy. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 192-193.  | 1.7 | 7         |
| 98  | Addition of trazodone to sertraline: a probable synergistic action in a case of obsessive-compulsive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 381-382.                                       | 1.7 | 5         |
| 99  | Association study of T102C 5-HT <sub>2A</sub> polymorphism in schizophrenic patients: diagnosis, psychopathology, and suicidal behavior. <i>Dialogues in Clinical Neuroscience</i> , 2007, 9, 97-101.              | 3.7 | 15        |
| 100 | Behavioral disinhibition without persistent mood elevation after high dose citalopram treatment. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 384-385.   | 1.7 | 0         |
| 101 | Síndromes neuropsiquiátricas p <sup>3</sup> s-estreptocócicas. <i>Jornal Brasileiro De Psiquiatria</i> , 2006, 55, 62-69.  | 0.7 | 1         |
| 102 | Produção brasileira em periódicos psiquiátricos de alto fator de impacto em 2005. <i>Jornal Brasileiro De Psiquiatria</i> , 2006, 55, 120-124.   | 0.7 | 5         |
| 103 | Stuporous catatonia in an elderly bipolar patient: response to olanzapine. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 498-498.  | 2.3 | 13        |
| 104 | Delusional parasitosis or Ekbom syndrome: a case series. <i>General Hospital Psychiatry</i> , 2006, 28, 85-87.   | 2.4 | 31        |
| 105 | Estudo de associação entre transtorno obsessivo-compulsivo e genes candidatos: uma revisão. <i>Jornal Brasileiro De Psiquiatria</i> , 2006, 55, 288-295.   | 0.7 | 2         |
| 106 | Limbic encephalitis manifesting as a psychotic disorder. <i>Revista Brasileira De Psiquiatria</i> , 2006, 28, 163-164.   | 1.7 | 5         |
| 107 | Facial Expressiveness in Patients With Schizophrenia Compared to Depressed Patients and Nonpatient Comparison Subjects. <i>American Journal of Psychiatry</i> , 2005, 162, 92-101.                                 | 7.2 | 148       |
| 108 | Suicide Attempts and Family History of Suicide in Three Psychiatric Populations. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 702-713.   | 1.9 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Serotonergic function and suicidal behavior in schizophrenia. <i>Schizophrenia Research</i> , 2002, 56, 75-85.  | 2.0 | 38        |
| 110 | A dimensional impulsive-aggressive phenotype is associated with the A218C polymorphism of the tryptophan hydroxylase gene: A pilot study in well-characterized impulsive inpatients. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 553-557. | 2.4 | 28        |
| 111 | Research on serotonin and suicidal behavior: neuroendocrine and molecular approaches. <i>Dialogues in Clinical Neuroscience</i> , 2002, 4, 408-416.   | 3.7 | 5         |
| 112 | Noradrenergic dysfunction and antidepressant treatment response. <i>European Neuropsychopharmacology</i> , 2001, 11, 163-168.   | 0.7 | 17        |
| 113 | Lack of effect of HPA axis hyperactivity on hormonal responses to d-fenfluramine in major depressed patients: implications for pathogenesis of suicidal behaviour. <i>Psychoneuroendocrinology</i> , 2001, 26, 521-537.                                       | 2.7 | 44        |
| 114 | Prolactin response to d-fenfluramine and suicidal behavior in depressed patients. <i>Psychiatry Research</i> , 2000, 93, 189-199.   | 3.3 | 65        |
| 115 | Dopaminergic function and the cortisol response to dexamethasone in psychotic depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000, 24, 207-225.  | 4.8 | 34        |
| 116 | Thyroid axis activity and serotonin function in major depressive episode. <i>Psychoneuroendocrinology</i> , 1999, 24, 695-712.  | 2.7 | 65        |