
## Marc-Karim Bendiane

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9254604/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Early discontinuation of tamoxifen intake in younger women with breast cancer: Is it time to rethink the way it is prescribed?. European Journal of Cancer, 2012, 48, 1939-1946.	1.3	87
2	Factors associated with the spatial heterogeneity of the first wave of COVID-19 in France: a nationwide geo-epidemiological study. Lancet Public Health, The, 2021, 6, e222-e231.	4.7	82
3	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). BMJ Open, 2015, 5, e005971-e005971.	0.8	61
4	Sexual health problems in French cancer survivors 2Âyears after diagnosis—the national VICAN survey. Journal of Cancer Survivorship, 2016, 10, 600-609.	1.5	33
5	Patient Discussion About Sexual Health with Health Care Providers After Cancer—A National Survey. Journal of Sexual Medicine, 2016, 13, 1686-1694.	0.3	28
6	Fatigue and physical activity in cancer survivors: A crossâ€sectional populationâ€based study. Cancer Medicine, 2019, 8, 2535-2544.	1.3	26
7	Access to palliative care for cancer patients between diagnosis and death: a national cohort study. Clinical Epidemiology, 2019, Volume 11, 443-455.	1.5	23
8	Complementary or Alternative Medicine as Possible Determinant of Decreased Persistence to Aromatase Inhibitor Therapy among Older Women with Non-Metastatic Breast Cancer. PLoS ONE, 2013, 8, e81677.	1.1	23
9	French district nurses' opinions towards euthanasia, involvement in end-of-life care and nurse patient relationship: a national phone survey. Journal of Medical Ethics, 2007, 33, 708-711.	1.0	22
10	Sexual Health Problems and Discussion in Colorectal Cancer Patients Two Years After Diagnosis: A National Cross-Sectional Study. Journal of Sexual Medicine, 2019, 16, 96-110.	0.3	22
11	Physicians' and patients' adherence to antiretroviral prophylaxis after sexual exposure to HIV: results from South-Eastern France. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 537-541.	0.6	19
12	Chemotherapy in Old Women with Breast Cancer: Is Age Still a Predictor for Under Treatment?. Breast Journal, 2017, 23, 256-266.	0.4	19
13	Cancer care and public health policy evaluations in France: Usefulness of the national cancer cohort. PLoS ONE, 2018, 13, e0206448.	1.1	19
14	The positive effect of workplace accommodations on the continued employment of cancer survivors five years after diagnosis. Supportive Care in Cancer, 2020, 28, 4435-4443.	1.0	19
15	Adherence trajectories of adjuvant endocrine therapy in the five years after its initiation among women with non-metastatic breast cancer: a cohort study using administrative databases. Breast Cancer Research and Treatment, 2020, 180, 777-790.	1.1	19
16	Self-Reported Cognitive Impairment After Breast Cancer Treatment in Young Women from the ELIPPSE40 Cohort: The Long-Term Impact of Chemotherapy. Breast Journal, 2012, 18, 406-414.	0.4	18
17	French hospital nurses' opinion about euthanasia and physician-assisted suicide: a national phone survey. Journal of Medical Ethics, 2009, 35, 238-244.	1.0	16
18	Chronic neuropathic pain negatively associated with employment retention of cancer survivors: evidence from a national French survey. Journal of Cancer Survivorship, 2018, 12, 115-126.	1.5	16

Marc-Karim Bendiane

#	Article	IF	CITATIONS
19	Geo-Epidemiology of Malaria at the Health Area Level, Dire Health District, Mali, 2013–2017. International Journal of Environmental Research and Public Health, 2020, 17, 3982.	1.2	16
20	Psychotropic drug dispensing in people with and without cancer in France. Journal of Cancer Survivorship, 2017, 11, 92-101.	1.5	15
21	Disclosure of Prognosis to Terminally III Patients: Attitudes and Practices Among French Physicians. Journal of Palliative Medicine, 2005, 8, 280-290.	0.6	13
22	Use of non-conventional medicine two years after cancer diagnosis in France: evidence from the VICAN survey. Journal of Cancer Survivorship, 2017, 11, 421-430.	1.5	13
23	Opinions toward pain management and palliative care: Comparison between HIV specialists and oncologists. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2004, 16, 619-627.	0.6	12
24	Fertility status perception, fertility preservation and desire to have children in cancer survivors: French VICAN survey. Future Science OA, 2018, 4, FSO343.	0.9	12
25	Inequality in income change among cancer survivors five years after diagnosis: Evidence from a French national survey. PLoS ONE, 2019, 14, e0222832.	1.1	12
26	Deterioration of Sexual Health in Cancer Survivors Five Years after Diagnosis: Data from the French National Prospective VICAN Survey. Cancers, 2020, 12, 3453.	1.7	12
27	Morphine prescription to terminally ill patients with lung cancer and dyspnea: French physicians' attitudes. Journal of Opioid Management, 2005, 1, 25-30.	0.2	12
28	Underprescription of Step III Opioids in French Cancer Survivors With Chronic Pain: A Call for Integrated Early Palliative Care in Oncology. Journal of Pain and Symptom Management, 2020, 59, 836-847.	0.6	9
29	The impact of health literacy on medicoâ€social followâ€up visits among French cancer survivors 5Âyears after diagnosis: The national VICAN survey. Cancer Medicine, 2020, 9, 4185-4196.	1.3	9
30	Head and neck cancer survivors' pain in France: the VICAN study. Journal of Cancer Survivorship, 2022, 16, 119-131.	1.5	9
31	Evolution of physical activity and body weight changes in breast cancer survivors five years after diagnosis – VICAN 2 & 5 French national surveys. Breast, 2021, 59, 248-255.	0.9	8
32	Pain Narratives in Breast Cancer Survivors. Pain Research and Treatment, 2012, 2012, 1-8.	1.7	7
33	Pain in methadone patients: Time to address undertreatment and suicide risk (ANRS-Methaville trial). PLoS ONE, 2017, 12, e0176288.	1.1	7
34	Morphine prescription in end-of-life care and euthanasia: French home nurses' opinions. Journal of Opioid Management, 2007, 3, 21-26.	0.2	7
35	District nurses' attitudes toward patient consent: The case of mechanical ventilation on amyotrophic lateral sclerosis patients: Results from a French national survey. Journal of Critical Care, 2008, 23, 332-338.	1.0	5

36 Sexual desire of French representative prostate cancer survivors 2Âyears after diagnosis (the VICAN) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5

#	Article	IF	CITATIONS
37	Access to inpatient palliative care among cancer patients in France: an analysis based on the national cancer cohort. BMC Health Services Research, 2020, 20, 798.	0.9	5
38	Use of non-conventional medicine and lifestyle change among cancer survivors: evidence from the national VICAN survey. Journal of Cancer Survivorship, 2020, 14, 779-789.	1.5	5
39	Is the French palliative care policy effective everywhere? Geographic variation in changes in inpatient death rates among older patients in France, 2010–2013. Annals of Palliative Medicine, 2016, 5, 242-247.	0.5	4
40	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. Cancers, 2021, 13, 1161.	1.7	4
41	The prescription of opioid analgesics to terminal cancer patients: impact of physicians' general attitudes and contextual factors. Palliative and Supportive Care, 2003, 1, 345-52.	0.6	4
42	Fear of cancer recurrence in young women 5Âyears after diagnosis with a good-prognosis cancer: the VICAN-5 national survey. Journal of Cancer Survivorship, 2023, 17, 1359-1370.	1.5	4
43	Opioid Analgesics Prescription to End-of-Life Cancer Patients: Characteristics, Attitudes, and Practices of French General Practitioners. Journal of Palliative Medicine, 2018, 21, 1741-1748.	0.6	3
44	Opioid analgesics prescription in people with and without cancer in France. Journal of Opioid Management, 2018, 14, 245-256.	0.2	3
45	Working arrangements after cancer diagnosis: Who, what, when and how?. Annals of Oncology, 2018, 29, viii567-viii568.	0.6	2
46	Social and sexual health of thyroid cancer survivors 2 and 5Âyears after diagnosis: the VICAN survey. Supportive Care in Cancer, 2022, 30, 2777-2785.	1.0	2
47	75 Communication to children about mother breast cancer: how can physicians help?. European Journal of Cancer, Supplement, 2010, 8, 80.	2.2	1
48	5-year adherence to adjuvant endocrine therapy among women with breast cancer: A nationwide study using group-based trajectory modeling. Annals of Oncology, 2019, 30, v667.	0.6	1
49	1512P Therapeutic de-escalation and decision making in early breast cancer: A radiotherapy option grid developed and implemented in France. Annals of Oncology, 2020, 31, S934.	0.6	1
50	Colorectal cancer screening practices among cancer survivors five years after diagnosis. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 805.	0.8	1
51	Fatigue and health behaviors in cancer survivors: A cross-sectional population based study Journal of Clinical Oncology, 2017, 35, 10069-10069.	0.8	1
52	Post-traumatic growth 5Âyears after cancer: identification of associated actionable factors. Supportive Care in Cancer, 2022, 30, 8261-8270.	1.0	1
53	76 PAIN KNOWLEDGE OF FRENCH DISTRICT AND HOSPITAL NURSES ACCORDING TO PERSONAL AND PROFESSIONAL CHARACTERISTICS. European Journal of Pain, 2009, 13, S31a.	1.4	0
54	5139 POSTER Lymph Node Surgery in Breast Cancer – Age-related Inequality in Surgical Procedure Use. European Journal of Cancer, 2011, 47, S371.	1.3	0

#	Article	IF	CITATIONS
55	S504 PREVALENCE OF PAIN EXPERIENCE AMONG YOUNG BREAST CANCER WOMEN FOUR YEARS AFTER DIAGNOSIS: DATA OF THE FRENCH COHORT ELIPPSE40. European Journal of Pain Supplements, 2011, 5, 261-261.	0.0	0
56	Access to palliative care before death in French cancer patients during the first two years after diagnosis: The national cancer cohort. Annals of Oncology, 2018, 29, viii550.	0.6	0
57	Gender difference in cancer survivors' perceived information 5-years after diagnosis: Data from the French national study - VICAN 5. Annals of Oncology, 2018, 29, viii574.	0.6	0
58	Neuropathy and health behaviors in cancer survivors treated with chemotherapy (CT). Annals of Oncology, 2018, 29, viii604.	0.6	0
59	Use of non-conventional medicine five years after breast cancer diagnosis in France: Evidence from the VICAN survey. European Journal of Cancer, 2018, 92, S31.	1.3	0
60	Mammography screening among women living in Reunion Island (South Indian Ocean). European Journal of Cancer, 2018, 92, S90.	1.3	0
61	Over-declaration of Pap Smear test use among the French five-years breast cancer survivors: Results from the VICAN5 survey. European Journal of Cancer, 2018, 92, S88-S89.	1.3	0
62	The positive effect of workplace accommodations on employment five years after a cancer diagnosis. European Journal of Public Health, 2019, 29, .	0.1	0
63	1881P Deterioration of sexual health of cancer survivors 5 years after diagnosis – French national cohort VICAN. Annals of Oncology, 2020, 31, S1070.	0.6	0
64	Impact of active surveillance for prostate cancer on the risk of depression and anxiety: Patient-reported outcomes (PROs) from the Vican Prospective Cohort Journal of Clinical Oncology, 2021, 39, 220-220.	0.8	0
65	Self-reported functional assessment by patients receiving different prostate cancer strategies: Five-year results from the VICAN large prospective cohort Journal of Clinical Oncology, 2018, 36, 10077-10077.	0.8	0

66 SFSPM 2018 — Congrès de la Société Française de Sénologie et de Pathologie Mammaire (Avignon,) Tj ETQq0 0 0,gBT /Over

67	Trajectories of adherence to adjuvant endocrine therapy for 5 years in women with breast cancer. European Journal of Public Health, 2020, 30, .	0.1	0
68	Self-reported functional assessment after treatment for prostate cancer: 5-year results of the prospective cohort VICAN. Future Oncology, 2022, , .	1.1	0