
## Marc-Karim Bendiane

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9254604/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fear of cancer recurrence in young women 5Âyears after diagnosis with a good-prognosis cancer: the VICAN-5 national survey. Journal of Cancer Survivorship, 2023, 17, 1359-1370.	1.5	4
2	Head and neck cancer survivors' pain in France: the VICAN study. Journal of Cancer Survivorship, 2022, 16, 119-131.	1.5	9
3	Social and sexual health of thyroid cancer survivors 2 and 5Âyears after diagnosis: the VICAN survey. Supportive Care in Cancer, 2022, 30, 2777-2785.	1.0	2
4	Self-reported functional assessment after treatment for prostate cancer: 5-year results of the prospective cohort VICAN. Future Oncology, 2022, , .	1.1	0
5	Post-traumatic growth 5Âyears after cancer: identification of associated actionable factors. Supportive Care in Cancer, 2022, 30, 8261-8270.	1.0	1
6	Colorectal cancer screening practices among cancer survivors five years after diagnosis. Zeitschrift Fur Gesundheitswissenschaften, 2021, 29, 805.	0.8	1
7	Impact of active surveillance for prostate cancer on the risk of depression and anxiety: Patient-reported outcomes (PROs) from the Vican Prospective Cohort Journal of Clinical Oncology, 2021, 39, 220-220.	0.8	Ο
8	Patterns of Sequelae in Women with a History of Localized Breast Cancer: Results from the French VICAN Survey. Cancers, 2021, 13, 1161.	1.7	4
9	Factors associated with the spatial heterogeneity of the first wave of COVID-19 in France: a nationwide geo-epidemiological study. Lancet Public Health, The, 2021, 6, e222-e231.	4.7	82
10	Evolution of physical activity and body weight changes in breast cancer survivors five years after diagnosis – VICAN 2 & 5 French national surveys. Breast, 2021, 59, 248-255.	0.9	8
11	Underprescription of Step III Opioids in French Cancer Survivors With Chronic Pain: A Call for Integrated Early Palliative Care in Oncology. Journal of Pain and Symptom Management, 2020, 59, 836-847.	0.6	9
12	Deterioration of Sexual Health in Cancer Survivors Five Years after Diagnosis: Data from the French National Prospective VICAN Survey. Cancers, 2020, 12, 3453.	1.7	12
13	Access to inpatient palliative care among cancer patients in France: an analysis based on the national cancer cohort. BMC Health Services Research, 2020, 20, 798.	0.9	5
14	1512P Therapeutic de-escalation and decision making in early breast cancer: A radiotherapy option grid developed and implemented in France. Annals of Oncology, 2020, 31, S934.	0.6	1
15	1881P Deterioration of sexual health of cancer survivors 5 years after diagnosis – French national cohort VICAN. Annals of Oncology, 2020, 31, S1070.	0.6	Ο
16	Use of non-conventional medicine and lifestyle change among cancer survivors: evidence from the national VICAN survey. Journal of Cancer Survivorship, 2020, 14, 779-789.	1.5	5
17	The impact of health literacy on medicoâ€social followâ€up visits among French cancer survivors 5Âyears after diagnosis: The national VICAN survey. Cancer Medicine, 2020, 9, 4185-4196.	1.3	9
18	Geo-Epidemiology of Malaria at the Health Area Level, Dire Health District, Mali, 2013–2017. International Journal of Environmental Research and Public Health, 2020, 17, 3982.	1.2	16

#	Article	IF	CITATIONS
19	The positive effect of workplace accommodations on the continued employment of cancer survivors five years after diagnosis. Supportive Care in Cancer, 2020, 28, 4435-4443.	1.0	19
20	Adherence trajectories of adjuvant endocrine therapy in the five years after its initiation among women with non-metastatic breast cancer: a cohort study using administrative databases. Breast Cancer Research and Treatment, 2020, 180, 777-790.	1.1	19
21	Trajectories of adherence to adjuvant endocrine therapy for 5 years in women with breast cancer. European Journal of Public Health, 2020, 30, .	0.1	0
22	Access to palliative care for cancer patients between diagnosis and death: a national cohort study. Clinical Epidemiology, 2019, Volume 11, 443-455.	1.5	23
23	5-year adherence to adjuvant endocrine therapy among women with breast cancer: A nationwide study using group-based trajectory modeling. Annals of Oncology, 2019, 30, v667.	0.6	1
24	Fatigue and physical activity in cancer survivors: A crossâ€sectional populationâ€based study. Cancer Medicine, 2019, 8, 2535-2544.	1.3	26
25	Inequality in income change among cancer survivors five years after diagnosis: Evidence from a French national survey. PLoS ONE, 2019, 14, e0222832.	1.1	12
26	The positive effect of workplace accommodations on employment five years after a cancer diagnosis. European Journal of Public Health, 2019, 29, .	0.1	0
27	Sexual desire of French representative prostate cancer survivors 2Âyears after diagnosis (the VICAN) Tj ETQq1 1	0.784314 1.0	rgßT /Overlo
28	Sexual Health Problems and Discussion in Colorectal Cancer Patients Two Years After Diagnosis: A National Cross-Sectional Study. Journal of Sexual Medicine, 2019, 16, 96-110.	0.3	22
29	Chronic neuropathic pain negatively associated with employment retention of cancer survivors: evidence from a national French survey. Journal of Cancer Survivorship, 2018, 12, 115-126.	1.5	16
30	Access to palliative care before death in French cancer patients during the first two years after diagnosis: The national cancer cohort. Annals of Oncology, 2018, 29, viii550.	0.6	0
31	Working arrangements after cancer diagnosis: Who, what, when and how?. Annals of Oncology, 2018, 29, viii567-viii568.	0.6	2
32	Gender difference in cancer survivors' perceived information 5-years after diagnosis: Data from the French national study - VICAN 5. Annals of Oncology, 2018, 29, viii574.	0.6	0
33	Neuropathy and health behaviors in cancer survivors treated with chemotherapy (CT). Annals of Oncology, 2018, 29, viii604.	0.6	0
34	Use of non-conventional medicine five years after breast cancer diagnosis in France: Evidence from the VICAN survey. European Journal of Cancer, 2018, 92, S31.	1.3	0
35	Mammography screening among women living in Reunion Island (South Indian Ocean). European Journal of Cancer, 2018, 92, S90.	1.3	0
36	Over-declaration of Pap Smear test use among the French five-years breast cancer survivors: Results from the VICAN5 survey. European Journal of Cancer, 2018, 92, S88-S89.	1.3	0

Marc-Karim Bendiane

#	Article	IF	CITATIONS
37	Fertility status perception, fertility preservation and desire to have children in cancer survivors: French VICAN survey. Future Science OA, 2018, 4, FSO343.	0.9	12
38	Cancer care and public health policy evaluations in France: Usefulness of the national cancer cohort. PLoS ONE, 2018, 13, e0206448.	1.1	19
39	Opioid Analgesics Prescription to End-of-Life Cancer Patients: Characteristics, Attitudes, and Practices of French General Practitioners. Journal of Palliative Medicine, 2018, 21, 1741-1748.	0.6	3
40	Self-reported functional assessment by patients receiving different prostate cancer strategies: Five-year results from the VICAN large prospective cohort Journal of Clinical Oncology, 2018, 36, 10077-10077.	0.8	0
41	SFSPM 2018 — Congrès de la Société Française de Sénologie et de Pathologie Mammaire (Avignon,) Ţ	j ETQq1 1	0,784314
42	Opioid analgesics prescription in people with and without cancer in France. Journal of Opioid Management, 2018, 14, 245-256.	0.2	3
43	Chemotherapy in Old Women with Breast Cancer: Is Age Still a Predictor for Under Treatment?. Breast Journal, 2017, 23, 256-266.	0.4	19
44	Use of non-conventional medicine two years after cancer diagnosis in France: evidence from the VICAN survey. Journal of Cancer Survivorship, 2017, 11, 421-430.	1.5	13
45	Psychotropic drug dispensing in people with and without cancer in France. Journal of Cancer Survivorship, 2017, 11, 92-101.	1.5	15
46	Fatigue and health behaviors in cancer survivors: A cross-sectional population based study Journal of Clinical Oncology, 2017, 35, 10069-10069.	0.8	1
47	Pain in methadone patients: Time to address undertreatment and suicide risk (ANRS-Methaville trial). PLoS ONE, 2017, 12, e0176288.	1.1	7
48	Is the French palliative care policy effective everywhere? Geographic variation in changes in inpatient death rates among older patients in France, 2010–2013. Annals of Palliative Medicine, 2016, 5, 242-247.	0.5	4
49	Patient Discussion About Sexual Health with Health Care Providers After Cancer—A National Survey. Journal of Sexual Medicine, 2016, 13, 1686-1694.	0.3	28
50	Sexual health problems in French cancer survivors 2Âyears after diagnosis—the national VICAN survey. Journal of Cancer Survivorship, 2016, 10, 600-609.	1.5	33
51	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). BMJ Open, 2015, 5, e005971-e005971.	0.8	61
52	Complementary or Alternative Medicine as Possible Determinant of Decreased Persistence to Aromatase Inhibitor Therapy among Older Women with Non-Metastatic Breast Cancer. PLoS ONE, 2013, 8, e81677.	1.1	23
53	Pain Narratives in Breast Cancer Survivors. Pain Research and Treatment, 2012, 2012, 1-8.	1.7	7
54	Self-Reported Cognitive Impairment After Breast Cancer Treatment in Young Women from the ELIPPSE40 Cohort: The Long-Term Impact of Chemotherapy. Breast Journal, 2012, 18, 406-414.	0.4	18

Marc-Karim Bendiane

#	Article	IF	CITATIONS
55	Early discontinuation of tamoxifen intake in younger women with breast cancer: Is it time to rethink the way it is prescribed?. European Journal of Cancer, 2012, 48, 1939-1946.	1.3	87
56	5139 POSTER Lymph Node Surgery in Breast Cancer – Age-related Inequality in Surgical Procedure Use. European Journal of Cancer, 2011, 47, S371.	1.3	0
57	S504 PREVALENCE OF PAIN EXPERIENCE AMONG YOUNG BREAST CANCER WOMEN FOUR YEARS AFTER DIAGNOSIS: DATA OF THE FRENCH COHORT ELIPPSE40. European Journal of Pain Supplements, 2011, 5, 261-261.	0.0	Ο
58	75 Communication to children about mother breast cancer: how can physicians help?. European Journal of Cancer, Supplement, 2010, 8, 80.	2.2	1
59	French hospital nurses' opinion about euthanasia and physician-assisted suicide: a national phone survey. Journal of Medical Ethics, 2009, 35, 238-244.	1.0	16
60	76 PAIN KNOWLEDGE OF FRENCH DISTRICT AND HOSPITAL NURSES ACCORDING TO PERSONAL AND PROFESSIONAL CHARACTERISTICS. European Journal of Pain, 2009, 13, S31a.	1.4	0
61	District nurses' attitudes toward patient consent: The case of mechanical ventilation on amyotrophic lateral sclerosis patients: Results from a French national survey. Journal of Critical Care, 2008, 23, 332-338.	1.0	5
62	Physicians' and patients' adherence to antiretroviral prophylaxis after sexual exposure to HIV: results from South-Eastern France. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2008, 20, 537-541.	0.6	19
63	French district nurses' opinions towards euthanasia, involvement in end-of-life care and nurse patient relationship: a national phone survey. Journal of Medical Ethics, 2007, 33, 708-711.	1.0	22
64	Morphine prescription in end-of-life care and euthanasia: French home nurses' opinions. Journal of Opioid Management, 2007, 3, 21-26.	0.2	7
65	Disclosure of Prognosis to Terminally III Patients: Attitudes and Practices Among French Physicians. Journal of Palliative Medicine, 2005, 8, 280-290.	0.6	13
66	Morphine prescription to terminally ill patients with lung cancer and dyspnea: French physicians' attitudes. Journal of Opioid Management, 2005, 1, 25-30.	0.2	12
67	Opinions toward pain management and palliative care: Comparison between HIV specialists and oncologists. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2004, 16, 619-627.	0.6	12
68	The prescription of opioid analgesics to terminal cancer patients: impact of physicians' general attitudes and contextual factors. Palliative and Supportive Care, 2003, 1, 345-52.	0.6	4