

Hiromasa Ohira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9255165/hiromasa-ohira-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

747
citations

15
h-index

24
g-index

98
ext. papers

958
ext. citations

3.4
avg, IF

3.44
L-index

#	Paper	IF	Citations
85	Endoscopic submucosal dissection for superficial esophageal squamous cell carcinoma in patients with cirrhosis and esophageal varices. <i>DEN Open</i> , 2023 , 3,		
84	Transjejunal endoscopic ultrasound-guided pancreatic drainage for pancreatic jejunostomy stricture using a forward-viewing echoendoscope in a patient with altered anatomy. <i>DEN Open</i> , 2022 , 2,		
83	Efficacy of a novel large-cell Niti-S stent with a slim delivery system for hilar biliary obstruction: a preliminary study.. <i>Annals of Medicine</i> , 2022 , 54, 953-961	1.5	
82	Circulating complement factor H levels are associated with disease severity and relapse in autoimmune hepatitis. <i>JHEP Reports</i> , 2022 , 100497	10.3	
81	Nationwide survey for patients with acute-on-chronic liver failure occurring between 2017 and 2019 and diagnosed according to proposed Japanese criteria. <i>Journal of Gastroenterology</i> , 2021 , 56, 1092-1106 ⁵	6.9	106 ⁵
80	A simple method for diagnosing gallbladder malignant tumors with subserosa invasion by endoscopic ultrasonography. <i>BMC Cancer</i> , 2021 , 21, 288	4.8	0
79	The Dramatic Haemostatic Effect of Covered Self-expandable Metallic Stents for Duodenal and Biliary Bleeding. <i>Internal Medicine</i> , 2021 , 60, 883-889	1.1	
78	High FIB4 index is an independent risk factor of diabetic kidney disease in type 2 diabetes. <i>Scientific Reports</i> , 2021 , 11, 11753	4.9	1
77	Hilar Malignant Biliary Obstruction Treated with Four Metallic Stents Involving a New Slim Device. <i>Internal Medicine</i> , 2021 , 60, 1871-1876	1.1	1
76	Oral administration of D-serine prevents the onset and progression of colitis in mice. <i>Journal of Gastroenterology</i> , 2021 , 56, 732-745	6.9	2
75	Pazopanib-induced mixed liver injury in a patient with soft-tissue sarcoma, but without the UGT1A1*28 mutation: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 224-228	1.1	1
74	A potent endocytosis inhibitor Ikarugamycin up-regulates TNF production. <i>Biochemistry and Biophysics Reports</i> , 2021 , 27, 101065	2.2	1
73	TAFRO syndrome complicated by porto-sinusoidal vascular liver disease with portal hypertension: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 1711-1717	1.1	0
72	Mirogabalin vs pregabalin for chemotherapy-induced peripheral neuropathy in pancreatic cancer patients. <i>BMC Cancer</i> , 2021 , 21, 1319	4.8	2
71	Can the wet suction technique change the efficacy of endoscopic ultrasound-guided fine-needle aspiration for diagnosing autoimmune pancreatitis type 1? A prospective single-arm study. <i>World Journal of Clinical Cases</i> , 2020 , 8, 88-96	1.6	8
70	Association of serum 25-hydroxyvitamin D levels with severe necroinflammatory activity and inflammatory cytokine production in type I autoimmune hepatitis. <i>PLoS ONE</i> , 2020 , 15, e0239481	3.7	1
69	Sigmoid Colon Varices due to Massive Thrombosis of a Noncirrhotic Extrahepatic Portosystemic Shunt. <i>Internal Medicine</i> , 2020 , 59, 2705-2710	1.1	1

68	Prevention of Stricture after Endoscopic Submucosal Dissection for Superficial Esophageal Cancer: A Review of the Literature. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
67	Into which Region Should a Prophylactic Pancreatic Stent Be Inserted? A Propensity Score Matching Analysis. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020 , 29, 399-405	1.4	
66	Pancreatic Neuroendocrine Neoplasm Invading the Entire Main Pancreatic Duct Diagnosed by a Preoperative Endoscopic Biopsy. <i>Internal Medicine</i> , 2020 , 59, 1991-1996	1.1	0
65	Which scope is appropriate for endoscopic retrograde cholangiopancreatography after Billroth II reconstruction: An esophagogastroduodenoscope or a colonoscope?. <i>World Journal of Gastrointestinal Endoscopy</i> , 2020 , 12, 220-230	2.2	
64	Association of soluble T cell immunoglobulin domain and mucin-3 (sTIM-3) and mac-2 binding protein glycosylation isomer (M2BPGi) in patients with autoimmune hepatitis. <i>PLoS ONE</i> , 2020 , 15, e0238340	3.7	1
63	Interstitial lung disease in advanced pancreatic ductal adenocarcinoma patients treated with gemcitabine and nab-paclitaxel combination therapy: a retrospective analysis. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 85, 517-523	3.5	3
62	Pembrolizumab-induced sclerosing cholangitis in a lung adenocarcinoma patient with a remarkable response to chemotherapy: a case report. <i>Clinical Journal of Gastroenterology</i> , 2020 , 13, 1310-1314	1.1	4
61	Efficacy of EUS-guided FNB using a Franseen needle for tissue acquisition and microsatellite instability evaluation in unresectable pancreatic lesions. <i>BMC Cancer</i> , 2020 , 20, 1094	4.8	5
60	Serum Gas6 and Axl as non-invasive biomarkers of advanced histological stage in primary biliary cholangitis. <i>Hepatology Research</i> , 2020 , 50, 1337-1346	5.1	3
59	Association between serum ficolin-1 level and disease progression in primary biliary cholangitis. <i>PLoS ONE</i> , 2020 , 15, e0238300	3.7	1
58	Association of serum 25-hydroxyvitamin D levels with severe necroinflammatory activity and inflammatory cytokine production in type I autoimmune hepatitis 2020 , 15, e0239481		
57	Association of serum 25-hydroxyvitamin D levels with severe necroinflammatory activity and inflammatory cytokine production in type I autoimmune hepatitis 2020 , 15, e0239481		
56	Association of serum 25-hydroxyvitamin D levels with severe necroinflammatory activity and inflammatory cytokine production in type I autoimmune hepatitis 2020 , 15, e0239481		
55	Association of serum 25-hydroxyvitamin D levels with severe necroinflammatory activity and inflammatory cytokine production in type I autoimmune hepatitis 2020 , 15, e0239481		
54	Clinical Outcomes and Adverse Events of Endoscopic Submucosal Dissection for Gastric Tube Cancer after Esophagectomy. <i>Gastroenterology Research and Practice</i> , 2019 , 2019, 2836860	2	3
53	Appropriate number of biliary biopsies and endoscopic retrograde cholangiopancreatography sessions for diagnosing biliary tract cancer. <i>World Journal of Gastrointestinal Endoscopy</i> , 2019 , 11, 231-238 ²		
52	Galectin-9 in autoimmune hepatitis: Correlation between serum levels of galectin-9 and M2BPGi in patients with autoimmune hepatitis. <i>Medicine (United States)</i> , 2019 , 98, e16924	1.8	7
51	Cutting Edge: Role of MASP-3 in the Physiological Activation of Factor D of the Alternative Complement Pathway. <i>Journal of Immunology</i> , 2019 , 203, 1411-1416	5.3	20

50	Analysis of 307 cases with drug-induced liver injury between 2010 and 2018 in Japan. <i>Hepatology Research</i> , 2019 , 49, 105-110	5.1	27
49	Validation of the fibrosis-4 (FIB-4) index in the diagnosis of liver disease of rheumatoid arthritis patients treated with methotrexate. <i>Modern Rheumatology</i> , 2019 , 29, 936-942	3.3	6
48	Clinical features of autoimmune hepatitis with acute presentation: a Japanese nationwide survey. <i>Journal of Gastroenterology</i> , 2018 , 53, 1079-1088	6.9	22
47	Utility of magnetic resonance elastography for predicting ascites in patients with chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 733-740	4	4
46	Changes in N-glycans of IgG4 and its relationship with the existence of hypocomplementemia and individual organ involvement in patients with IgG4-related disease. <i>PLoS ONE</i> , 2018 , 13, e0196163	3.7	10
45	Push pull method for endoscopic ultrasound-guided fine needle aspiration of pancreatic head lesions: Propensity score matching analysis. <i>World Journal of Gastroenterology</i> , 2018 , 24, 3006-3012	5.6	0
44	Pancreatic stents for the prevention of post-endoscopic retrograde cholangiopancreatography pancreatitis should be inserted up to the pancreatic body or tail. <i>World Journal of Gastroenterology</i> , 2018 , 24, 2392-2399	5.6	13
43	Serum cytokine profiles and Mac-2 binding protein glycosylation isomer (M2BPGi) level in patients with autoimmune hepatitis. <i>Medicine (United States)</i> , 2018 , 97, e13450	1.8	6
42	The efficacy of serum cell death biomarkers for diagnosing biliary tract cancer. <i>Scientific Reports</i> , 2018 , 8, 16997	4.9	1
41	Evaluation of inflammation-based markers for predicting the prognosis of unresectable pancreatic ductal adenocarcinoma treated with chemotherapy. <i>Molecular and Clinical Oncology</i> , 2018 , 9, 408-414	1.6	8
40	Endoscopic submucosal dissection for early gastric cancer in very elderly patients age 85 or older. <i>Endoscopy International Open</i> , 2017 , 5, E17-E24	3	15
39	The efficacy of biliary and serum macrophage inhibitory cytokine-1 for diagnosing biliary tract cancer. <i>Scientific Reports</i> , 2017 , 7, 9198	4.9	0
38	Contrast-enhanced harmonic endoscopic ultrasonography in gallbladder cancer and pancreatic cancer. <i>Fukushima Journal of Medical Sciences</i> , 2017 , 63, 39-45	0.9	2
37	Pancreatic neuroendocrine tumor Grade 1 patients followed up without surgery: Case series. <i>World Journal of Clinical Oncology</i> , 2017 , 8, 293-299	2.5	1
36	Endoscopic Ultrasonography-Guided Fine Needle Aspiration Can Be Used to Rule Out Malignancy in Autoimmune Pancreatitis Patients. <i>Journal of Ultrasound in Medicine</i> , 2017 , 36, 2237-2244	2.9	15
35	Feasibility of Short-Period, High-Dose Intravenous Methylprednisolone for Preventing Stricture after Endoscopic Submucosal Dissection for Esophageal Cancer: A Preliminary Study. <i>Gastroenterology Research and Practice</i> , 2017 , 2017, 9312517	2	5
34	Evaluation of blood-brain barrier function by quotient alpha2 macroglobulin and its relationship with interleukin-6 and complement component 3 levels in neuropsychiatric systemic lupus erythematosus. <i>PLoS ONE</i> , 2017 , 12, e0186414	3.7	24
33	Predictive factors for the failure of endoscopic stent-in-stent self-expandable metallic stent placement to treat malignant hilar biliary obstruction. <i>World Journal of Gastroenterology</i> , 2017 , 23, 6273-6280	5.6	7

32	Derived neutrophil/lymphocyte ratio predicts gemcitabine therapy outcome in unresectable pancreatic cancer. <i>Oncology Letters</i> , 2016 , 11, 3441-3445	2.6	33
31	The efficacy of contrast-enhanced harmonic endoscopic ultrasonography in diagnosing gallbladder cancer. <i>Scientific Reports</i> , 2016 , 6, 25848	4.9	12
30	Role of intratumoral infiltrating macrophages after transarterial immunoembolization for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016 , 23, 298-304	2.8	1
29	Possible participation of IgG4 in the activation of complement in IgG4-related disease with hypocomplementemia. <i>Modern Rheumatology</i> , 2016 , 26, 251-8	3.3	30
28	Influence of night duty on endoscopic therapy for bile duct stones. <i>World Journal of Gastroenterology</i> , 2016 , 22, 9387-9393	5.6	
27	Primary rectal mucosa-associated lymphoid tissue lymphoma in a patient with previously identified primary biliary cirrhosis and secondary Sjögren's syndrome. <i>Clinical Journal of Gastroenterology</i> , 2016 , 9, 124-8	1.1	6
26	Efficacy of alogliptin in preventing non-alcoholic fatty liver disease progression in patients with type 2 diabetes. <i>Biomedical Reports</i> , 2016 , 4, 183-187	1.8	33
25	Conventional versus contrast-enhanced harmonic endoscopic ultrasonography-guided fine-needle aspiration for diagnosis of solid pancreatic lesions: A prospective randomized trial. <i>Pancreatology</i> , 2015 , 15, 538-541	3.8	42
24	Rapid corticosteroid tapering: Important risk factor for type 1 autoimmune hepatitis relapse in Japan. <i>Hepatology Research</i> , 2015 , 45, 638-44	5.1	6
23	Effects of branched-chain amino acids and zinc-enriched nutrients on prognosticators in HCV-infected patients: a multicenter randomized controlled trial. <i>Molecular Medicine Reports</i> , 2015 , 11, 2159-66	2.9	11
22	Efficacy of endoscopic ultrasonography-guided fine needle aspiration for pancreatic neuroendocrine tumor grading. <i>World Journal of Gastroenterology</i> , 2015 , 21, 8118-24	5.6	29
21	Efficacy of Steroid Pulse Therapy for Autoimmune Pancreatitis Type 1: A Retrospective Study. <i>PLoS ONE</i> , 2015 , 10, e0138604	3.7	12
20	Pathophysiology and recent findings of primary biliary cirrhosis complicated by systemic sclerosis. <i>Hepatology Research</i> , 2014 , 44, 377-83	5.1	5
19	Evaluation of nail fold capillaroscopy findings in patients with primary biliary cirrhosis. <i>Hepatology Research</i> , 2014 , 44, E129-36	5.1	5
18	Clinical features of hepatocellular carcinoma in patients with autoimmune hepatitis in Japan. <i>Journal of Gastroenterology</i> , 2013 , 48, 109-14	6.9	25
17	Innate immunity and inflammatory bowel disease: a review of clinical evidence and future application. <i>Clinical Journal of Gastroenterology</i> , 2013 , 6, 415-9	1.1	5
16	Current trends in the diagnosis and treatment of autoimmune hepatitis in Japan. <i>Hepatology Research</i> , 2012 , 42, 131-8	5.1	11
15	Serum L-ficolin levels in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2012 , 22, 899-902	3.3	14

14	Involvement of the liver in rheumatic diseases. <i>Clinical Journal of Gastroenterology</i> , 2012 , 5, 9-14	1.1	9
13	Characterization of Autoantibodies against the E1 β subunit of Branched-Chain 2-Oxoacid Dehydrogenase in Patients with Primary Biliary Cirrhosis. <i>International Journal of Hepatology</i> , 2012 , 2012, 369740	2.7	2
12	Effect of Transarterial Immunoembolization as Preoperative Treatment for Hepatocellular Carcinoma. <i>Annals of Cancer Research and Therapy</i> , 2011 , 19, 26-33	0.2	4
11	Two Cases of Retroperitoneal Liposarcoma Diagnosed Using Endoscopic Ultrasound-Guided Fine-Needle Aspiration (EUS-FNA). <i>Diagnostic and Therapeutic Endoscopy</i> , 2009 , 2009, 673194	0	9
10	Endoscopic ultrasound-guided fine-needle aspiration of solid pancreatic masses with rapid on-site cytological evaluation by endosonographers without attendance of cytopathologists. <i>Journal of Gastroenterology</i> , 2009 , 44, 322-8	6.9	101
9	Six cases of primary biliary cirrhosis complicated by psoriasis. <i>Hepatology Research</i> , 2004 , 30, 111-115	5.1	3
8	Analysis of peripheral blood mononuclear cell stimulated with pyruvate dehydrogenase complex, T-cell receptors from patients with primary biliary cirrhosis. <i>Journal of Gastroenterology</i> , 1998 , 33, 694-701	6.9	6
7	An autopsy case of Wegener's granulomatosis with pachymeningitis. <i>Internal Medicine</i> , 1998 , 37, 711-5	1.1	8
6	Mixed connective tissue disease with severe pulmonary hypertension and extensive subcutaneous calcification. <i>Internal Medicine</i> , 1998 , 37, 421-5	1.1	21
5	Antibodies to E1 and E2/Protein X components of pyruvate dehydrogenase complex in sera of patients with primary biliary cirrhosis. <i>Journal of Hepatology</i> , 1996 , 25, 867-76	13.4	6
4	Association of primary sclerosing cholangitis, thymoma and hypogammaglobulinemia. <i>Liver</i> , 1995 , 15, 53-5		11
3	Primary sclerosing cholangitis with marked eosinophilic infiltration in the liver. <i>Journal of Gastroenterology</i> , 1995 , 30, 524-8	6.9	29
2	Primary biliary cirrhosis (PBC)-CREST (calcinosis, Raynaud's phenomenon, esophageal dysfunction, sclerodactyly and telangiectasia) overlap syndrome complicated by Sjögren's syndrome and arthritis. <i>Internal Medicine</i> , 1995 , 34, 451-4	1.1	16
1	Single-Stage Laparoscopic Endoscopic Cooperative Surgery for Gastric Submucosal Tumor and Laparoscopic Distal Gastrectomy for Early Gastric Cancer: A Case Report. <i>Medical Science Case Reports</i> , 3 , 58-63		