

Nicholas J Plant

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9256006/nicholas-j-plant-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

1,896
citations

24
h-index

41
g-index

74
ext. papers

2,091
ext. citations

4.1
avg, IF

4.83
L-index

#	Paper	IF	Citations
70	Receptor-dependent transcriptional activation of cytochrome P4503A genes: induction mechanisms, species differences and interindividual variation in man. <i>Xenobiotica</i> , 2002 , 32, 165-206	2	183
69	Characterization of rhodamine-123 as a tracer dye for use in in vitro drug transport assays. <i>PLoS ONE</i> , 2012 , 7, e33253	3.7	109
68	Fatty acid binding proteins: tissue-specific functions in health and disease. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2014 , 17, 124-9	3.8	105
67	Strategies for using in vitro screens in drug metabolism. <i>Drug Discovery Today</i> , 2004 , 9, 328-36	8.8	101
66	Seizure control by ketogenic diet-associated medium chain fatty acids. <i>Neuropharmacology</i> , 2013 , 69, 105-14	5.5	84
65	Mixed chelate copper complex, Casiopeina IIgly, binds and degrades nucleic acids: a mechanism of cytotoxicity. <i>Chemico-Biological Interactions</i> , 2007 , 165, 189-99	5	79
64	Non-coplanar polychlorinated biphenyls (PCBs) are direct agonists for the human pregnane-X receptor and constitutive androstane receptor, and activate target gene expression in a tissue-specific manner. <i>Toxicology and Applied Pharmacology</i> , 2012 , 263, 7-13	4.6	73
63	The human cytochrome P450 sub-family: transcriptional regulation, inter-individual variation and interaction networks. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007 , 1770, 478-88	4	70
62	Transcriptional regulation of the PXR gene: identification and characterization of a functional peroxisome proliferator-activated receptor alpha binding site within the proximal promoter of PXR. <i>Drug Metabolism and Disposition</i> , 2006 , 34, 138-44	4	62
61	Glucocorticoid-mediated induction of CYP3A4 is decreased by disruption of a protein: DNA interaction distinct from the pregnane X receptor response element. <i>Drug Metabolism and Disposition</i> , 2002 , 30, 1029-34	4	58
60	EGF mediates monocyte chemotaxis and macrophage proliferation and EGF receptor is expressed in atherosclerotic plaques. <i>Atherosclerosis</i> , 2004 , 176, 21-6	3.1	55
59	The statin class of HMG-CoA reductase inhibitors demonstrate differential activation of the nuclear receptors PXR, CAR and FXR, as well as their downstream target genes. <i>Xenobiotica</i> , 2011 , 41, 519-29	2	49
58	Role of Sp1, C/EBP alpha, HNF3, and PXR in the basal- and xenobiotic-mediated regulation of the CYP3A4 gene. <i>Drug Metabolism and Disposition</i> , 2004 , 32, 525-35	4	44
57	Up-regulation of CYP1A/B in rat lung and liver, and human liver precision-cut slices by a series of polycyclic aromatic hydrocarbons; association with the Ah locus and importance of molecular size. <i>Toxicology in Vitro</i> , 2008 , 22, 128-45	3.6	39
56	Peroxisome proliferators: species differences in response of primary hepatocyte cultures. <i>Annals of the New York Academy of Sciences</i> , 1996 , 804, 628-35	6.5	34
55	Up-regulation of the glutathione S-transferase system in human liver by polycyclic aromatic hydrocarbons; comparison with rat liver and lung. <i>Mutagenesis</i> , 2008 , 23, 299-308	2.8	33
54	The neuroprotective action of the mood stabilizing drugs lithium chloride and sodium valproate is mediated through the up-regulation of the homeodomain protein Six1. <i>Toxicology and Applied Pharmacology</i> , 2009 , 235, 124-34	4.6	31

53	The coordinate regulation of DNA synthesis and suppression of apoptosis is differentially regulated by the liver growth agents, phenobarbital and methylclofenapate. <i>Carcinogenesis</i> , 1998 , 19, 1521-7	4.6	31
52	Emergence of the silicon human and network targeting drugs. <i>European Journal of Pharmaceutical Sciences</i> , 2012 , 46, 190-7	5.1	30
51	QSSPN: dynamic simulation of molecular interaction networks describing gene regulation, signalling and whole-cell metabolism in human cells. <i>Bioinformatics</i> , 2013 , 29, 3181-90	7.2	28
50	Design principles of nuclear receptor signaling: how complex networking improves signal transduction. <i>Molecular Systems Biology</i> , 2010 , 6, 446	12.2	26
49	Sodium valproate induces apoptosis in the rat hepatoma cell line, FaO. <i>Toxicology</i> , 2003 , 192, 219-27	4.4	26
48	Evaluation of the precision-cut liver and lung slice systems for the study of induction of CYP1, epoxide hydrolase and glutathione S-transferase activities. <i>Toxicology</i> , 2007 , 231, 68-80	4.4	25
47	Generation of 2,000 breast cancer metabolic landscapes reveals a poor prognosis group with active serotonin production. <i>Scientific Reports</i> , 2016 , 6, 19771	4.9	24
46	Activation of the Farnesoid X-receptor in breast cancer cell lines results in cytotoxicity but not increased migration potential. <i>Cancer Letters</i> , 2016 , 370, 250-9	9.9	23
45	Lansoprazole increases testosterone metabolism and clearance in male Sprague-Dawley rats: implications for Leydig cell carcinogenesis. <i>Toxicology and Applied Pharmacology</i> , 2003 , 192, 154-63	4.6	23
44	Primary liver cells cultured on carbon nanotube substrates for liver tissue engineering and drug discovery applications. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 10373-80	9.5	22
43	The peroxisome proliferators are hepatocyte mitogens in chemically-defined media: glucocorticoid-induced PPAR alpha is linked to peroxisome proliferator mitogenesis. <i>Carcinogenesis</i> , 1998 , 19, 925-31	4.6	22
42	Multi-scale, whole-system models of liver metabolic adaptation to fat and sugar in non-alcoholic fatty liver disease. <i>Npj Systems Biology and Applications</i> , 2018 , 4, 33	5	21
41	Nuclear receptors: the controlling force in drug metabolism of the liver?. <i>Xenobiotica</i> , 2009 , 39, 597-605	2	21
40	Transcriptional regulation of the human pregnane-X receptor. <i>Drug Metabolism Reviews</i> , 2006 , 38, 31-49	7	21
39	Optimization of stress response through the nuclear receptor-mediated cortisol signalling network. <i>Nature Communications</i> , 2013 , 4, 1792	17.4	20
38	A PXR-mediated negative feedback loop attenuates the expression of CYP3A in response to the PXR agonist pregnenalone-16 β -carbonitrile. <i>PLoS ONE</i> , 2011 , 6, e16703	3.7	20
37	Control and statistical analysis of in vitro reporter gene assays. <i>Analytical Biochemistry</i> , 2000 , 278, 170-4	3.1	19
36	Can systems toxicology identify common biomarkers of non-genotoxic carcinogenesis?. <i>Toxicology</i> , 2008 , 254, 164-9	4.4	18

35	Impact of transcription factor profile and chromatin conformation on human hepatocyte CYP3A gene expression. <i>Drug Metabolism and Disposition</i> , 2005 , 33, 233-42	4	18
34	Systems biology approaches for studying the pathogenesis of non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 15070-8	5.6	17
33	Relative receptor expression is a determinant in xenobiotic-mediated CYP3A induction in rat and human cells. <i>Xenobiotica</i> , 2003 , 33, 703-16	2	16
32	Gene expression changes in rat liver following exposure to liver growth agents: role of Kupffer cells in xenobiotic-mediated liver growth. <i>Biochemical Pharmacology</i> , 2004 , 67, 107-18	6	16
31	Interaction networks: coordinating responses to xenobiotic exposure. <i>Toxicology</i> , 2004 , 202, 21-32	4.4	16
30	An introduction to systems toxicology. <i>Toxicology Research</i> , 2015 , 4, 9-22	2.6	15
29	Non-toxic melanin production inhibitors from <i>Garcinia livingstonei</i> (Clusiaceae). <i>Journal of Ethnopharmacology</i> , 2013 , 149, 570-5	5	15
28	MUFINS: multi-formalism interaction network simulator. <i>Npj Systems Biology and Applications</i> , 2016 , 2, 16032	5	14
27	Inhibition of prenyltransferase activity by statins in both liver and muscle cell lines is not causative of cytotoxicity. <i>Toxicology</i> , 2015 , 329, 40-8	4.4	14
26	In silico and in vitro modeling of hepatocyte drug transport processes: importance of ABCB2 expression levels in the disposition of carboxydichlorofluorescein. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 391-9	4	13
25	Conserved valproic-acid-induced lipid droplet formation in <i>Dictyostelium</i> and human hepatocytes identifies structurally active compounds. <i>DMM Disease Models and Mechanisms</i> , 2012 , 5, 231-40	4.1	13
24	Transcriptomic and phylogenetic analysis of Kpna genes: a family of nuclear import factors modulated in xenobiotic-mediated liver growth. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 647-58	1.9	13
23	Site-specific, covalent incorporation of Tus, a DNA-binding protein, on ionic-complementary self-assembling peptide hydrogels using transpeptidase Sortase A as a conjugation tool. Dedicated to the memory of Joachim H. G. Steinke. Electronic supplementary information (ESI) available: Further experimental data. See DOI: 10.1039/c3sm00131h. Click here for additional data file. <i>Soft Matter</i> , 2013 , 9, 6752-6756	3.6	12
22	Differential response of human and rat epoxide hydrolase to polycyclic aromatic hydrocarbon exposure: studies using precision-cut tissue slices. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008 , 640, 153-61	3.3	12
21	Transcriptional regulation of cytochrome P450A4 gene expression: effects of inherited mutations in the 5' flanking region. <i>Xenobiotica</i> , 2003 , 33, 1085-95	2	9
20	Receptor-dependent regulation of the CYP3A4 gene. <i>Toxicology</i> , 2002 , 181-182, 199-202	4.4	9
19	Synergistic interaction between lipid-loading and doxorubicin exposure in Huh7 hepatoma cells results in enhanced cytotoxicity and cellular oxidative stress: implications for acute and chronic care of obese cancer patients. <i>Toxicology Research</i> , 2015 , 4, 1479-1487	2.6	8
18	The naturally occurring aliphatic isothiocyanates sulforaphane and erucin are weak agonists but potent non-competitive antagonists of the aryl hydrocarbon receptor. <i>Archives of Toxicology</i> , 2012 , 86, 1505-14	5.8	8

17	Characterization of the temporal induction of hepatic xenobiotic-metabolizing enzymes by glucosinolates and isothiocyanates: requirement for at least a 6 h exposure to elicit complete induction profile. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 5556-64	5.7	7
16	Phenethyl isothiocyanate, a naturally occurring phytochemical, is an antagonist of the aryl hydrocarbon receptor. <i>Molecular Nutrition and Food Research</i> , 2012 , 56, 425-34	5.9	5
15	Drug-regulated expression of Plasmodium falciparum P-glycoprotein homologue 1: a putative role for nuclear receptors. <i>Antimicrobial Agents and Chemotherapy</i> , 2008 , 52, 1438-45	5.9	5
14	Langaside, a novel secoiridolactone glycoside derivative from Tachadenus longiflorus Griseb. (Gentianaceae) formed by a [2+2] cycloaddition reaction. <i>Phytochemistry Letters</i> , 2014 , 10, cxviii-cxxii	1.9	4
13	Probabilistic orthology analysis of the ATP-binding cassette transporters: implications for the development of multiple drug resistance phenotype. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 1397-402	4	4
12	Expressed sequence tags (ESTs) and single nucleotide polymorphisms (SNPs): what large-scale sequencing projects can tell us about ADME. <i>Xenobiotica</i> , 2006 , 36, 860-76	2	3
11	Peroxisome proliferators induce high levels of DNA synthesis in primary cultures of rat hepatocytes. <i>Annals of the New York Academy of Sciences</i> , 1996 , 804, 745-6	6.5	1
10	Acrylamide-mediated subacute testicular and genotoxicity, is it reversible?. <i>Egyptian Journal of Histology</i> , 2012 , 35, 424-436	0.8	0
9	Molecular biology I: transcriptional regulation. <i>Surgery</i> , 2015 , 33, 95-98	0.3	
8	Molecular biology II: protein function. <i>Surgery</i> , 2015 , 33, 99-103	0.3	
7	Molecular biology I: transcriptional regulation. <i>Surgery</i> , 2012 , 30, 165-168	0.3	
6	Molecular biology II: protein function. <i>Surgery</i> , 2012 , 30, 169-173	0.3	
5	Can a systems approach produce a better understanding of mood disorders?. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 3335-3344	4	
4	A systems biology approach towards understanding nuclear receptor interactions: Implications at the endocrine-xenobiotic signalling interface. <i>Toxicology</i> , 2011 , 290, 131	4.4	
3	Molecular biology I: transcriptional regulation. <i>Surgery</i> , 2009 , 27, 147-149	0.3	
2	Molecular biology II: protein function. <i>Surgery</i> , 2009 , 27, 150-152	0.3	
1	Modeling Transport Processes and Their Implications for Chemical Disposition and Action 2011 , 59-82		