## Stefano Volpato

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9257329/stefano-volpato-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 213
 10,868
 58
 99

 papers
 citations
 h-index
 g-index

 224
 12,495
 5
 6.19

 ext. papers
 ext. citations
 avg, IF
 L-index

| #           | Paper  | IF   | Citations |
|-------------|--|------|-----------|
| 213         | The impact of sex and physical performance on long-term mortality in older patients with myocardial infarction <i>BMC Medicine</i> , <b>2022</b> , 20, 15  | 11.4 | O         |
| 212         | A 2-year retrospective analysis of the prognostic value of MqSOFA compared to lactate, NEWS and qSOFA in patients with sepsis <i>Infection</i> , <b>2022</b> , 1   | 5.8  | 1         |
| 211         | Computed tomography findings and prognosis in older COVID-19 patients <i>BMC Geriatrics</i> , <b>2022</b> , 22, 166  | 4.1  | 1         |
| 210         | Unveiling the Burden of Interactions Among Clinical Risk Factors for 1-Year Mortality in Hospitalized Older Patients <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 771115  | 4.9  |           |
| 209         | Clinical Features of SARS-CoV-2 Infection in Italian Long-Term Care Facilities: GeroCovid LTCFs Observational Study. <i>Journal of the American Medical Directors Association</i> , <b>2021</b> ,  | 5.9  | O         |
| 208         | Multidimensional geriatric evaluation in acromegaly: a comparative cross-sectional study. <i>BMC Geriatrics</i> , <b>2021</b> , 21, 598  | 4.1  | 1         |
| 207         | Atrial fibrillation and COVID-19 in older patients: how disability contributes to shape the risk profile. An analysis of the GeroCovid registry. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 1   | 4.8  | 1         |
| 206         | Clostridium difficile infection in a Geriatric Care Unit: clinical characteristics and prognosis. <i>Journal of Gerontology and Geriatrics</i> , <b>2021</b> , 69, 1-5   | 0.3  | 0         |
| 205         | Physical performance measures and hospital outcomes among Italian older adults: results from the CRIME project. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 33, 319-327  | 4.8  | 2         |
| 204         | Acute Sarcopenia <b>2021</b> , 95-114  |      |           |
| 203         | Are vaccines against COVID-19 tailored to the most vulnerable people?. <i>Vaccine</i> , <b>2021</b> , 39, 2325-2327  | 4.1  | 7         |
| 202         | The impact of periprocedural myocardial infarction on mortality in older adults with non-ST-segment elevation acute coronary syndrome: a pooled analysis of the FRASER and HULK studies. <i>Journal of Cardiovascular Medicine</i> , <b>2021</b> , 22, 546-552 | 1.9  |           |
| <b>2</b> 01 | Predictive value of geriatric-quickSOFA in hospitalized older people with sepsis. <i>BMC Geriatrics</i> , <b>2021</b> , 21, 241  | 4.1  | 1         |
| 200         | Assessing the impact of COVID-19 on the health of geriatric patients: The European GeroCovid Observational Study. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 87, 29-35   | 3.9  | 11        |
| 199         | COVID-19 and Atrial Fibrillation in Older Patients: Does Oral Anticoagulant Therapy Provide a Survival Benefit?-An Insight from the GeroCovid Registry. <i>Thrombosis and Haemostasis</i> , <b>2021</b> ,  | 7    | 11        |
| 198         | Post-Operative All-Cause Mortality in Elderly Patients Undergoing Abdominal Emergency Surgery: Role of Charlson Comorbidity Index. <i>Healthcare (Switzerland)</i> , <b>2021</b> , 9,  | 3.4  | 1         |
| 197         | Prognostic interplay of kidney function with sarcopenia, anemia, disability and cognitive impairment. The GLISTEN study. <i>European Journal of Internal Medicine</i> , <b>2021</b> , 93, 57-63  | 3.9  | 2         |

| 196 | An unwanted reaction by the use of Haloperidol in hyperkinetic delirium. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 33, 1409-1411   | 4.8 | 2  |  |
|-----|--|-----|----|--|
| 195 | Predicting in-hospital mortality for sepsis: a comparison between qSOFA and modified qSOFA in a 2-year single-centre retrospective analysis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2021</b> , 40, 825-831                                    | 5.3 | 3  |  |
| 194 | Total urinary polyphenols and longitudinal changes of bone properties. The InCHIANTI study. <i>Osteoporosis International</i> , <b>2021</b> , 32, 353-362  | 5.3 | O  |  |
| 193 | Prevalence of obesity and diabetes in older people with sarcopenia defined according to EWGSOP2 and FNHI criteria. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 1   | 4.8 | 1  |  |
| 192 | Psychological Well-Being of Older Adults With Cognitive Deterioration During Quarantine: Preliminary Results From the GeroCovid Initiative. <i>Frontiers in Medicine</i> , <b>2021</b> , 8, 715294   | 4.9 | 1  |  |
| 191 | The Geriatrician Point of View <b>2021</b> , 307-315   |     |    |  |
| 190 | Hand Grip Strength May Affect the Association Between Anticholinergic Burden and Mortality Among Older Patients Discharged from Hospital. <i>Drugs and Aging</i> , <b>2020</b> , 37, 447-455   | 4.7 | 2  |  |
| 189 | Exercise intervention improves quality of life in older adults after myocardial infarction: randomised clinical trial. <i>Heart</i> , <b>2020</b> , 106, 1658-1664   | 5.1 | 17 |  |
| 188 | Perioperative Management of Elderly patients (PriME): recommendations from an Italian intersociety consensus. <i>Aging Clinical and Experimental Research</i> , <b>2020</b> , 32, 1647-1673  | 4.8 | 17 |  |
| 187 | Three-year National report from the Gruppo Italiano di Ortogeriatria (GIOG) in the management of hip-fractured patients. <i>Aging Clinical and Experimental Research</i> , <b>2020</b> , 32, 1245-1253   | 4.8 | 4  |  |
| 186 | Comparing EWGSOP2 and FNIH Sarcopenia Definitions: Agreement and 3-Year Survival Prognostic Value in Older Hospitalized Adults: The GLISTEN Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2020</b> , 75, 1331-1337                  | 6.4 | 11 |  |
| 185 | Prognostic factors in older patients admitted in ICU with diagnosis of abdominal sepsis (sepsis-3 criteria). <i>Journal of Gerontology and Geriatrics</i> , <b>2020</b> , 68, 152-158  | 0.3 | 1  |  |
| 184 | Kidney function and cognitive impairment among older hospitalized patients: a comparison of four glomerular filtration rate equations. <i>Aging Clinical and Experimental Research</i> , <b>2020</b> , 32, 841-850   | 4.8 | 1  |  |
| 183 | Cognitive Impairment, Chronic Kidney Disease, and 1-Year Mortality in Older Patients Discharged from Acute Care Hospital. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 4  |  |
| 182 | Medico-legal assessment of personal damage in older people: report from a multidisciplinary consensus conference. <i>International Journal of Legal Medicine</i> , <b>2020</b> , 134, 2319-2334  | 3.1 | 3  |  |
| 181 | The Assessment of Scales of Frailty and Physical Performance Improves Prediction of Major<br>Adverse Cardiac Events in Older Adults with Acute Coronary Syndrome. <i>Journals of Gerontology -</i><br>Series A Biological Sciences and Medical Sciences, <b>2020</b> , 75, 1113-1119 | 6.4 | 31 |  |
| 180 | Nutritional status and all-cause mortality in older adults with acute coronary syndrome. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 1572-1579   | 5.9 | 15 |  |
| 179 | Bleeding Risk Scores and Scales of Frailty for the Prediction of Haemorrhagic Events in Older Adults with Acute Coronary Syndrome: Insights from the FRASER study. <i>Cardiovascular Drugs and Therapy</i> , <b>2019</b> , 33, 523-532   | 3.9 | 10 |  |

| 178 | Association between hospitalization-related outcomes, dynapenia and body mass index: The Glisten Study. <i>European Journal of Clinical Nutrition</i> , <b>2019</b> , 73, 743-750   | 5.2                | 4  |
|-----|---|--------------------|----|
| 177 | Hand grip strength assessment in older people: is the supine position valid and reliable?. <i>European Geriatric Medicine</i> , <b>2019</b> , 10, 741-745   | 3                  | 3  |
| 176 | Uric acid within the "normal" range predict 9-year cardiovascular mortality in older individuals. The InCHIANTI study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2019</b> , 29, 1061-1067   | 4.5                | 10 |
| 175 | Prognosis and Interplay of Cognitive Impairment and Sarcopenia in Older Adults Discharged from Acute Care Hospitals. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,   | 5.1                | 5  |
| 174 | Polypharmacy and sarcopenia in hospitalized older patients: results of the GLISTEN study. <i>Aging Clinical and Experimental Research</i> , <b>2019</b> , 31, 557-559   | 4.8                | 8  |
| 173 | Vitamin D Deficiency and Sarcopenia in Older Persons. <i>Nutrients</i> , <b>2019</b> , 11,  | 6.7                | 80 |
| 172 | The excess mortality risk associated with anticholinergic burden among older patients discharged from acute care hospital with depressive symptoms. <i>European Journal of Internal Medicine</i> , <b>2019</b> , 61, 69-74  | 3.9                | 9  |
| 171 | Grip strength predicts cardiac adverse events in patients with cardiac disorders: an individual patient pooled meta-analysis. <i>Heart</i> , <b>2019</b> , 105, 834-841   | 5.1                | 43 |
| 170 | Dysphagia in Nursing Home Residents: Management and Outcomes. <i>Journal of the American Medical Directors Association</i> , <b>2019</b> , 20, 147-151  | 5.9                | 15 |
| 169 | Anticholinergic burden and 1-year mortality among older patients discharged from acute care hospital. <i>Geriatrics and Gerontology International</i> , <b>2018</b> , 18, 705-713   | 2.9                | 14 |
| 168 | The Different Domains of the Comprehensive Geriatric Assessment. <i>Practical Issues in Geriatrics</i> , <b>2018</b> , 11-25  | 0.1                | 2  |
| 167 | Determining the best percent-predicted equation for estimated VO peak by a 1-km moderate perceptually-regulated treadmill walk to predict mortality in outpatients with cardiovascular disease. <i>Journal of Science and Medicine in Sport</i> , <b>2018</b> , 21, 307-311 | 4.4                | 7  |
| 166 | The association between delirium and sarcopenia in older adult patients admitted to acute geriatrics units: Results from the GLISTEN multicenter observational study. <i>Clinical Nutrition</i> , <b>2018</b> , 37, 1498-1504   | 5.9                | 11 |
| 165 | 500-meter and 1000-meter moderate walks equally assess cardiorespiratory fitness in male outpatients with cardiovascular diseases. <i>Journal of Sports Medicine and Physical Fitness</i> , <b>2018</b> , 58, 1312  | - <del>13</del> 17 | 7  |
| 164 | Association Between Gait Speed With Mortality, Cardiovascular Disease and Cancer: A Systematic Review and Meta-analysis of Prospective Cohort Studies. <i>Journal of the American Medical Directors Association</i> , <b>2018</b> , 19, 981-988.e7                          | 5.9                | 68 |
| 163 | Anticholinergic Burden is Associated With Increased Mortality in Older Patients With Dependency Discharged From Hospital. <i>Journal of the American Medical Directors Association</i> , <b>2018</b> , 19, 942-947  | 5.9                | 12 |
| 162 | Physical activity intervention for elderly patients with reduced physical performance after acute coronary syndrome (HULK study): rationale and design of a randomized clinical trial. <i>BMC Cardiovascular Disorders</i> , <b>2018</b> , 18, 98                           | 2.3                | 19 |
| 161 | Peak oxygen uptake estimation from a moderate 500-m treadmill walk in older women with cardiovascular disease. <i>Sport Sciences for Health</i> , <b>2018</b> , 14, 655-661   | 1.3                | 1  |

| 160 | A moderate 500-m treadmill walk for estimating peak oxygen uptake in men with NYHA class I-II heart failure and reduced left ventricular ejection fraction. <i>BMC Cardiovascular Disorders</i> , <b>2018</b> , 18, 67  | 2.3             | 7   |
|-----|---|-----------------|-----|
| 159 | Effects of oral amino acid supplementation on Multidimensional Prognostic Index in hospitalized older patients: a multicenter randomized, double-blind, placebo-controlled pilot study. <i>Clinical Interventions in Aging</i> , <b>2018</b> , 13, 633-640                                  | 4               | 6   |
| 158 | Association of Anticholinergic Drug Burden with Cognitive and Functional Decline Over Time in Older Inpatients: Results from the CRIME Project. <i>Drugs and Aging</i> , <b>2018</b> , 35, 917-924  | 4.7             | 20  |
| 157 | Relationship between low levels of circulating TRAIL and atheromatosis progression in patients with chronic kidney disease. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203716  | 3.7             | 8   |
| 156 | Inappropriate prescription of low molecular weight heparins for thromboprophylaxis among older hospitalized patients. <i>Aging Clinical and Experimental Research</i> , <b>2017</b> , 29, 483-490   | 4.8             | 2   |
| 155 | The effectiveness of Robot-Assisted Gait Training versus conventional therapy on mobility in severely disabled progressive MultiplE sclerosis patients (RAGTIME): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2017</b> , 18, 88                                    | 2.8             | 13  |
| 154 | Oxidized LDL, Gamma-Glutamyltransferase and Adverse Outcomes in Older Adults. <i>Journal of the American Geriatrics Society</i> , <b>2017</b> , 65, e77-e82   | 5.6             | 1   |
| 153 | Prevalence and Clinical Correlates of Sarcopenia, Identified According to the EWGSOP Definition and Diagnostic Algorithm, in Hospitalized Older People: The GLISTEN Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 72, 1575-1581 | 5.4             | 67  |
| 152 | Dynapenic Abdominal Obesity as a Predictor of Worsening Disability, Hospitalization, and Mortality in Older Adults: Results From the InCHIANTI Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2017</b> , 72, 1098-1104                      | 5.4             | 42  |
| 151 | Combining Gait Speed and Recall Memory to Predict Survival in Late Life: Population-Based Study.  Journal of the American Geriatrics Society, <b>2017</b> , 65, 614-618   | <del>5</del> .6 | 8   |
| 150 | Predictors of rehospitalization among older adults: Results of the CRIME Study. <i>Geriatrics and Gerontology International</i> , <b>2017</b> , 17, 1588-1592   | 2.9             | 16  |
| 149 | The incidence of sarcopenia among hospitalized older patients: results from the Glisten study.  Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 907-914  | 10.3            | 90  |
| 148 | The frailty in elderly patients receiving cardiac interventional procedures (FRASER) program: rational and design of a multicenter prospective study. <i>Aging Clinical and Experimental Research</i> , <b>2017</b> , 29, 895-903   | 4.8             | 16  |
| 147 | Combining LDL-C and HDL-C to predict survival in late life: The InChianti study. <i>PLoS ONE</i> , <b>2017</b> , 12, e018   | 5 <b>3</b> 07   | 7   |
| 146 | Does being assisted by care workers affect antipsychotics prescription among older people discharged from hospital?. <i>Geriatrics and Gerontology International</i> , <b>2017</b> , 17, 1707-1713  | 2.9             | 1   |
| 145 | The Predictive Value of the EWGSOP Definition of Sarcopenia: Results From the InCHIANTI Study.  Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 259-64   | 5.4             | 123 |
| 144 | Serum Soluble Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand Levels in Older Subjects with Dementia and Mild Cognitive Impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2016</b> , 41, 273-  | <del>8</del> 6  | 10  |
| 143 | The Multidimensional Prognostic Index predicts in-hospital length of stay in older patients: a multicentre prospective study. <i>Age and Ageing</i> , <b>2016</b> , 45, 90-6  | 3               | 20  |

| 142 | Forced expiratory volume in one second: Predicting return to work within 3 months after chronic heart failure diagnosis. <i>International Journal of Cardiology</i> , <b>2016</b> , 203, 798-9   | 3.2  | 4   |
|-----|--|------|-----|
| 141 | Predictors of Functional Changes in Italian Nursing Home Residents: The U.L.I.S.S.E. Study. <i>Journal of the American Medical Directors Association</i> , <b>2016</b> , 17, 306-11  | 5.9  | 9   |
| 140 | Cross-sectional study of coeliac autoimmunity in a population of Vietnamese children. <i>BMJ Open</i> , <b>2016</b> , 6, e011173   | 3    | 12  |
| 139 | Muscle dysfunction in type 2 diabetes: a major threat to patient@mobility and independence. <i>Acta Diabetologica</i> , <b>2016</b> , 53, 879-889  | 3.9  | 81  |
| 138 | Change in the Multidimensional Prognostic Index Score During Hospitalization in Older Patients. <i>Rejuvenation Research</i> , <b>2016</b> , 19, 244-51  | 2.6  | 21  |
| 137 | Improved walking speed is associated with lower hospitalisation rates in patients in an exercise-based secondary prevention programme. <i>Heart</i> , <b>2016</b> , 102, 1902-1908   | 5.1  | 30  |
| 136 | Short Physical Performance Battery and all-cause mortality: systematic review and meta-analysis. <i>BMC Medicine</i> , <b>2016</b> , 14, 215   | 11.4 | 307 |
| 135 | Targeted lipidomics distinguishes patient subgroups in mild cognitive impairment (MCI) and late onset Alzheimer@ disease (LOAD). <i>BBA Clinical</i> , <b>2016</b> , 5, 25-8   |      | 35  |
| 134 | Klotho, a new marker for osteoporosis and muscle strength in Ethalassemia major. <i>Blood Cells, Molecules, and Diseases</i> , <b>2015</b> , 55, 396-401   | 2.1  | 16  |
| 133 | Multidimensional Prognostic Index predicts mortality and length of stay during hospitalization in the older patients: a multicenter prospective study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 325-31 | 6.4  | 50  |
| 132 | Physical function and disability in older adults with diabetes. <i>Clinics in Geriatric Medicine</i> , <b>2015</b> , 31, 51-65, viii   | 3.8  | 27  |
| 131 | Adherence to a standardized protocol for measuring grip strength and appropriate cut-off values in adults over 65 years with sarcopenia: a systematic review protocol. <i>JBI Database of Systematic Reviews and Implementation Reports</i> , <b>2015</b> , 13, 50-9 | 1.6  | 14  |
| 130 | Exceptional Exercise Capacity in an 80-Year-Old Breast Cancer Survivor and Long-Term Sprint Athlete. <i>Journal of the American Geriatrics Society</i> , <b>2015</b> , 63, 2641-2643   | 5.6  |     |
| 129 | Absolute quantification of cell-free microRNAs in cancer patients. <i>Oncotarget</i> , <b>2015</b> , 6, 14545-55   | 3.3  | 81  |
| 128 | Disentangling the Impact of Chronic Kidney Disease, Anemia, and Mobility Limitation on Mortality in Older Patients Discharged From Hospital. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 1120-7           | 6.4  | 14  |
| 127 | Counteracting inflammation and insulin resistance with diet and exercise: A strategy for frailty prevention?. European Geriatric Medicine, 2015, 6, 220-231  | 3    | 7   |
| 126 | Hip fractures: comprehensive geriatric care and recovery. <i>Lancet, The</i> , <b>2015</b> , 385, 1594-5   | 40   | 11  |
| 125 | Inverse correlation between circulating levels of TNF-related apoptosis-inducing ligand and 17Eestradiol. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E659-64  | 5.6  | 14  |

### (2013-2014)

| 124 | Potentially inappropriate drug use among hospitalised older adults: results from the CRIME study. <i>Age and Ageing</i> , <b>2014</b> , 43, 767-73  | 3    | 84  |
|-----|---|------|-----|
| 123 | Association of sarcopenia with short- and long-term mortality in older adults admitted to acute care wards: results from the CRIME study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2014</b> , 69, 1154-61          | 6.4  | 121 |
| 122 | Physical performance measures and polypharmacy among hospitalized older adults: results from the CRIME study. <i>Journal of Nutrition, Health and Aging</i> , <b>2014</b> , 18, 616-21  | 5.2  | 24  |
| 121 | Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2014</b> , 2, 634-47                            | 18.1 | 446 |
| 120 | Insulin resistance and systemic inflammation, but not metabolic syndrome phenotype, predict 9 years mortality in older adults. <i>Atherosclerosis</i> , <b>2014</b> , 235, 538-45   | 3.1  | 21  |
| 119 | Functional changes during hospital stay in older patients admitted to an acute care ward: a multicenter observational study. <i>PLoS ONE</i> , <b>2014</b> , 9, e96398  | 3.7  | 23  |
| 118 | Non-invasive ventilation in the treatment of sleep-related breathing disorders: A review and update. <i>Revista Portuguesa De Pneumologia</i> , <b>2014</b> , 20, 324-35  |      | 11  |
| 117 | Risk of illness, hospitalization and death in a cohort of blood donors in Italy. <i>Current Medical Research and Opinion</i> , <b>2014</b> , 30, 1803-12  | 2.5  | 5   |
| 116 | Hepatocellular carcinoma in thalassaemia: an update of the Italian Registry. <i>British Journal of Haematology</i> , <b>2014</b> , 167, 121-6   | 4.5  | 54  |
| 115 | Prevalence and clinical correlates of sarcopenia in community-dwelling older people: application of the EWGSOP definition and diagnostic algorithm. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2014</b> , 69, 438-46 | 6.4  | 165 |
| 114 | Diabetes, peripheral neuropathy, and lower-extremity function. <i>Journal of Diabetes and Its Complications</i> , <b>2014</b> , 28, 91-5  | 3.2  | 56  |
| 113 | Predictors of length of hospital stay among older adults admitted to acute care wards: a multicentre observational study. <i>European Journal of Internal Medicine</i> , <b>2014</b> , 25, 56-62  | 3.9  | 48  |
| 112 | Association between VOIpeak estimated by a 1-km treadmill walk and mortality. A 10-year follow-up study in patients with cardiovascular disease. <i>International Journal of Cardiology</i> , <b>2014</b> , 173, 248-52   | 3.2  | 25  |
| 111 | Flow-mediated dilation, carotid wall thickness and HDL function in subjects with hyperalphalipoproteinemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 777-83   | 4.5  | 20  |
| 110 | Abstract 4785: miR-125b targets erythropoietin and its receptor and their expression correlates with metastatic potential and ERBB2/HER2 expression <b>2014</b> ,   |      | 2   |
| 109 | Assessment of mobility status and risk of mobility disability in older persons. <i>Current Pharmaceutical Design</i> , <b>2014</b> , 20, 3099-113   | 3.3  | 11  |
| 108 | Physical disability in the elderly with diabetes: epidemiology and mechanisms. <i>Current Diabetes Reports</i> , <b>2013</b> , 13, 824-30   | 5.6  | 25  |
| 107 | Outcomes of weekend versus weekday admission for acute aortic dissection or rupture: a retrospective study on the Italian National Hospital Database. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 3117-9                                      | 3.2  | 19  |

| 106 | Determinants and clinical significance of plasma oxidized LDLs in older individuals. A 9 years follow-up study. <i>Atherosclerosis</i> , <b>2013</b> , 226, 201-7   | 3.1           | 23  |
|-----|---|---------------|-----|
| 105 | Handgrip strength predicts persistent walking recovery after hip fracture surgery. <i>American Journal of Medicine</i> , <b>2013</b> , 126, 1068-75.e1  | 2.4           | 71  |
| 104 | Treadmill walking speed and survival prediction in men with cardiovascular disease: a 10-year follow-up study. <i>BMJ Open</i> , <b>2013</b> , 3, e003446   | 3             | 24  |
| 103 | Predictive value of admission N-terminal pro-B-type natriuretic peptide and renal function in older people hospitalized for dyspnoea. <i>Disease Markers</i> , <b>2013</b> , 35, 735-40   | 3.2           | 2   |
| 102 | miR-125b targets erythropoietin and its receptor and their expression correlates with metastatic potential and ERBB2/HER2 expression. <i>Molecular Cancer</i> , <b>2013</b> , 12, 130   | 42.1          | 66  |
| 101 | Association of soluble Tumor necrosis factor-Related Apoptosis-Inducing Ligand (TRAIL) with central adiposity and low-density lipoprotein cholesterol. <i>PLoS ONE</i> , <b>2013</b> , 8, e58225  | 3.7           | 19  |
| 100 | Pattern of medication use among older inpatients in seven hospitals in Italy: results from the CRiteria to assess Appropriate Medication use among Elderly complex patients (CRIME) project. <i>Current Drug Safety</i> , <b>2013</b> , 8, 98-103 | 1.4           | 22  |
| 99  | Protein intake and muscle strength in older persons: does inflammation matter?. <i>Journal of the American Geriatrics Society</i> , <b>2012</b> , 60, 480-4   | 5.6           | 53  |
| 98  | Role of muscle mass and muscle quality in the association between diabetes and gait speed. <i>Diabetes Care</i> , <b>2012</b> , 35, 1672-9  | 14.6          | 169 |
| 97  | Relationship between renal function and physical performance in elderly hospitalized patients. <i>Rejuvenation Research</i> , <b>2012</b> , 15, 545-52  | 2.6           | 32  |
| 96  | Potential Prognostic Value of Handgrip Strength in Older Hospitalized Patients. <i>Journal of Frailty &amp; Mamp; Aging, the</i> , <b>2012</b> , 1, 32-8  | 2.6           | 5   |
| 95  | Association of tumor necrosis factor-related apoptosis-inducing ligand with total and cardiovascular mortality in older adults. <i>Atherosclerosis</i> , <b>2011</b> , 215, 452-8   | 3.1           | 77  |
| 94  | When hospital patients fall: preliminary data from Ferrara, Italy. <i>Journal of the American Geriatrics Society</i> , <b>2011</b> , 59, 1144-6   | 5.6           | 8   |
| 93  | Nutrition in the age-related disablement process. Journal of Nutrition, Health and Aging, 2011, 15, 599-  | 60 <u>4</u> 2 | 103 |
| 92  | High frequency hearing loss in the elderly: effect of age and noise exposure in an Italian group.<br>Journal of Laryngology and Otology, <b>2011</b> , 125, 776-80  | 1.8           | 29  |
| 91  | Predictive value of the Short Physical Performance Battery following hospitalization in older patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2011</b> , 66, 89-96                              | 6.4           | 279 |
| 90  | Type 2 diabetes and risk for functional decline and disability in older persons. <i>Current Diabetes Reviews</i> , <b>2010</b> , 6, 134-43  | 2.7           | 62  |
| 89  | Diabetes, cardiovascular risk factors and idiopathic sudden sensorineural hearing loss: a case-control study. <i>Audiology and Neuro-Otology</i> , <b>2010</b> , 15, 111-5  | 2.2           | 107 |

#### (2008-2010)

| 88 | Relationship between low levels of high-density lipoprotein cholesterol and dementia in the elderly. The InChianti study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2010</b> , 65, 559-64                 | 6.4               | 46  |
|----|---|-------------------|-----|
| 87 | Lower extremity performance measures predict long-term prognosis in older patients hospitalized for heart failure. <i>Journal of Cardiac Failure</i> , <b>2010</b> , 16, 390-5  | 3.3               | 95  |
| 86 | Plasma soluble gp130 levels are increased in older subjects with metabolic syndrome. The role of insulin resistance. <i>Atherosclerosis</i> , <b>2010</b> , 213, 319-24   | 3.1               | 29  |
| 85 | Potentially inappropriate drug prescriptions and risk of hospitalization among older, Italian, nursing home residents: the ULISSE project. <i>Drugs and Aging</i> , <b>2010</b> , 27, 747-58  | 4.7               | 81  |
| 84 | Myasthenia gravis: a changing pattern of incidence. <i>Journal of Neurology</i> , <b>2010</b> , 257, 2015-9   | 5.5               | 53  |
| 83 | Lipoprotein(a), inflammation, and peripheral arterial disease in a community-based sample of older men and women (the InCHIANTI study). <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 1825-30  | 3                 | 36  |
| 82 | Trail Making Test predicts physical impairment and mortality in older persons. <i>Journal of the American Geriatrics Society</i> , <b>2010</b> , 58, 719-23   | 5.6               | 84  |
| 81 | The benefit and risk of testosterone replacement therapy in older men: effects on lipid metabolism. <i>Acta Biomedica</i> , <b>2010</b> , 81 Suppl 1, 95-9  | 3.2               |     |
| 80 | Potential prognostic significance of decreased serum levels of TRAIL after acute myocardial infarction. <i>PLoS ONE</i> , <b>2009</b> , 4, e4442  | 3.7               | 68  |
| 79 | The role of polyunsaturated fatty acids (PUFA) in the treatment of dyslipidemias. <i>Current Pharmaceutical Design</i> , <b>2009</b> , 15, 4087-93  | 3.3               | 42  |
| 78 | Potentially inappropriate medications and functional decline in elderly hospitalized patients.<br>Journal of the American Geriatrics Society, <b>2009</b> , 57, 1007-14   | 5.6               | 75  |
| 77 | Moderate alcohol intake and risk of functional decline: the Health, Aging, and Body Composition study. <i>Journal of the American Geriatrics Society</i> , <b>2009</b> , 57, 1767-75  | 5.6               | 29  |
| 76 | Development of CRIteria to assess appropriate Medication use among Elderly complex patients (CRIME) project: rationale and methodology. <i>Drugs and Aging</i> , <b>2009</b> , 26 Suppl 1, 3-13   | 4.7               | 29  |
| 75 | Variability in the prescription of cardiovascular medications in older patients: correlates and potential explanations. <i>Drugs and Aging</i> , <b>2009</b> , 26 Suppl 1, 41-51  | 4.7               | 7   |
| 74 | Elevated C-reactive protein levels and metabolic syndrome in the elderly: The role of central obesity data from the InChianti study. <i>Atherosclerosis</i> , <b>2009</b> , 203, 626-32   | 3.1               | 42  |
| 73 | Late-life body mass index and dementia incidence: nine-year follow-up data from the Kungsholmen Project. <i>Journal of the American Geriatrics Society</i> , <b>2008</b> , 56, 111-6  | 5.6               | 185 |
| 72 | High-density lipoprotein cholesterol and objective measures of lower extremity performance in older nondisabled persons: the InChianti study. <i>Journal of the American Geriatrics Society</i> , <b>2008</b> , 56, 621-                                | . <del>5</del> .6 | 25  |
| 71 | Reduced factor VII and factor VIII levels and prolonged thrombin-generation times during a healthy diet in middle-aged women with mild to moderate cardiovascular disease risk. <i>Journal of Thrombosis and Haemostasis</i> , <b>2008</b> , 6, 2088-94 | 15.4              | 6   |

| 70 | Performance-based functional assessment in older hospitalized patients: feasibility and clinical correlates. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2008</b> , 63, 1393-8                                  | 6.4 | 97  |
|----|---|-----|-----|
| 69 | High interleukin-6 plasma levels are associated with functional impairment in older patients with vascular dementia. <i>International Journal of Geriatric Psychiatry</i> , <b>2007</b> , 22, 305-11  | 3.9 | 44  |
| 68 | Plasma cytokines profile in older subjects with late onset Alzheimer@ disease or vascular dementia.<br>Journal of Psychiatric Research, 2007, 41, 686-93  | 5.2 | 159 |
| 67 | Characteristics of nondisabled older patients developing new disability associated with medical illnesses and hospitalization. <i>Journal of General Internal Medicine</i> , <b>2007</b> , 22, 668-74   | 4   | 104 |
| 66 | Diabetes mellitus, glycemic control, and incident depressive symptoms among 70- to 79-year-old persons: the health, aging, and body composition study. <i>Archives of Internal Medicine</i> , <b>2007</b> , 167, 1137-4                                     | 14  | 116 |
| 65 | From chronic low back pain to disability, a multifactorial mediated pathway: the InCHIANTI study. <i>Spine</i> , <b>2007</b> , 32, E809-15  | 3.3 | 57  |
| 64 | High interleukin-6 plasma levels are associated with low HDL-C levels in community-dwelling older adults: the InChianti study. <i>Atherosclerosis</i> , <b>2007</b> , 192, 384-90   | 3.1 | 49  |
| 63 | An unusual case of hyperammonemia in a 83-year-old woman. <i>Aging Clinical and Experimental Research</i> , <b>2007</b> , 19, 506-8   | 4.8 | 7   |
| 62 | High baseline values of fat mass, independently of appendicular skeletal mass, predict 2-year onset of disability in elderly subjects at the high end of the functional spectrum. <i>Aging Clinical and Experimental Research</i> , <b>2007</b> , 19, 154-9 | 4.8 | 33  |
| 61 | Anemia and cognitive performance in hospitalized older patients: results from the GIFA study. <i>International Journal of Geriatric Psychiatry</i> , <b>2006</b> , 21, 529-34   | 3.9 | 37  |
| 60 | Lower plasma vitamin E levels are associated with the frailty syndrome: the InCHIANTI study.<br>Journals of Gerontology - Series A Biological Sciences and Medical Sciences, <b>2006</b> , 61, 278-83   | 6.4 | 119 |
| 59 | Frailty of older age: the role of the endocrineimmune interaction. <i>Current Pharmaceutical Design</i> , <b>2006</b> , 12, 3147-59   | 3.3 | 43  |
| 58 | Body mass index, free insulin-like growth factor I, and physical function among older adults: results from the ilSIRENTE study. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2006</b> , 291, E829-34                           | 6   | 52  |
| 57 | Association between anemia and physical disability in older patients: role of comorbidity. <i>Aging Clinical and Experimental Research</i> , <b>2006</b> , 18, 485-92   | 4.8 | 19  |
| 56 | Anemia, physical disability, and survival in older patients with heart failure. <i>Journal of Cardiac Failure</i> , <b>2006</b> , 12, 533-9   | 3.3 | 17  |
| 55 | Self-rated health showed a graded association with frequently used biomarkers in a large population sample. <i>Journal of Clinical Epidemiology</i> , <b>2006</b> , 59, 465-71  | 5.7 | 207 |
| 54 | Anaemia increases the risk of dementia in cognitively intact elderly. <i>Neurobiology of Aging</i> , <b>2006</b> , 27, 278-84   | 5.6 | 110 |
| 53 | Markers of inflammation, vitamin E and peripheral nervous system function: the InCHIANTI study.  Neurobiology of Aging, 2006, 27, 1280-8  | 5.6 | 35  |

| 52 | Seasonal variation of pretransfusion hemoglobin levels in patients with thalassemia major. <i>Blood</i> , <b>2006</b> , 107, 355-7  | 2.2  | 7   |
|----|---|------|-----|
| 51 | Impact of inflammation on the relationship among alcohol consumption, mortality, and cardiac events: the health, aging, and body composition study. <i>Archives of Internal Medicine</i> , <b>2006</b> , 166, 1490-7  |      | 39  |
| 50 | Total serum cholesterol and recovery from disability among hospitalized older adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2006</b> , 61, 736-42   | 6.4  | 14  |
| 49 | Anemia and recovery from disability in activities of daily living in hospitalized older persons. <i>Journal of the American Geriatrics Society</i> , <b>2006</b> , 54, 632-6  | 5.6  | 21  |
| 48 | Just get out the door! Importance of walking outside the home for maintaining mobility: findings from the women@health and aging study. <i>Journal of the American Geriatrics Society</i> , <b>2005</b> , 53, 198-203   | 5.6  | 211 |
| 47 | Executive function correlates with walking speed in older persons: the InCHIANTI study. <i>Journal of the American Geriatrics Society</i> , <b>2005</b> , 53, 410-5   | 5.6  | 279 |
| 46 | Diabetes, hyperglycaemia and mortality in disabled older women: The Women@ Health and Ageing Study I. <i>Diabetic Medicine</i> , <b>2005</b> , 22, 543-50   | 3.5  | 14  |
| 45 | Relation of plasma leptin to C-reactive protein in older adults (from the Invecchiare nel Chianti study). <i>American Journal of Cardiology</i> , <b>2005</b> , 96, 991-5   | 3    | 41  |
| 44 | Treatment with angiotensin-converting enzyme inhibitors is associated with a reduction in short-term mortality in older patients with acute ischemic stroke. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2005</b> , 60, 463-5 | 6.4  | 4   |
| 43 | Risk factors for falls in older disabled women with diabetes: the women@health and aging study.  Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2005, 60, 1539-45   | 6.4  | 143 |
| 42 | Patterns of disability related to diabetes mellitus in older women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2004</b> , 59, 148-53   | 6.4  | 60  |
| 41 | Relationship of alcohol intake with inflammatory markers and plasminogen activator inhibitor-1 in well-functioning older adults: the Health, Aging, and Body Composition study. <i>Circulation</i> , <b>2004</b> , 109, 607-12  | 16.7 | 142 |
| 40 | Prescription of antithrombotic therapy in older patients hospitalized for transient ischemic attack and ischemic stroke: the GIFA study. <i>Stroke</i> , <b>2004</b> , 35, 913-7  | 6.7  | 39  |
| 39 | Effect of DHEAS on skeletal muscle over the life span: the InCHIANTI study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2004</b> , 59, 466-72   | 6.4  | 74  |
| 38 | Low cholesterol levels are associated with short-term mortality in older patients with ischemic stroke. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2004</b> , 59, 293-7  | 6.4  | 39  |
| 37 | Body mass index, body cell mass, and 4-year all-cause mortality risk in older nursing home residents. <i>Journal of the American Geriatrics Society</i> , <b>2004</b> , 52, 886-91  | 5.6  | 51  |
| 36 | What constitutes normal hemoglobin concentration in community-dwelling disabled older women?.<br>Journal of the American Geriatrics Society, <b>2004</b> , 52, 1811-6   | 5.6  | 123 |
| 35 | Incidence of loss of ability to walk 400 meters in a functionally limited older population. <i>Journal of the American Geriatrics Society</i> , <b>2004</b> , 52, 2094-8  | 5.6  | 67  |

| 34 | Prescription of anti-oedema agents and short-term mortality in older patients with acute ischaemic stroke. <i>Drugs and Aging</i> , <b>2004</b> , 21, 273-8  | 4.7  | 4   |
|----|--|------|-----|
| 33 | Combined measurement of serum albumin and high-density lipoprotein cholesterol strongly predicts mortality in frail older nursing-home residents. <i>Aging Clinical and Experimental Research</i> , <b>2004</b> , 16, 472-5  | 4.8  | 13  |
| 32 | Risk of hospitalization for upper gastrointestinal tract bleeding. <i>Journal of Clinical Epidemiology</i> , <b>2004</b> , 57, 103-10  | 5.7  | 23  |
| 31 | Lower extremity physical performance and hip bone mineral density in elderly black and white men and women: cross-sectional associations in the Health ABC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2003</b> , 58, M934-42 | 6.4  | 58  |
| 30 | The Association of Positive and Negative Affect and Exercise Self-Efficacy in Older Adults. <i>Journal of Aging and Physical Activity</i> , <b>2003</b> , 11, 265-274  | 1.6  | 7   |
| 29 | Targeting High-Risk Older Adults into Exercise Programs for Disability Prevention. <i>Journal of Aging and Physical Activity</i> , <b>2003</b> , 11, 219-228   | 1.6  | 17  |
| 28 | Handgrip strength and cause-specific and total mortality in older disabled women: exploring the mechanism. <i>Journal of the American Geriatrics Society</i> , <b>2003</b> , 51, 636-41  | 5.6  | 435 |
| 27 | Effect of metabolic control on homocysteine levels in type 2 diabetic patients: a 3-year follow-up. <i>Journal of Internal Medicine</i> , <b>2003</b> , 254, 264-71  | 10.8 | 20  |
| 26 | Emotional vitality and change in lower extremity function after acute medical illness and hospitalization. <i>Journal of the American Geriatrics Society</i> , <b>2003</b> , 51, 1814-5  | 5.6  | 5   |
| 25 | Progression of lower-extremity disability in older women with diabetes: the Women@ Health and Aging Study. <i>Diabetes Care</i> , <b>2003</b> , 26, 70-5   | 14.6 | 91  |
| 24 | Aging bone in men and women: beyond changes in bone mineral density. <i>Osteoporosis International</i> , <b>2003</b> , 14, 531-8   | 5.3  | 118 |
| 23 | Serum cholesterol levels and in-hospital mortality in the elderly. <i>American Journal of Medicine</i> , <b>2003</b> , 115, 265-71   | 2.4  | 32  |
| 22 | Serum IL-1beta levels in health and disease: a population-based study. The InCHIANTI study <i>Cytokine</i> , <b>2003</b> , 22, 198-205   | 4    | 77  |
| 21 | Insulin-like growth factor I and interleukin-6 contribute synergistically to disability and mortality in older women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 2019-25  | 5.6  | 238 |
| 20 | Low serum vitamin d does not predict new disability or loss of muscle strength in older women.<br>Journal of the American Geriatrics Society, <b>2002</b> , 50, 912-7  | 5.6  | 101 |
| 19 | Change in muscle strength explains accelerated decline of physical function in older women with high interleukin-6 serum levels. <i>Journal of the American Geriatrics Society</i> , <b>2002</b> , 50, 1947-54   | 5.6  | 451 |
| 18 | Comorbidities and impairments explaining the association between diabetes and lower extremity disability: The Women@ Health and Aging Study. <i>Diabetes Care</i> , <b>2002</b> , 25, 678-83   | 14.6 | 171 |
| 17 | Genetic factors associated with the absence of atherosclerosis in octogenarians. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2002</b> , 57, M611-5   | 6.4  | 12  |

#### LIST OF PUBLICATIONS

| 16 | Association between thyroid dysfunction and total cholesterol level in an older biracial population: the health, aging and body composition study. <i>Archives of Internal Medicine</i> , <b>2002</b> , 162, 773-9                         |       | 82  |
|----|--|-------|-----|
| 15 | Serum thyroxine level and cognitive decline in euthyroid older women. <i>Neurology</i> , <b>2002</b> , 58, 1055-61   | 6.5   | 101 |
| 14 | Reliability and sensitivity to change assessed for a summary measure of lower body function: results from the Women@ Health and Aging Study. <i>Journal of Clinical Epidemiology</i> , <b>2002</b> , 55, 916-21                            | 5.7   | 250 |
| 13 | Progressive versus catastrophic loss of the ability to walk: implications for the prevention of mobility loss. <i>Journal of the American Geriatrics Society</i> , <b>2001</b> , 49, 1463-70   | 5.6   | 125 |
| 12 | High vitamin E plasma levels and low low-density lipoprotein oxidation are associated with the absence of atherosclerosis in octogenarians. <i>Journal of the American Geriatrics Society</i> , <b>2001</b> , 49, 651-4                    | 5.6   | 19  |
| 11 | The value of serum albumin and high-density lipoprotein cholesterol in defining mortality risk in older persons with low serum cholesterol. <i>Journal of the American Geriatrics Society</i> , <b>2001</b> , 49, 1142-7                   | 5.6   | 93  |
| 10 | Cardiovascular disease, interleukin-6, and risk of mortality in older women: the women@ health and aging study. <i>Circulation</i> , <b>2001</b> , 103, 947-53   | 16.7  | 361 |
| 9  | Association of IGF-I levels with muscle strength and mobility in older women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 4139-46  | 5.6   | 160 |
| 8  | The measurement of health: a comparison of indices of disease severity. <i>Journal of Clinical Epidemiology</i> , <b>2001</b> , 54, 1094-102   | 5.7   | 3   |
| 7  | The inverse association between age and cholesterol level among older patients: the role of poor health status. <i>Gerontology</i> , <b>2001</b> , 47, 36-45   | 5.5   | 38  |
| 6  | Acute phase markers are associated with reduced plasma lipid levels in a population of hospitalized elderly patients. <i>Gerontology</i> , <b>2000</b> , 46, 22-7  | 5.5   | 35  |
| 5  | A new method for identifying antibiotic-treated infections using automated pharmacy records.<br>Journal of Clinical Epidemiology, <b>2000</b> , 53, 1069-75  | 5.7   | 8   |
| 4  | Benzodiazepines with different half-life and falling in a hospitalized population: The GIFA study. Gruppo Italiano di Farmacovigilanza nell@nziano. <i>Journal of Clinical Epidemiology</i> , <b>2000</b> , 53, 1222-9                     | 5.7   | 86  |
| 3  | Relationships between fasting plasma insulin, anthropometrics, and metabolic parameters in a very old healthy population. Associazione Medica Sabin. <i>Metabolism: Clinical and Experimental</i> , <b>1998</b> , 47, 535                  | -46·7 | 15  |
| 2  | Fibrinolytic and coagulation factors in very old subjects: association with lipoprotein profile and anthropometric variables. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>1998</b> , 53, M8-13 | 6.4   | 2   |
| 1  | Tako-Tsubo cardiomyopathy in an older woman with hyperkinetic delirium. <i>Journal of Gerontology</i> and Geriatrics,1-4   | 0.3   |     |