

Sren T. Skou

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9257876/soren-t-skou-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

4,811
citations

22
h-index

68
g-index

179
ext. papers

9,539
ext. citations

4.5
avg, IF

5.39
L-index

#	Paper	IF	Citations
132	The Quality of Health Apps and Their Potential to Promote Behavior Change in Patients With a Chronic Condition or Multimorbidity: Systematic Search in App Store and Google Play.. <i>JMIR MHealth and UHealth</i> , 2022 , 10, e33168	5.5	2
131	Fit for Surgery-feasibility of short-course multimodal individualized prehabilitation in high-risk frail colon cancer patients prior to surgery.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 11	1.9	1
130	Rare SLC13A1 variants associate with intervertebral disc disorder highlighting role of sulfate in disc pathology.. <i>Nature Communications</i> , 2022 , 13, 634	17.4	3
129	Inter-rater reliability and agreement of 6 Minute Walk Test and 10 Meter Walk Test at comfortable walk speed in patients with acute stroke.. <i>Physiotherapy Theory and Practice</i> , 2022 , 1-9	1.5	1
128	Changes in medial-to-lateral knee joint loading patterns assessed by Dual-Energy X-ray Absorptiometry following supervised neuromuscular exercise therapy and patient education in patients with knee osteoarthritis: an exploratory cohort study.. <i>Physiotherapy Theory and Practice</i> , 2022 , 1-10	1.5	
127	Maintenance of physical activity after cardiac rehabilitation (FAIR): study protocol for a feasibility trial.. <i>BMJ Open</i> , 2022 , 12, e060157	3	
126	Are patient characteristics and modes of delivery associated with completion of cardiac rehabilitation? A national registry analysis.. <i>International Journal of Cardiology</i> , 2022 ,	3.2	1
125	Effect of In-Person Delivered Behavioural Interventions in People with Multimorbidity: Systematic Review and Meta-analysis.. <i>International Journal of Behavioral Medicine</i> , 2022 , 1	2.6	1
124	Putting the pieces together: A qualitative study exploring perspectives on self-management and exercise behavior among people living with multimorbidity, healthcare professionals, relatives, and patient advocates. <i>Journal of Multimorbidity and Comorbidity</i> , 2022 , 12, 263355652211001		0
123	Benefits and Harms of Interventions With Surgery Compared to Interventions Without Surgery for Musculoskeletal Conditions: A Systematic Review With Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 52, 312-344	4.2	
122	Complex Lifestyle and Psychological Intervention in Knee Osteoarthritis: Scoping Review of Randomized Controlled Trials. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
121	Intrarater Reliability and Agreement of Recommended Performance-Based Tests and Common Muscle Function Tests in Knee Osteoarthritis. <i>Journal of Geriatric Physical Therapy</i> , 2021 , 44, 144-152	3.2	3
120	Disentangling treatment pathways for knee osteoarthritis: a study protocol for the TREATright study including a prospective cohort study, a qualitative study and a cost-effectiveness study. <i>BMJ Open</i> , 2021 , 11, e048411	3	
119	Clinicians' Beliefs and attitudes to physical activity and exercise therapy as treatment for knee and/or hip osteoarthritis: a scoping review. <i>Osteoarthritis and Cartilage</i> , 2021 ,	6.2	3
118	Development of an internet-delivered cognitive behavioral therapy program for use in combination with exercise therapy and education by patients at increased risk of chronic pain following total knee arthroplasty. <i>BMC Health Services Research</i> , 2021 , 21, 1151	2.9	0
117	Guidance for Implementing Best Practice Therapeutic Exercise for Patients With Knee and Hip Osteoarthritis: What Does the Current Evidence Base Tell Us?. <i>Arthritis Care and Research</i> , 2021 , 73, 1746-1753	4.7	4
116	The clinical profile of people with knee osteoarthritis and a self-reported prior knee injury: A cross-sectional study of 10,973 people. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 341-345	6.2	

115	Immediate outcomes following the GLA:D ⁺ program in Denmark, Canada and Australia. A longitudinal analysis including 28,370 patients with symptomatic knee or hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 502-506	6.2	7
114	Impact of educational level and employment status on short-term and long-term pain relief from supervised exercise therapy and education: an observational study of 22 588 patients with knee and hip osteoarthritis. <i>BMJ Open</i> , 2021 , 11, e045156	3	0
113	The translated Danish version of the Western Ontario Meniscal Evaluation Tool (WOMET) is reliable and responsive. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021 , 29, 4278-4285	5.5	0
112	The Danish Diabetes Musculoskeletal Cohort: Non-Responder Analysis of an Electronic Survey Using Registry Data. <i>Clinical Epidemiology</i> , 2021 , 13, 397-405	5.9	0
111	Cross-cultural translation and adaptation of the Danish version of the Fugl-Meyer assessment for post stroke sensorimotor function. <i>Disability and Rehabilitation</i> , 2021 , 1-8	2.4	2
110	Strength training in addition to neuromuscular exercise and education in individuals with knee osteoarthritis-the effects on pain and sensitization. <i>European Journal of Pain</i> , 2021 , 25, 1898-1911	3.7	2
109	Recruitment and retention rates in randomised controlled trials of exercise therapy in people with multimorbidity: a systematic review and meta-analysis. <i>Trials</i> , 2021 , 22, 396	2.8	4
108	Infographic. Benefits and harms of exercise therapy in people with multimorbidity. <i>British Journal of Sports Medicine</i> , 2021 , 55, 1059-1060	10.3	0
107	Associations between comorbidities and immediate and one-year outcomes following supervised exercise therapy and patient education - A cohort study of 24,513 individuals with knee or hip osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 39-49	6.2	3
106	Patients use fewer analgesics following supervised exercise therapy and patient education: an observational study of 16 499 patients with knee or hip osteoarthritis. <i>British Journal of Sports Medicine</i> , 2021 , 55, 670-675	10.3	5
105	Feasibility assessment of an occupational therapy lifestyle intervention added to multidisciplinary chronic pain treatment at a Danish pain centre: a qualitative evaluation from the perspectives of patients and clinicians. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2021 , 16, 1949900	2	1
104	Symptoms of lumbar spinal stenosis in people with knee or hip osteoarthritis or low back pain: a cross-sectional study of 10,234 participants in primary care. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 1515-1520	6.2	0
103	Agreement Between Self-Reported Information and Administrative Data on Comorbidities, Imaging and Treatment in Denmark - A Validation Study of 38,745 Patients with Knee or Hip Osteoarthritis. <i>Clinical Epidemiology</i> , 2021 , 13, 779-790	5.9	1
102	Measurement properties of UCLA Activity Scale for hip and knee arthroplasty patients and translation and cultural adaptation into Danish. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 681-688	4.3	0
101	Prognostic factors of total hip replacement during a 2-year period in participants enrolled in supervised education and exercise therapy: a prognostic study of 3657 participants with hip osteoarthritis. <i>Arthritis Research and Therapy</i> , 2021 , 23, 235	5.7	
100	Program evaluation of GLA:D ⁺ Australia: Physiotherapist training outcomes and effectiveness of implementation for people with knee osteoarthritis. <i>Osteoarthritis and Cartilage Open</i> , 2021 , 3, 100175	1.5	7
99	To what extent are comorbidity profiles associated with referral and uptake to cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2021 , 343, 85-91	3.2	1
98	Soft-collar use in rehabilitation of whiplash-associated disorders - A systematic review and meta-analysis. <i>Musculoskeletal Science and Practice</i> , 2021 , 55, 102426	2.4	1

97	Neuromuscular Electric Stimulation in Addition to Exercise Therapy in Patients with Lower Extremity Paresis Due to Acute Ischemic Stroke. A proof-of-concept randomised controlled trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 106050	2.8	1
96	Establishing research priorities related to osteoarthritis care via stakeholder input from patients. <i>Danish Medical Journal</i> , 2021 , 68,	3.8	2
95	The effectiveness of exercise therapy and education plus cognitive behavioral therapy, alone or in combination with total knee arthroplasty in patients with knee osteoarthritis - study protocol for the MultiKnee trial.. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 1054	2.8	0
94	Cost-effectiveness of an 8-week supervised education and exercise therapy programme for knee and hip osteoarthritis: a pre-post analysis of 16 255 patients participating in Good Life with osteoArthritis in Denmark (GLA:D).. <i>BMJ Open</i> , 2021 , 11, e049541	3	0
93	Disentangling treatment pathways for knee osteoarthritis: a study protocol for the TREATright study including a prospective cohort study, a qualitative study and a cost-effectiveness study 2021 , 11, e048411		0
92	Proportion of patients with hip osteoarthritis in primary care identified by differing clinical criteria: a cross-sectional study of 4699 patients. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100111	1.5	0
91	Comorbidities and their link with individual health status: A cross-sectional analysis of 23,892 people with knee and hip osteoarthritis from primary care. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X201920456 ¹³	4.2	13
90	Baseline characteristics of patients with knee and hip osteoarthritis attending the glad program in Denmark, Canada and Australia. A cross-sectional study including 51,348 patients. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, S165-S166	6.2	2
89	Individualized predictions of changes in knee pain, quality of life and walking speed following patient education and exercise therapy in patients with knee osteoarthritis - a prognostic model study. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 1191-1201	6.2	2
88	Photo-Based Range-of-Motion Measurement: Reliability and Concurrent Validity in Children With Cerebral Palsy. <i>Pediatric Physical Therapy</i> , 2020 , 32, 151-160	0.9	
87	Letter to the Editor concerning "The role of non-rigid cervical collar in pain relief and functional restoration after whiplash injury: a systematic review and a pooled analysis of randomized controlled trials" by Ricciardi L, et al. (Eur Spine J; [2019] 28:1821-1828). <i>European Spine Journal</i> , 2020 , 29, 1191-1192	2.7	1
86	Low-dose strength training in addition to neuromuscular exercise and education in patients with knee osteoarthritis in secondary care - a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 744-754	6.2	2
85	Neuromuscular exercise and pain neuroscience education compared with pain neuroscience education alone in patients with chronic pain after primary total knee arthroplasty: study protocol for the NEPNEP randomized controlled trial. <i>Trials</i> , 2020 , 21, 218	2.8	2
84	Multimorbidity: Making the Case for an End to Disease-Specific Rehabilitation. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2020 , 72, 1-3	0.8	0
83	Cost-effectiveness of 12 weeks of supervised treatment compared to written advice in patients with knee osteoarthritis: a secondary analysis of the 2-year outcome from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 907-916	6.2	5
82	The benefits and harms of therapeutic exercise on physical and psychosocial outcomes in people with multimorbidity: Protocol for a systematic review. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X201920458	4.58	6
81	The association between clusters of chronic conditions and psychological well-being in younger and older people-A cross-sectional, population-based study from the Lolland-Falster Health Study, Denmark. <i>Journal of Comorbidity</i> , 2020 , 10, 2235042X201981185	4	2
80	Implementing a national first-line management program for moderate-severe knee osteoarthritis in Australia: A budget impact analysis focusing on knee replacement avoidance. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100070	1.5	10

79	Development of a core capability framework for qualified health professionals to optimise care for people with osteoarthritis: an OARSI initiative. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 154-166	6.2	9
78	Less Severe Preoperative Synovitis is Associated With Higher Self-reported Pain Intensity 12 Months After Total Knee Arthroplasty-An Exploratory Prospective Observational Study. <i>Clinical Journal of Pain</i> , 2020 , 36, 34-40	3.5	1
77	Cross-cultural adaptation of the Danish version of the Big Five Inventory - a dual-panel approach. <i>Scandinavian Journal of Pain</i> , 2020 , 20, 397-406	1.9	
76	Collaborative model of care between Orthopaedics and allied healthcare professionals trial (CONNACT) - a feasibility study in patients with knee osteoarthritis using a mixed method approach. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 592	2.8	1
75	Benefits and harms of exercise therapy in people with multimorbidity: A systematic review and meta-analysis of randomised controlled trials. <i>Ageing Research Reviews</i> , 2020 , 63, 101166	12	24
74	Collaborative model of care between Orthopaedics and allied healthcare professionals in knee osteoarthritis (CONNACT): study protocol for an effectiveness-implementation hybrid randomized control trial. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 684	2.8	0
73	Risk-stratified and stepped models of care for back pain and osteoarthritis: are we heading towards a common model?. <i>Pain Reports</i> , 2020 , 5, e843	3.5	9
72	Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222	40	1847
71	Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249	40	1013
70	Why Is Exercise Effective in Reducing Pain in People with Osteoarthritis?. <i>Current Treatment Options in Rheumatology</i> , 2020 , 6, 146-159	1.3	1
69	Heavy shoulder strengthening exercise in people with hypermobility spectrum disorder (HSD) and long-lasting shoulder symptoms: a feasibility study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 97	1.9	6
68	Changes in physical inactivity during supervised educational and exercise therapy in patients with knee osteoarthritis: A prospective cohort study. <i>Knee</i> , 2020 , 27, 1848-1856	2.6	2
67	A randomised controlled trial of heavy shoulder strengthening exercise in patients with hypermobility spectrum disorder or hypermobile Ehlers-Danlos syndrome and long-lasting shoulder complaints: study protocol for the Shoulder-MOBILEX study. <i>Trials</i> , 2020 , 21, 992	2.8	1
66	Surgical or non-surgical treatment of traumatic skeletal fractures in adults: systematic review and meta-analysis of benefits and harms. <i>Systematic Reviews</i> , 2020 , 9, 179	3	7
65	Cost-effectiveness of total knee replacement in addition to non-surgical treatment: a 2-year outcome from a randomised trial in secondary care in Denmark. <i>BMJ Open</i> , 2020 , 10, e033495	3	9
64	Benefits and Harms of Exercise Therapy for Patients With Diabetic Foot Ulcers: A Systematic Review. <i>International Journal of Lower Extremity Wounds</i> , 2020 , 1534734620954066	1.6	2
63	Infographic. Therapeutic exercise relieves pain and does not harm knee cartilage nor trigger inflammation. <i>British Journal of Sports Medicine</i> , 2020 , 54, 118-119	10.3	3
62	Comparison of three sets of clinical classification criteria for knee osteoarthritis: a cross-sectional study of 13,459 patients treated in primary care. <i>Osteoarthritis and Cartilage</i> , 2020 , 28, 167-172	6.2	12

61	Pressure pain sensitivity in patients with traumatic first-time and recurrent anterior shoulder dislocation: a cross-sectional analysis. <i>Scandinavian Journal of Pain</i> , 2020 , 20, 387-395	1.9	
60	Prevalence, Severity, and Correlates of Pain Flares in Response to a Repeated Sit-to-Stand Activity: A Cross-sectional Study of 14 902 Patients With Knee and Hip Osteoarthritis in Primary Care. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020 , 50, 309-318	4.2	5
59	Zukunftsweisendes Arthrose-Management. <i>Der Schmerzpatient</i> , 2019 , 2, 23-28	0	1
58	Preventing Inadvertent Hypothermia in Patients Undergoing Major Spinal Surgery: A Nonrandomized Controlled Study of Two Different Methods of Preoperative and Intraoperative Warming. <i>Journal of Perianesthesia Nursing</i> , 2019 , 34, 999-1005	1.3	5
57	Priorities for the effective implementation of osteoarthritis management programs: an OARSI international consensus exercise. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1270-1279	6.2	23
56	Ultrasonographic assessment of patellar tendon thickness at 16 clinically relevant measurement sites - A study of intra- and interrater reliability. <i>Journal of Bodywork and Movement Therapies</i> , 2019 , 23, 344-351	1.6	0
55	Infographic. Exercise therapy for meniscal tears: evidence and recommendations. <i>British Journal of Sports Medicine</i> , 2019 , 53, 315-316	10.3	1
54	National survey of current practice and opinions on rehabilitation for intermittent claudication in the Danish Public Healthcare System. <i>Scandinavian Cardiovascular Journal</i> , 2019 , 53, 361-372	2	1
53	Protocol for a multicentre randomised controlled trial to investigate the effect on asthma-related quality of life from breathing retraining in patients with incomplete asthma control attending specialist care in Denmark. <i>BMJ Open</i> , 2019 , 9, e032984	3	2
52	Improving the referral pattern of patients with knee osteoarthritis to the orthopaedic surgeon: Development and evaluation of a new screening algorithm based on patient-reported data and radiographs. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2019 , 35, 100706	1.1	
51	Life expectancy and disease burden in the Nordic countries: results from the Global Burden of Diseases, Injuries, and Risk Factors Study 2017. <i>Lancet Public Health</i> , 2019 , 4, e658-e669	22.4	23
50	Comparing Novel and Existing Measures of Sensitivity to Physical Activity Among People With Chronic Musculoskeletal Pain: The Importance of Tailoring Activity to Pain. <i>Clinical Journal of Pain</i> , 2019 , 35, 656-667	3.5	9
49	Response to Letter to Editor: Q-year outcome from two parallel randomized controlled trials. Reporting considerations. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, e1-e2	6.2	
48	Increased postural stiffness during challenging postural tasks in patients with knee osteoarthritis with high pain sensitization. <i>Clinical Biomechanics</i> , 2019 , 61, 129-135	2.2	5
47	A Pragmatic Approach to the Implementation of Osteoarthritis Guidelines Has Fewer Potential Barriers Than Recommended Implementation Frameworks. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019 , 49, 1-4	4.2	11
46	Physical therapy for patients with knee and hip osteoarthritis: supervised, active treatment is current best practice. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37 Suppl 120, 112-117	2.2	17
45	Patient-reported symptoms and changes up to 1 year after meniscal surgery. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018 , 89, 336-344	4.3	4
44	Lower Quadriceps Rate of Force Development Is Associated With Worsening Physical Function in Adults With or at Risk for Knee Osteoarthritis: 36-Month Follow-Up Data From the Osteoarthritis Initiative. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1352-1359	2.8	8

43	Physical Activity and Exercise Therapy Benefit More Than Just Symptoms and Impairments in People With Hip and Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 439-447	4.2	51
42	Investigating the motives of patients with knee OA undergoing a TKR: A qualitative interview study. <i>Musculoskeletal Care</i> , 2018 , 16, 380-387	1.6	6
41	Risk factors, diagnosis and non-surgical treatment for meniscal tears: evidence and recommendations: a statement paper commissioned by the Danish Society of Sports Physical Therapy (DSSF). <i>British Journal of Sports Medicine</i> , 2018 , 52, 557-565	10.3	11
40	Pain and sensitization after total knee replacement or nonsurgical treatment in patients with knee osteoarthritis: Identifying potential predictors of outcome at 12 months. <i>European Journal of Pain</i> , 2018 , 22, 1088-1102	3.7	24
39	Total knee replacement and non-surgical treatment of knee osteoarthritis: 2-year outcome from two parallel randomized controlled trials. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 1170-1180	6.2	53
38	The impact of physical activity level on the short- and long-term pain relief from supervised exercise therapy and education: a study of 12,796 Danish patients with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 1474-1478	6.2	16
37	Knee Osteoarthritis Patients Can Provide Useful Estimates of Passive Knee Range of Motion: Development and Validation of the Copenhagen Knee ROM Scale. <i>Journal of Arthroplasty</i> , 2018 , 33, 2875-2883	4.4	53
36	Cross-cultural adaptation and implementation of Good Life with osteoarthritis in Denmark (GLA:D) group education and exercise for hip and knee osteoarthritis is feasible in Canada. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 211-219	6.2	22
35	Clinical descriptors for the recognition of central sensitization pain in patients with knee osteoarthritis. <i>Disability and Rehabilitation</i> , 2018 , 40, 2836-2845	2.4	35
34	A 12-week supervised exercise therapy program for young adults with a meniscal tear: Program development and feasibility study. <i>Journal of Bodywork and Movement Therapies</i> , 2018 , 22, 786-791	1.6	4
33	GLA:D Back group-based patient education integrated with exercises to support self-management of back pain: development, theories and scientific evidence. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 418	2.8	27
32	Study protocol for a randomised controlled trial of meniscal surgery compared with exercise and patient education for treatment of meniscal tears in young adults. <i>BMJ Open</i> , 2017 , 7, e017436	3	9
31	Good Life with osteoArthritis in Denmark (GLA:D) evidence-based education and supervised neuromuscular exercise delivered by certified physiotherapists nationwide. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 72	2.8	133
30	The efficacy of non-surgical treatment on pain and sensitization in patients with knee osteoarthritis: a pre-defined ancillary analysis from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 108-116	6.2	17
29	Osteoarthritis: Models for appropriate care across the disease continuum. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 503-535	5.3	87
28	A Randomized, Controlled Trial of Total Knee Replacement. <i>New England Journal of Medicine</i> , 2016 , 374, 692	59.2	21
27	Criteria used when deciding on eligibility for total knee arthroplasty--Between thinking and doing. <i>Knee</i> , 2016 , 23, 300-5	2.6	19
26	The effects of total knee replacement and non-surgical treatment on pain sensitization and clinical pain. <i>European Journal of Pain</i> , 2016 , 20, 1612-1621	3.7	15

25	Muscle strength, physical performance and physical activity as predictors of future knee replacement: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1350-6	6.2	8
24	The efficacy of 12 weeks non-surgical treatment for patients not eligible for total knee replacement: a randomized controlled trial with 1-year follow-up. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1465-75	6.2	47
23	OARSI Clinical Trials Recommendations: Design, conduct, and reporting of clinical trials for knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 747-60	6.2	123
22	A Randomized, Controlled Trial of Total Knee Replacement. <i>New England Journal of Medicine</i> , 2015 , 373, 1597-606	59.2	336
21	Nonoperative treatment improves pain irrespective of radiographic severity. A cohort study of 1,414 patients with knee osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 599-604	4.3	15
20	Knee Confidence as It Relates to Self-reported and Objective Correlates of Knee Osteoarthritis: A Cross-sectional Study of 220 Patients. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 765-772	4.2	9
19	Examination of muscle strength and pressure pain thresholds in knee osteoarthritis: test-retest reliability and agreement. <i>Journal of Geriatric Physical Therapy</i> , 2015 , 38, 141-7	3.2	19
18	Altered Central Sensitization and Pain Modulation in the CNS in Chronic Joint Pain. <i>Current Osteoporosis Reports</i> , 2015 , 13, 225-34	5.4	99
17	Influence of Biomechanical Characteristics on Pain and Function Outcomes From Exercise in Medial Knee Osteoarthritis and Varus Malalignment: Exploratory Analyses From a Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2015 , 67, 1281-1288	4.7	27
16	Association of knee confidence with pain, knee instability, muscle strength, and dynamic varus-valgus joint motion in knee osteoarthritis. <i>Arthritis Care and Research</i> , 2014 , 66, 695-701	4.7	35
15	Good life with arthritis in denmark (GLA:D) - implementation of evidence-based care for knee and hip osteoarthritis in clinical practice. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, S457-S458	6.2	2
14	Impaired postural balance in the morning in patients with knee osteoarthritis. <i>Gait and Posture</i> , 2014 , 39, 1040-4	2.6	16
13	The value of routine radiography in patients with knee osteoarthritis consulting primary health care: a study of agreement. <i>European Journal of General Practice</i> , 2014 , 20, 10-6	2.8	13
12	Facilitation of pain sensitization in knee osteoarthritis and persistent post-operative pain: a cross-sectional study. <i>European Journal of Pain</i> , 2014 , 18, 1024-31	3.7	50
11	Predictors of long-term effect from education and exercise in patients with knee and hip pain. <i>Danish Medical Journal</i> , 2014 , 61, A4867	3.8	14
10	Ultrasonographic measurement of patellar tendon thickness--a study of intra- and interobserver reliability. <i>Clinical Imaging</i> , 2013 , 37, 934-7	2.7	20
9	Relating clinical measures of pain with experimentally assessed pain mechanisms in patients with knee osteoarthritis. <i>Scandinavian Journal of Pain</i> , 2013 , 4, 111-117	1.9	31
8	Widespread sensitization in patients with chronic pain after revision total knee arthroplasty. <i>Pain</i> , 2013 , 154, 1588-1594	8	100

7	Customized foot insoles have a positive effect on pain, function, and quality of life in patients with medial knee osteoarthritis. <i>Journal of the American Podiatric Medical Association</i> , 2013 , 103, 50-5	1	15
6	Mechanical axis of the lower extremity determined by a new digital photographic method. <i>Orthopedics</i> , 2013 , 36, e1077-81	1.5	1
5	Total knee replacement plus physical and medical therapy or treatment with physical and medical therapy alone: a randomised controlled trial in patients with knee osteoarthritis (the MEDIC-study). <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 67	2.8	16
4	Efficacy of multimodal, systematic non-surgical treatment of knee osteoarthritis for patients not eligible for a total knee replacement: a study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2012 , 2,	3	22
3	The influence of time-of-day variation and loading on the aponeurosis plantaris pedis: an ultrasonographic study. <i>Journal of Sports Medicine and Physical Fitness</i> , 2012 , 52, 506-12	1.4	1
2	Group education and exercise is feasible in knee and hip osteoarthritis. <i>Danish Medical Journal</i> , 2012 , 59, A4554	3.8	20
1	Exercise booster sessions as a mean to maintain the effect of an exercise-intervention - A systematic review. <i>Physical Therapy Reviews</i> , 1-11	0.7	0