Catrine Tudor-Locke

List of Publications by Citations

Source: https://exaly.com/author-pdf/9260687/catrine-tudor-locke-publications-by-citations.pdf
Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117 papers	11,463 citations	42 h-index	107 g-index
121 ext. papers	13,490 ext. citations	4.6 avg, IF	6.21 L-index

#	Paper	IF	Citations
117	2011 Compendium of Physical Activities: a second update of codes and MET values. *Medicine and Science in Sports and Exercise*, **2011**, 43, 1575-81	1.2	3293
116	How many steps/day are enough? Preliminary pedometer indices for public health. *Sports Medicine*, **2004**, 34, 1-8	10.6	1255
115	Trends over 5 decades in U.S. occupation-related physical activity and their associations with obesity. *PLoS ONE*, **2011**, 6, e19657	3.7	735
114	How many steps/day are enough? For adults. *International Journal of Behavioral Nutrition and Physical Activity*, **2011**, 8, 79	8.4	533
113	Utility of pedometers for assessing physical activity: convergent validity. *Sports Medicine*, **2002**, 32, 795-808	10.6	357
112	Revisiting "how many steps are enough?". *Medicine and Science in Sports and Exercise*, **2008**, 40, S537-43	1.2	301
111	How many steps/day are enough? for children and adolescents. *International Journal of Behavioral Nutrition and Physical Activity*, **2011**, 8, 78	8.4	259
110	The International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): design and methods. *BMC Public Health*, **2013**, 13, 900	4.1	217
109	A step-defined sedentary lifestyle index: . *Applied Physiology, Nutrition and Metabolism*, **2013**, 38, 100-14	3	201
108	Pedometer-determined step count guidelines for classifying walking intensity in a young ostensibly healthy population. *Applied Physiology, Nutrition, and Metabolism*, **2005**, 30, 666-76		180
107	Compositional data analysis for physical activity, sedentary time and sleep research. *Statistical Methods in Medical Research*, **2018**, 27, 3726-3738	2.3	167
106	Fully automated waist-worn accelerometer algorithm for detecting children's sleep-period time separate from 24-h physical activity or sedentary behaviors. *Applied Physiology, Nutrition and Metabolism*, **2014**, 39, 53-7	3	164
105	Correlates of Total Sedentary Time and Screen Time in 9-11 Year-Old Children around the World: The International Study of Childhood Obesity, Lifestyle and the Environment. *PLoS ONE*, **2015**, 10, e0129622	3.7	158
104	A systematic review of studies using pedometers to promote physical activity among youth. *Preventive Medicine*, **2009**, 48, 307-15	4.3	148
103	Proportion of children meeting recommendations for 24-hour movement guidelines and associations with adiposity in a 12-country study. *International Journal of Behavioral Nutrition and Physical Activity*, **2016**, 13, 123	8.4	144
102	Improving wear time compliance with a 24-hour waist-worn accelerometer protocol in the International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE). *International Journal of Behavioral Nutrition and Physical Activity*, **2015**, 12, 11	8.4	141
101	Why do pedometers work?: a reflection upon the factors related to successfully increasing physical activity. *Sports Medicine*, **2009**, 39, 981-93	10.6	139

100	Comparison of step outputs for waist and wrist accelerometer attachment sites. *Medicine and Science in Sports and Exercise*, **2015**, 47, 839-42	1.2	132
99	Physical Activity, Sedentary Time, and Obesity in an International Sample of Children. *Medicine and Science in Sports and Exercise*, **2015**, 47, 2062-9	1.2	130
98	Utility of pedometers for assessing physical activity: construct validity. *Sports Medicine*, **2004**, 34, 281-91	10.6	128
97	How fast is fast enough? Walking cadence (steps/min) as a practical estimate of intensity in adults: a narrative review. *British Journal of Sports Medicine*, **2018**, 52, 776-788	10.3	126
96	Identifying children's nocturnal sleep using 24-h waist accelerometry. *Medicine and Science in Sports and Exercise*, **2015**, 47, 937-43	1.2	121
95	Using cadence to study free-living ambulatory behaviour. *Sports Medicine*, **2012**, 42, 381-98	10.6	112
94	Patterns of adult stepping cadence in the 2005-2006 NHANES. *Preventive Medicine*, **2011**, 53, 178-81	4.3	111
93	Relationship between lifestyle behaviors and obesity in children ages 9-11: Results from a 12-country study. *Obesity*, **2015**, 23, 1696-702	8	97
92	Participation by US adults in sports, exercise, and recreational physical activities. *Journal of Physical Activity and Health*, **2009**, 6, 6-14	2.5	97
91	Time spent in physical activity and sedentary behaviors on the working day: the American time use survey. *Journal of Occupational and Environmental Medicine*, **2011**, 53, 1382-7	2	85
90	Expected values for pedometer-determined physical activity in youth. *Research Quarterly for Exercise and Sport*, **2009**, 80, 164-74	1.9	84
89	Process and treatment of pedometer data collection for youth: the Canadian Physical Activity Levels among Youth study. *Medicine and Science in Sports and Exercise*, **2010**, 42, 430-5	1.2	66
88	Maternal gestational diabetes and childhood obesity at age 9-11: results of a multinational study. *Diabetologia*, **2016**, 59, 2339-2348	10.3	66
87	Normative steps/day values for older adults: NHANES 2005-2006. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2013**, 68, 1426-32	6.4	64
86	Health-Related Quality of Life and Lifestyle Behavior Clusters in School-Aged Children from 12 Countries. *Journal of Pediatrics*, **2017**, 183, 178-183.e2	3.6	63
85	Relationships between Parental Education and Overweight with Childhood Overweight and Physical Activity in 9-11 Year Old Children: Results from a 12-Country Study. *PLoS ONE*, **2016**, 11, e0147746	3.7	62
84	Time trends for step-determined physical activity among Japanese adults. *Medicine and Science in Sports and Exercise*, **2011**, 43, 1913-9	1.2	60
83	Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. *PLoS ONE*, **2017**, 12, e0182155	3.7	59

82	Peak stepping cadence in free-living adults: 2005-2006 NHANES. *Journal of Physical Activity and Health*, **2012**, 9, 1125-9	2.5	57
81	Walking cadence (steps/min) and intensity in 21-40 year olds: CADENCE-adults. *International Journal of Behavioral Nutrition and Physical Activity*, **2019**, 16, 8	8.4	56
80	Objective monitoring of physical activity in children: considerations for instrument selection. *Journal of Science and Medicine in Sport*, **2009**, 12, 526-33	4.4	56
79	Temporal and bi-directional associations between sleep duration and physical activity/sedentary time in children: An international comparison. *Preventive Medicine*, **2018**, 111, 436-441	4.3	52
78	Descriptive epidemiology of youth pedometer-determined physical activity: CANPLAY. *Medicine and Science in Sports and Exercise*, **2010**, 42, 1639-43	1.2	50
77	U.S. population profile of time-stamped accelerometer outputs: impact of wear time. *Journal of Physical Activity and Health*, **2011**, 8, 693-8	2.5	45
76	Comparability of published cut-points for the assessment of physical activity: Implications for data harmonization. *Scandinavian Journal of Medicine and Science in Sports*, **2019**, 29, 566-574	4.6	45
75	CANPLAY pedometer normative reference data for 21,271 children and 12,956 adolescents. *Medicine and Science in Sports and Exercise*, **2013**, 45, 123-9	1.2	40
74	Step-Based Physical Activity Metrics and Cardiometabolic Risk: NHANES 2005-2006. *Medicine and Science in Sports and Exercise*, **2017**, 49, 283-291	1.2	39
73	Effect of different doses of supervised exercise on food intake, metabolism, and non-exercise physical activity: The E-MECHANIC randomized controlled trial. *American Journal of Clinical Nutrition*, **2019**, 110, 583-592	7	38
72	Socioeconomic status and dietary patterns in children from around the world: different associations by levels of country human development?. *BMC Public Health*, **2017**, 17, 457	4.1	36
71	Canadian children's and youth's pedometer-determined steps/day, parent-reported TV watching time, and overweight/obesity: the CANPLAY Surveillance Study. *International Journal of Behavioral Nutrition and Physical Activity*, **2011**, 8, 66	8.4	35
70	Cadence patterns and peak cadence in US children and adolescents: NHANES, 2005-2006. *Medicine and Science in Sports and Exercise*, **2012**, 44, 1721-7	1.2	34
69	Associations between meeting combinations of 24-hour movement recommendations and dietary patterns of children: A 12-country study. *Preventive Medicine*, **2019**, 118, 159-165	4.3	34
68	Physical Education Classes, Physical Activity, and Sedentary Behavior in Children. *Medicine and Science in Sports and Exercise*, **2018**, 50, 995-1004	1.2	33
67	Walking behaviors reported in the American Time Use Survey 2003-2005. *Journal of Physical Activity and Health*, **2008**, 5, 633-47	2.5	33
66	Markers of adiposity among children and adolescents: implications of the isotemporal substitution paradigm with sedentary behavior and physical activity patterns. *Journal of Diabetes and Metabolic Disorders*, **2015**, 14, 46	2.5	32
65	Sleep patterns and sugar-sweetened beverage consumption among children from around the world. *Public Health Nutrition*, **2018**, 21, 2385-2393	3.3	30

64	Human development index, children's health-related quality of life and movement behaviors: a compositional data analysis. *Quality of Life Research*, **2018**, 27, 1473-1482	3.7	29
63	Evaluation of a workplace treadmill desk intervention: a randomized controlled trial. *Journal of Occupational and Environmental Medicine*, **2014**, 56, 1266-76	2	28
62	Relationship between Soft Drink Consumption and Obesity in 9-11 Years Old Children in a Multi-National Study. *Nutrients*, **2016**, 8,	6.7	26
61	International Study of Childhood Obesity, Lifestyle and the Environment (ISCOLE): Contributions to Understanding the Global Obesity Epidemic. *Nutrients*, **2019**, 11,	6.7	24
60	Cadence (steps/min) and intensity during ambulation in 6-20 year olds: the CADENCE-kids study. *International Journal of Behavioral Nutrition and Physical Activity*, **2018**, 15, 20	8.4	24
59	Parent-targeted mobile phone intervention to increase physical activity in sedentary children: randomized pilot trial. *JMIR MHealth and UHealth*, **2014**, 2, e48	5.5	23
58	Normative steps/day and peak cadence values for united states children and adolescents: National Health and Nutrition Examination Survey 2005-2006. *Journal of Pediatrics*, **2015**, 166, 139-43	3.6	22
57	Correlates of compliance with recommended levels of physical activity in children. *Scientific Reports* , **2017**, 7, 16507	4.9	21
56	Implementation and adherence issues in a workplace treadmill desk intervention. *Applied Physiology, Nutrition and Metabolism*, **2014**, 39, 1104-11	3	20
55	Examination of mechanisms (E-MECHANIC) of exercise-induced weight compensation: study protocol for a randomized controlled trial. *Trials*, **2014**, 15, 212	2.8	19
54	Device-Measured Physical Activity As a Predictor of Disability in Mobility-Limited Older Adults. *Journal of the American Geriatrics Society*, **2017**, 65, 2251-2256	5.6	19
53	CANPLAY study: Secular trends in steps/day amongst 5-19year-old Canadians between 2005 and 2014. *Preventive Medicine*, **2016**, 86, 28-33	4.3	18
52	Emotional Eating, Health Behaviours, and Obesity in Children: A 12-Country Cross-Sectional Study. *Nutrients*, **2019**, 11,	6.7	16
51	Maintenance of Physical Function 1 Year After Exercise Intervention in At-Risk Older Adults: Follow-up From the LIFE Study. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2018**, 73, 688-694	6.4	16
50	A steps/minute value for moderate intensity physical activity in adolescent females. *Pediatric Exercise Science*, **2012**, 24, 399-408	2	16
49	Walking cadence and cardiovascular risk in children and adolescents: NHANES, 2005-2006. *American Journal of Preventive Medicine*, **2013**, 45, e27-34	6.1	15
48	Preserving older adults' routine outdoor activities in contrasting neighborhood environments through a physical activity intervention. *Preventive Medicine*, **2017**, 96, 87-93	4.3	14
47	Walking cadence (steps/min) and intensity in 41 to 60-year-old adults: the CADENCE-adults study. *International Journal of Behavioral Nutrition and Physical Activity*, **2020**, 17, 137	8.4	14

46	Are Children Like Werewolves? Full Moon and Its Association with Sleep and Activity Behaviors in an International Sample of Children. *Frontiers in Pediatrics*, **2016**, 4, 24	3.4	14
45	Associations of neighborhood social environment attributes and physical activity among 9-11 year old children from 12 countries. *Health and Place*, **2017**, 46, 183-191	4.6	13
44	Household-level correlates of children's physical activity levels in and across 12 countries. *Obesity*, **2016**, 24, 2150-7	8	13
43	A model for presenting accelerometer paradata in large studies: ISCOLE. *International Journal of Behavioral Nutrition and Physical Activity*, **2015**, 12, 52	8.4	13
42	Steps per Day and Arterial Stiffness. *Hypertension*, **2019**, 73, 350-363	8.5	13
41	Pedometer-determined physical activity among youth in the Tokyo Metropolitan area: a cross-sectional study. *BMC Public Health*, **2016**, 16, 1104	4.1	12
40	Can an automated sleep detection algorithm for waist-worn accelerometry replace sleep logs?. *Applied Physiology, Nutrition and Metabolism*, **2018**, 43, 1027-1032	3	11
39	Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. *Journals of Gerontology - Series B Psychological Sciences and Social Sciences*, **2018**, 73, 1501-1513	4.6	11
38	Association Between Structured Physical Activity and Sedentary Time in Older Adults. *JAMA - Journal of the American Medical Association*, **2017**, 318, 297-299	27.4	11
37	Changes to gait speed and the walk ratio with rhythmic auditory cuing. *Gait and Posture*, **2018**, 66, 255-259	2.6	11
36	Joint associations between weekday and weekend physical activity or sedentary time and childhood obesity. *International Journal of Obesity*, **2019**, 43, 691-700	5.5	10
35	Breastfeeding and childhood obesity: A 12-country study. *Maternal and Child Nutrition*, **2020**, 16, e12984	3.4	10
34	Toward Harmonized Treadmill-Based Validation of Step-Counting Wearable Technologies: A Scoping Review. *Journal of Physical Activity and Health*, **2020**, 1-13	2.5	10
33	Outdoor Walking Speeds of Apparently Healthy Adults: A Systematic Review and Meta-analysis. *Sports Medicine*, **2021**, 51, 125-141	10.6	10
32	No evidence for an epidemiological transition in sleep patterns among children: a 12-country study. *Sleep Health*, **2018**, 4, 87-95	4	10
31	A Case for Promoting Movement Medicine: Preventing Disability in the LIFE Randomized Controlled Trial. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2019**, 74, 1821-1827	6.4	8
30	Outdoor time and dietary patterns in children around the world. *Journal of Public Health*, **2018**, 40, e493-e501	3.5	8
29	Evaluating Accelerometry Thresholds for Detecting Changes in Levels of Moderate Physical Activity and Resulting Major Mobility Disability. *Journals of Gerontology - Series A Biological Sciences and Medical Sciences*, **2018**, 73, 660-667	6.4	8

28	Youth Energy Expenditure During Common Free-Living Activities and Treadmill Walking. *Journal of Physical Activity and Health*, **2016**, 13, S29-34	2.5	8
27	Relationships Between Outdoor Time, Physical Activity, Sedentary Time, and Body Mass Index in Children: A 12-Country Study. *Pediatric Exercise Science*, **2019**, 31, 118-129	2	8
26	Joint association of birth weight and physical activity/sedentary behavior with obesity in children ages 9-11 years from 12 countries. *Obesity*, **2017**, 25, 1091-1097	8	7
25	Epidemiological Transition in Physical Activity and Sedentary Time in Children. *Journal of Physical Activity and Health*, **2019**, 16, 518-524	2.5	7
24	Non-response bias in physical activity trend estimates. *BMC Public Health*, **2009**, 9, 425	4.1	7
23	Untapping the Health Enhancing Potential of Vigorous Intermittent Lifestyle Physical Activity (VILPA): Rationale, Scoping Review, and a 4-Pillar Research Framework. *Sports Medicine*, **2021**, 51, 1-10	10.6	7
22	Cardiometabolic thresholds for peak 30-min cadence and steps/day. *PLoS ONE*, **2019**, 14, e0219933	3.7	6
21	Using Music-Based Cadence Entrainment to Manipulate Walking Intensity. *Journal of Physical Activity and Health*, **2019**, 16, 1039-1046	2.5	5
20	Worker acceptability of the Pennington Pedal Desk: occupational workstation alternative. *Work*, **2018**, 60, 499-506	1.6	4
19	Walk with Me: a protocol for a pilot RCT of a peer-led walking programme to increase physical activity in inactive older adults. *Pilot and Feasibility Studies*, **2018**, 4, 117	1.9	4
18	Cadence-based Classification of Minimally Moderate Intensity During Overground Walking in 21- to 40-Year-Old Adults. *Journal of Physical Activity and Health*, **2019**, 16, 1092-1097	2.5	4
17	Older Adults' Daily Step Counts and Time in Sedentary Behavior and Different Intensities of Physical Activity. *Journal of Epidemiology*, **2021**, 31, 350-355	3.4	4
16	Lower youth steps/day values observed at both high and low population density areas: a cross-sectional study in metropolitan Tokyo. *BMC Public Health*, **2018**, 18, 1132	4.1	4
15	Walking cadence (steps/min) and intensity in 61-85-year-old adults: the CADENCE-Adults study. *International Journal of Behavioral Nutrition and Physical Activity*, **2021**, 18, 129	8.4	4
14	Allometrically Scaled Children's Clinical and Free-Living Ambulatory Behavior. *Medicine and Science in Sports and Exercise*, **2016**, 48, 2407-2416	1.2	3
13	Validation of an integrated pedal desk and electronic behavior tracking platform. *BMC Research Notes*, **2016**, 9, 74	2.3	3
12	Cadence (steps/min) and relative intensity in 21 to 60-year-olds: the CADENCE-adults study. *International Journal of Behavioral Nutrition and Physical Activity*, **2021**, 18, 27	8.4	3
11	Pilot Study of Impact of a Pedal Desk on Postprandial Responses in Sedentary Workers. *Medicine and Science in Sports and Exercise*, **2018**, 50, 2156-2163	1.2	2

10	Imputation of Gait Speed for Noncompleters in the 400-Meter Walk: Application to the Lifestyle Interventions for Elders Study. *Journal of the American Geriatrics Society*, **2017**, 65, 2566-2571	5.6	2
9	Adaptations to exercise in compensators and noncompensators in the E-MECHANIC Trial. *Journal of Applied Physiology*, **2020**, 129, 317-324	3.7	2
8	Weight-activity associations with cardiometabolic risk factors among U.S. youth. *Physiology and Behavior*, **2015**, 149, 165-8	3.5	1
7	Development of a Cadence-based Metabolic Equation for Walking. *Medicine and Science in Sports and Exercise*, **2021**, 53, 165-173	1.2	1
6	A catalog of validity indices for step counting wearable technologies during treadmill walking: the CADENCE-Kids study. *International Journal of Behavioral Nutrition and Physical Activity*, **2021**, 18, 97	8.4	1
5	Energy Expenditure While Using Workstation Alternatives at Self-Selected Intensities. *Journal of Physical Activity and Health*, **2019**, 16, 141-148	2.5	1
4	Step-Based Metrics and Overall Physical Activity in Children With Overweight or Obesity: Cross-Sectional Study. *JMIR MHealth and UHealth*, **2020**, 8, e14841	5.5	0
3	A Transparent Method for Step Detection Using an Acceleration Threshold. *Journal for the Measurement of Physical Behaviour*, **2021**, 4, 311-320	2.3	0
2	Using Cadence to Predict the Walk-to-Run Transition in Children and Adolescents: A Logistic Regression Approach. *Journal of Sports Sciences*, **2021**, 39, 1039-1045	3.6	0
1	Effect of an office-based intervention on visceral adipose tissue: the WorkACTIVE-P randomized controlled trial. *Applied Physiology, Nutrition and Metabolism*, **2021**, 46, 117-125	3	