

Martin Cheek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9261020/publications.pdf>

Version: 2024-02-01

142

papers

2,159

citations

430874

18

h-index

414414

32

g-index

170

all docs

170

docs citations

170

times ranked

1404

citing authors

#	ARTICLE	IF	CITATIONS
1	New scientific discoveries: Plants and fungi. <i>Plants People Planet</i> , 2020, 2, 371-388.	3.3	163
2	Important Plant Areas: revised selection criteria for a global approach to plant conservation. <i>Biodiversity and Conservation</i> , 2017, 26, 1767-1800.	2.6	160
3	New Guinea has the world's richest island flora. <i>Nature</i> , 2020, 584, 579-583.	27.8	108
4	Molecular phylogenetics of Meliaceae (Sapindales) based on nuclear and plastid DNA sequences. <i>American Journal of Botany</i> , 2003, 90, 471-480.	1.7	100
5	A phylogenomic analysis of Nepenthes (Nepenthaceae). <i>Molecular Phylogenetics and Evolution</i> , 2020, 144, 106668.	2.7	68
6	Taxonomic monograph of <i>Oxygyne</i> (Thismiaceae), rare achlorophyllous mycoheterotrophs with strongly disjunct distribution. <i>PeerJ</i> , 2018, 6, e4828.	2.0	56
7	Phylogenetic Relationships within the Subfamily Sterculioideae (Malvaceae/Sterculiaceae-Sterculieae) Using the Chloroplast Gene <i>ndhF</i> . <i>Systematic Botany</i> , 2006, 31, 160-170.	0.5	54
8	<i>Vepris bali</i> (Rutaceae), a new critically endangered (possibly extinct) cloud forest tree species from Bali Ngemba, Cameroon. <i>Willdenowia</i> , 2018, 48, 285.	0.8	51
9	A New Species of Coffea (Rubiaceae) and Notes on Mount Kupe (Cameroon). <i>Kew Bulletin</i> , 1997, 52, 989.	0.9	38
10	A New Epiphytic Species of Impatiens (Balsaminaceae) from Western Cameroon. <i>Kew Bulletin</i> , 2002, 57, 669.	0.9	38
11	Taxonomic revision of the threatened African genus <i>Pseudohydrosme</i> Engl. (Araceae), with <i>P. ebo</i> , a new, critically endangered species from Ebo, Cameroon. <i>PeerJ</i> , 2021, 9, e10689.	2.0	35
12	Kupeaeae, a New Tribe of Triuridaceae from Africa. <i>Kew Bulletin</i> , 2003, 58, 939.	0.9	34
13	A Synoptic Revision of Ancistrocladus (Ancistrocladaceae) in Africa, with a New Species from Western Cameroon. <i>Kew Bulletin</i> , 2000, 55, 871.	0.9	33
14	Addressing the <i>Vepris verdoorniana</i> complex (Rutaceae) in West Africa, with two new species. <i>Kew Bulletin</i> , 2019, 74, 1.	0.9	30
15	Rare plants on Mount Oku summit, Cameroon. <i>Oryx</i> , 2000, 34, 136.	1.0	27
16	<i>Deinbollia oreophila</i> (Sapindaceae), a new submontane species from Western Cameroon and adjoining Nigeria. <i>Kew Bulletin</i> , 2009, 64, 503-508.	0.9	27
17	Rare plants on Mount Oku summit, Cameroon. <i>Oryx</i> , 2000, 34, 136-140.	1.0	26
18	A New Species of <i>Ledermannella</i> (Podostemaceae) from Western Cameroon. <i>Kew Bulletin</i> , 2003, 58, 733.	0.9	26

#	ARTICLE	IF	CITATIONS
19	A Tuberous and Epiphytic New Species of <i>Impatiens</i> (Balsaminaceae) from Southwest Cameroon. <i>Kew Bulletin</i> , 1999, 54, 471.	0.9	25
20	Kupeantha (Coffeeae, Rubiaceae), a new genus from Cameroon and Equatorial Guinea. <i>PLoS ONE</i> , 2018, 13, e0199324.	2.5	25
21	<i>Gymnosiphon samoritoureanus</i> (Burmanniaceae) a new species from Guinea, with new records of other achlorophyllous heteromycotrophs. <i>Kew Bulletin</i> , 2010, 65, 83-88.	0.9	23
22	<i>Korupodendron songweanum</i> , a new genus and species of Vochysiaceae from West-Central Africa. <i>Brittonia</i> , 2002, 54, 13-17.	0.2	22
23	Discovering Karima (Euphorbiaceae), a New Crotonoid Genus from West Tropical Africa Long Hidden within Croton. <i>PLoS ONE</i> , 2016, 11, e0152110.	2.5	22
24	A New Species of <i>Afrothismia</i> (Burmanniaceae) from Kenya. <i>Kew Bulletin</i> , 2003, 58, 951.	0.9	20
25	Four new submontane species of <i>Psychotria</i> (Rubiaceae) with bacterial nodules from Western Cameroon. <i>Kew Bulletin</i> , 2008, 63, 405-418.	0.9	20
26	<i>Ledermannia pollardianasp. nov.</i> (Podostemaceae) from western Cameroon. <i>Nordic Journal of Botany</i> , 2008, 26, 214-217.	0.5	20
27	<i>Striga magnibracteata</i> (Orobanchaceae) a new species from GuinÃ©e and Mali. <i>Kew Bulletin</i> , 2011, 66, 441-445.	0.9	19
28	<i>Calophyllum</i> (Clusiaceae â€“ Guttiferae) in Africa. <i>Kew Bulletin</i> , 2016, 71, 1.	0.9	19
29	< i>Kindia</i> (Pavetteae, Rubiaceae), a new cliff-dwelling genus with chemically profiled colletex exudate from Mt Gangan, Republic of Guinea. <i>PeerJ</i> , 2018, 6, e4666.	2.0	19
30	Notes on the endemic plant species of the Ebo Forest, Cameroon, and the new, Critically Endangered, <i>Palisota ebo</i> (Commelinaceae). <i>Plant Ecology and Evolution</i> , 2018, 151, 434-441.	0.7	19
31	Multi-layered antimicrobial synergism of (< i>E</i>)-caryophyllene with minor compounds, tecleanatalensine B and normelicopine, from the leaves of < i>Vepris gossweileri</i> (L. Verd.) Mziray. <i>Natural Product Research</i> , 2022, 36, 2447-2457.	1.8	18
32	The endemic plant species of Mt Kupe, Cameroon with a new Critically Endangered cloud-forest tree species, <i>Vepris zapfackii</i> (Rutaceae). <i>Kew Bulletin</i> , 2021, 76, 721-734.	0.9	18
33	The identity of the West-Central African <i>Oricia lecomteana</i> Pierre, with a new combination in <i>Vepris</i> (Rutaceae). <i>Kew Bulletin</i> , 2009, 64, 509-512.	0.9	17
34	Revised treatment of <i>Memecylon</i> sect. <i>Afzeliana</i> (Melastomataceae: Olsbeoideae), including three new species from Cameroon. <i>Kew Bulletin</i> , 2008, 63, 227-241.	0.9	16
35	<i>Inversodicraea</i> Engl. resurrected and <i>I. pepehabai</i> sp. nov. (Podostemaceae), a submontane forest species from the Republic of Guinea. <i>Kew Bulletin</i> , 2016, 71, 1.	0.9	16
36	< i>Microcos magnifica</i> (Sparrmanniaceae) a new species of cloudforest tree from Cameroon. <i>PeerJ</i> , 2017, 5, e4137.	2.0	16

#	ARTICLE	IF	CITATIONS
37	Additions au genre <i>Vepris</i> Comm. ex A.Juss. (Rutaceae-Toddalieae) au Cameroun. <i>Adansonia</i> , 2019, 41, 41.	0.2	15
38	A Revision of the <i>Psychotria chalconeura</i> Complex (Rubiaceae) in Guineo-Congolian Africa. <i>Kew Bulletin</i> , 2002, 57, 375.	0.9	14
39	A New Species of <i>Coffea</i> (Rubiaceae) from Western Cameroon. <i>Kew Bulletin</i> , 2002, 57, 675.	0.9	14
40	<i>Psychotria samoritourei</i> (Rubiaceae), a new liana species from Loma-Man in Upper Guinea, West Africa. <i>Kew Bulletin</i> , 2016, 71, 1.	0.9	14
41	The montane trees of the Cameroon Highlands, West-Central Africa, with <i>Deinbollia onanae</i> sp. nov. (Sapindaceae), a new primate-dispersed, Endangered species. <i>PeerJ</i> , 2021, 9, e11036.	2.0	14
42	Notes on the threatened lowland forests of Mt Cameroon and their endemics including <i>Drypetes burnleyae</i> sp. nov., with a key to species of <i>Drypetes</i> sect. <i>Stipulares</i> (Putranjivaceae). <i>Kew Bulletin</i> , 2021, 76, 223-234.	0.9	14
43	<i>Ternstroemia guineensis</i> (Ternstroemiacae), a new endangered cloudforest shrub with neotropical affinities from Kounounkan, Guinea, W Africa. <i>Willdenowia</i> , 2019, 49, 351.	0.8	14
44	<i>< i>Uvariopsis dicaprio</i></i> (Annonaceae) a new tree species with notes on its pollination biology, and the Critically Endangered narrowly endemic plant species of the Ebo Forest, Cameroon. <i>PeerJ</i> , 2022, 9, e12614.	2.0	14
45	Taxonomic revision of <i>Saxicolella</i> (Podostemaceae), African waterfall plants highly threatened by Hydro-Electric projects. <i>Kew Bulletin</i> , 2022, 77, 403-433.	0.9	14
46	<i>< i>Keraunea</i></i> gen. nov. (Convolvulaceae) from Brazil. <i>Nordic Journal of Botany</i> , 2013, 31, 453-457.	0.5	13
47	A key to the species of <i>Keetia</i> (Rubiaceae - Vanguerieae) in West Africa, with three new, threatened species from Guinea and Ivory Coast. <i>Kew Bulletin</i> , 2018, 73, 1.	0.9	13
48	<i>Lebbiea</i> (Podostemaceae-Podostemoideae), a new, nearly extinct genus with foliose tepals, in Sierra Leone. <i>PLoS ONE</i> , 2018, 13, e0203603.	2.5	13
49	<i>Vepris onanae</i> (Rutaceae), a new Critically Endangered cloud-forest tree species, and the endemic plant species of Bali Ngemba Forest Reserve, Bamenda Highlands Cameroon. <i>Kew Bulletin</i> , 2022, 77, 435-449.	0.9	13
50	A Synoptic Revision of <i>Belonophora</i> (Rubiaceae). <i>Kew Bulletin</i> , 2000, 55, 63.	0.9	12
51	A New Submontane Species of <i>Ancistrocladus</i> from Tanzania. <i>Kew Bulletin</i> , 2000, 55, 207.	0.9	12
52	Three New Species of <i>Cola</i> (Sterculiaceae) from Western Cameroon. <i>Kew Bulletin</i> , 2002, 57, 403.	0.9	12
53	<i>Mussaenda epiphytica</i> sp. nov. (Rubiaceae), an epiphytic shrub from cloud forest of the Bakossi Mts, western Cameroon. <i>Nordic Journal of Botany</i> , 2009, 27, 456-459.	0.5	12
54	Notes on the plants of Bakossi, Cameroon, and the new <i>Cola etugei</i> and <i>Cola kodminensis</i> (Sterculiaceae s. str.). <i>Plant Ecology and Evolution</i> , 2020, 153, 108-119.	0.7	12

#	ARTICLE	IF	CITATIONS
55	<i>Allophylus conraui</i> (Sapindaceae) reassessed and <i>Allophylus ujori</i> described from Cameroon Highlands of West Africa. Kew Bulletin, 2009, 64, 495-502.	0.9	11
56	<i>Ledermannella lunda</i> sp. nov. (Podostemaceae) of Lunda Norte, Angola. Kew Bulletin, 2015, 70, 1.	0.9	11
57	<i>Macropodiella cussetiana</i> (Podostemaceae) a new species from Côte d'Ivoire. Kew Bulletin, 2016, 71, 1.	0.9	11
58	<i>Ledermannella yiben</i> sp. nov. (Podostemaceae), Critically Endangered at the proposed Yiben Reservoir, Sierra Leone. Kew Bulletin, 2017, 72, 1.	0.9	11
59	Notes on <i>Tricalysia elmar</i> sp. nov. (Rubiaceae, Coffeeae), and cloud forest of the Cameroon Highlands. Plant Ecology and Evolution, 2020, 153, 167-176.	0.7	11
60	A New Species of <i>Diospyros</i> (Ebenaceae) from Southwest Cameroon. Kew Bulletin, 1998, 53, 461.	0.9	10
61	Two New Species of <i>Psychotria</i> (Rubiaceae) from Western Cameroon. Kew Bulletin, 2002, 57, 389.	0.9	10
62	<i>Psychotria kupensis</i> (Rubiaceae) a new dwarf, litter-gathering species from western Cameroon. Kew Bulletin, 2008, 63, 243-246.	0.9	10
63	<i>Nepenthes robcantleyi</i> sp. nov. (Nepenthaceae) from Mindanao, Philippines. Nordic Journal of Botany, 2011, 29, 677-681.	0.5	10
64	<i>Ardisia ebo</i> sp. nov. (Myrsinaceae), a creeping forest subshrub of Cameroon and Gabon. Kew Bulletin, 2012, 67, 281-284.	0.9	10
65	Typification and redelimitation of <i>Nepenthes alata</i> with notes on the <i>N. alata</i> group, and <i>N. negrossp.</i> nov. from the Philippines. Nordic Journal of Botany, 2013, 31, 616-622.	0.5	10
66	ON TYPIFYING NAMES VALIDATED BY PLATES UNACCOMPANIED BY TEXT. Taxon, 1989, 38, 636-638.	0.7	9
67	A New Species of <i>Cola</i> (Sterculiaceae) from the Usambara Mountains, Tanzania. Kew Bulletin, 2002, 57, 417.	0.9	9
68	The Forests of Taraba and Adamawa States, Nigeria. An Ecological Account and Plant Species Checklist. Kew Bulletin, 2002, 57, 239.	0.9	9
69	<i>Kupeantha yabassi</i> (Coffeeae-Rubiaceae), a new Critically Endangered shrub species of the Ebo Forest area, Littoral Region, Cameroon. Kew Bulletin, 2021, 76, 735-743.	0.9	9
70	The identity of Leroy's fifth subfamily of the Meliaceae , and a new combination in <i>Commiphora</i> (Burseraceae). Taxon, 1991, 40, 231-237.	0.7	8
71	<i>Nepenthes</i> (Nepenthaceae) in Palawan, Philippines. Kew Bulletin, 1999, 54, 887.	0.9	8
72	A New Species of <i>Rhaptocalyx</i> (Scytopetalaceae) from Western Cameroon. Kew Bulletin, 2002, 57, 661.	0.9	8

#	ARTICLE	IF	CITATIONS
73	Nepenthes group Montanae (Nepenthaceae) in Indo-China, with <i>N. thai</i> and <i>N. bokor</i> described as new. Kew Bulletin, 2009, 64, 319-325.	0.9	8
74	<i>Coleochloa domensis</i> (Cyperaceae), a new epiphytic species from Cameroon. Kew Bulletin, 2010, 65, 323-325.	0.9	8
75	The <i>Nepenthes micramphora</i> (Nepenthaceae) group, with two new species from Mindanao, Philippines. Phytotaxa, 2013, 151, 25.	0.3	8
76	<i>Baphia vili</i> (Leguminosae:Papilionoideae), a new species from coastal thicket in the Republic of the Congo and Gabon. Willdenowia, 2014, 44, 39-44.	0.8	8
77	Spiny African <i>Allophylus</i> (Sapindaceae): a synopsis. Kew Bulletin, 2016, 71, 1.	0.9	8
78	<i>Mesanthemum tuberosum</i> Lecomte resurrected from <i>M. prescottianum</i> (Bong.) KÃ¶rn. (Eriocaulaceae), variation and lectotypification. Kew Bulletin, 2018, 73, 1.	0.9	8
79	Three new Critically Endangered <i>Inversodicraea</i> (Podostemaceae) species from Tropical Africa: <i>I. senei</i> , <i>I. tanzaniensis</i> and <i>I. botswana</i> . Kew Bulletin, 2020, 75, 1.	0.9	8
80	Two New Species of <i>Rinorea</i> (Violaceae) from Western Cameroon. Kew Bulletin, 2003, 58, 957.	0.9	7
81	Three new or resurrected species of <i>Leptonychia</i> (Sterculiaceae- Byttneriaceae-Malvaceae) from West-Central Africa. Kew Bulletin, 2013, 68, 579-590.	0.9	7
82	Identification and typification of <i>Nepenthes blancoi</i> , with <i>N. abalatasp.</i> nov. from the western Visayas, Philippines. Nordic Journal of Botany, 2013, 31, 151-156.	0.5	7
83	< i> <i>Nepenthes alzapan</i> </i> (Nepenthaceae), a new species from Luzon, Philippines. Phytotaxa, 2013, 100, 57.	0.3	7
84	< i> <i>Nepenthes maximoides</i> </i> (Nepenthaceae) a new, critically endangered (possibly extinct) species in Sect.< i>Alatae </i> from Luzon, Philippines showing striking pitcher convergence with < i> <i>N. maxima</i> </i> (Sect. <i>Regiae</i>) of Indonesia. PeerJ, 2020, 8, e9899.	2.0	7
85	<i>Psydrax bridsoniana</i> (Rubiaceae), a New Species of Tree from Western Cameroon. Kew Bulletin, 2004, 59, 605.	0.9	6
86	<i>Tarenna hutchinsonii</i> (Rubiaceae) redelimited, and <i>T. agnata</i> described from W Africa. Kew Bulletin, 2015, 70, 1.	0.9	6
87	Three species of <i>Coleus</i> (Lamiaceae) from the Guinean Highlands: a new species, a new combination and clarification of <i>Coleus splendidus</i> . Kew Bulletin, 2019, 74, 1.	0.9	6
88	Four new threatened species of <i>Rinorea</i> (Violaceae), treelets from the forests of Cameroon. Kew Bulletin, 2021, 76, 705-719.	0.9	6
89	HIBISCUS FRAGILIS < i>Malvaceae </i>. Curtis's Botanical Magazine, 1996, 13, 210-214.	0.3	5
90	A New Species of <i>Tricalysia</i> A. Rich. ex DC. (Rubiaceae) from Western Cameroon. Kew Bulletin, 2002, 57, 681.	0.9	5

#	ARTICLE	IF	CITATIONS
91	A New Species of <i>Newtonia</i> (Leguminosae-Mimosoideae) from Cameroon. <i>Kew Bulletin</i> , 2003, 58, 447.	0.9	5
92	<i>Dracaena mokoko</i> sp. nov. (Dracaenaceae-Ruscaceae/Asparagaceae) a critically endangered forest species from Mokoko, Cameroon. <i>Nordic Journal of Botany</i> , 2012, 30, 389-393.	0.5	5
93	<i>Nepenthes barcelonae</i> (Nepenthaceae), a new species from Luzon, Philippines. <i>Phytotaxa</i> , 2015, 222, 145.	0.3	5
94	865. <scp>NEPENTHES DUBIA</scp>. <i>Curtis's Botanical Magazine</i> , 2017, 34, 111-122.	0.3	5
95	A revised key to the <i>Warneckea</i> species of Cameroon, and description of <i>Warneckea ngutiensis</i> (Melastomataceae-Olisbeoideae), a new Critically Endangered rainforest shrub. <i>Kew Bulletin</i> , 2018, 73, 1.	0.9	5
96	A New <i>Trichilia</i> (Meliaceae) from Tanzania and Its Relationship with <i>Pseudobersama</i> . <i>Kew Bulletin</i> , 1989, 44, 457.	0.9	4
97	The Wood Anatomy of <i>Pseudobersama mossambicensis</i> and <i>Trichilia capitata</i> (Meliaceae) Compared. <i>Kew Bulletin</i> , 1992, 47, 753.	0.9	4
98	Plate 334. <i>Trochetiopsis ebenus</i> . <i>Curtis's Botanical Magazine</i> , 1998, 15, 27-36.	0.3	4
99	The Genus <i>Octolobus</i> (Sterculiaceae) New to East Africa. <i>Kew Bulletin</i> , 1998, 53, 682.	0.9	4
100	<i>Cola</i> species of the limestone forests of Africa, with a new, endangered species, <i>Cola cheringoma</i> (Sterculiaceae), from Cheringoma, Mozambique. <i>Kew Bulletin</i> , 2019, 74, 1.	0.9	4
101	A revision of the African genus <i>Mesanthemum</i> (Eriocaulaceae). <i>Kew Bulletin</i> , 2019, 74, 1.	0.9	4
102	A New Species of <i>Turraea</i> (Meliaceae) from Tanzania. <i>Kew Bulletin</i> , 1989, 44, 465.	0.9	3
103	<i>Pinguicula greenwoodii</i> (Lentibulariaceae), a New Butterwort from Mexico. <i>Kew Bulletin</i> , 1994, 49, 813.	0.9	3
104	Two New Philippine <i>Nepenthes</i> . <i>Kew Bulletin</i> , 1998, 53, 966.	0.9	3
105	Plant Diversity of the Iwokrama Forest, Guyana. Using Checklists and Collecting Data to Investigate Plant Diversity. 1: A Comparative Checklist of the Plant Diversity of the Iwokrama Forest, Guyana. <i>Sida, Botanical Miscellany</i> 21. <i>Kew Bulletin</i> , 2002, 57, 240.	0.9	3
106	Two new names in West-Central African <i>Quassia</i> L. (Simaroubaceae). <i>Kew Bulletin</i> , 2008, 63, 247-250.	0.9	3
107	<i>Warneckea austro-occidentalis</i> , a new species from Cameroon and Nigeria, and re-evaluation of <i>W. fascicularis</i> var. <i>mangrovensis</i> (Melastomataceae-Olisbeoideae). <i>Kew Bulletin</i> , 2009, 64, 307-312.	0.9	3
108	<i>Cola dorrii</i> sp. nov. (Sterculiaceae), a threatened Maputaland Forest endemic of South Africa. <i>Kew Bulletin</i> , 2018, 73, 1.	0.9	3

#	ARTICLE	IF	CITATIONS
109	Hildegardia (Sterculiaceae) New to Australia. Kew Bulletin, 1991, 46, 72.	0.9	2
110	A New Synonym and a Range Extension for <i>Dipterocarpus alatus</i> . Kew Bulletin, 1993, 48, 397.	0.9	2
111	Guide de la Vegetation de la Reserve de la Lope. Kew Bulletin, 1997, 52, 764.	0.9	2
112	Plate 352. <i>Hibiscus kokio</i> subsp. <i>saintjohnianus</i> . Curtis's Botanical Magazine, 1998, 15, 236-241.	0.3	2
113	A New Species of <i>Drypetes</i> (Euphorbiaceae) from Western Cameroon. Kew Bulletin, 2000, 55, 895.	0.9	2
114	New Combinations in Tropical African <i>Luzula</i> sect. <i>Luzula</i> (Juncaceae). Kew Bulletin, 2000, 55, 899.	0.9	2
115	A New Species of <i>Myosotis</i> L. (Boraginaceae) from Cameroon, with a Key to the Tropical African Species of the Genus. Kew Bulletin, 2004, 59, 227.	0.9	2
116	< i>Psychotria elephantina</i> sp. nov. (Rubiaceae) an endangered rainforest shrub from Cameroon. Nordic Journal of Botany, 2013, 31, 569-573.	0.5	2
117	< i>Drosera</i> x < i>eloisiana</i> (Droseraceae) and the lectotypification and synonymisation of < i>D. belezeana</i>. New Journal of Botany, 2016, 6, 58-59.	0.1	2
118	LECTOTYPIFICATION AND AUTHORSHIP OF <i>HIBISCUS SCHIZOPETALUS</i> (MALVACEAE). Taxon, 1989, 38, 261-263.	0.7	1
119	New Combinations in <i>Astrotrichilia</i> & <i>Humbertioturraea</i> (Meliaceae) from Madagascar. Kew Bulletin, 1989, 44, 369.	0.9	1
120	A New Species of <i>Malleastrum</i> (Meliaceae) from Madagascar. Kew Bulletin, 1990, 45, 717.	0.9	1
121	Field Guide to the Forest Trees of Ghana. Ghana Forestry Series 1. Kew Bulletin, 1991, 46, 581.	0.9	1
122	A New Species of <i>Corchorus</i> (Tiliaceae) from the Northern Territory of Australia. Kew Bulletin, 1992, 47, 513.	0.9	1
123	(1371) Proposal to reject the name <i>Drosera longifolia</i> (Droseraceae). Taxon, 1998, 47, 749-750.	0.7	1
124	A New Name for a European <i>Lavatera</i> (Malvaceae). Kew Bulletin, 2000, 55, 1013.	0.9	1
125	<i>Hibiscus vitifolius</i> subsp. <i>lukei</i> (Malvaceae), a New Subspecies from Kenya. Kew Bulletin, 2003, 58, 499.	0.9	1
126	<i>Psychotria monensis</i> sp. nov (Rubiaceae), a tree species from Cameroon. Nordic Journal of Botany, 2010, 28, 130-133.	0.5	1

#	ARTICLE	IF	CITATIONS
127	Phylogenetically Distinct and Critically Endangered New Tree Species of <i>Phyllanthus</i> from Cameroon (Phyllanthaceae, Euphorbiaceae s. l.). Systematic Botany, 2011, 36, 933-938.	0.5	1
128	(2681) Proposal to conserve the name <i>Cola cauliflora</i> (<i>Sterculiaceae</i>) with a conserved type. Taxon, 2019, 68, 407-408.	0.7	1
129	Discovered online: <i>Hibiscus hareyae</i> sp. nov. of sect. <i>Lilibiscus</i> (Malvaceae), threatened in coastal thicket at Lindi, Tanzania. Kew Bulletin, 2020, 75, 1.	0.9	1
130	The Identity of <i>Oncoba capreaefolia</i> J. G. Baker and Notes on <i>Turraea sericea</i> Sm. (Meliaceae) from Madagascar. Kew Bulletin, 1990, 45, 369.	0.9	0
131	The Carnivorous Plants. Kew Bulletin, 1991, 46, 179.	0.9	0
132	A New Species of <i>Turraea</i> (Meliaceae) from Somalia and a Note on the Species in Continental Africa. Kew Bulletin, 1991, 46, 683.	0.9	0
133	The typification of <i>Turraea</i> L. (Meliaceae). Taxon, 1992, 41, 541-545.	0.7	0
134	Flowering Plants of the Gambia. Kew Bulletin, 1995, 50, 665.	0.9	0
135	(1316) Proposal to conserve the name <i>Sarracenia purpurea</i> (Sarraceniaceae) with a new type. Taxon, 1997, 46, 781-783.	0.7	0
136	Plate 431. <i>Modiolastrum gilliesii</i> . Curtis's Botanical Magazine, 2001, 18, 214-218.	0.3	0
137	A New <i>Xylaria</i> (Xylariaceae, Ascomycota) from Cameroon. Kew Bulletin, 2002, 57, 687.	0.9	0
138	Catalogue of the Vascular Plants of Guaramacal National Park, Portuguesa and Trujillo States, Venezuela. Contr. U.S. Natl. Herb. 40. Kew Bulletin, 2003, 58, 253.	0.9	0
139	A New Species of <i>Peucedanum</i> L. (Umbelliferae) from Mt Kupe, Western Cameroon. Kew Bulletin, 2004, 59, 133.	0.9	0
140	<i>Polyscias</i> (Araliaceae) not <i>Brucea</i> (Simaroubaceae) is native to the Arabian Peninsula. Kew Bulletin, 2009, 64, 581-581.	0.9	0
141	(2705) Proposal to conserve the name <i>Nepenthes</i> Ä—<i>hookeriana</i> (<i>Nepenthaceae</i>) with a conserved type. Taxon, 2019, 68, 867-868.	0.7	0
142	<i>Gymnosiphon mayottensis</i> Cheek, sp. nov. (Burmanniaceae) a new species from Mayotte, Comoro Islands. Adansonia, 2020, 42, 179.	0.2	0